

# Tobacco Product Use Among Adults

Western Pyramid Region, 2017



## OVERVIEW



In 2017, **about 17 of every 100** Western Pyramid Region adults 18 years and older currently smoked cigarettes.\*



In 2017, **53 of every 100** Western Pyramid Region adults 18 years and older who were current smokers stopped smoking for one day or longer because they were trying to quit smoking.



In 2017, **about 7 of every 100** Western Pyramid Region adults 18 years and older currently used any smokeless tobacco products.†



In 2017, **about 4 of every 100** Western Pyramid Region adults 18 years and older currently used e-cigarettes.‡

[www.kdheks.gov/brfss](http://www.kdheks.gov/brfss)

\* Current cigarette smokers were persons who reported smoking at least 100 cigarettes in their lifetime and smoking every day or some days. † Current smokeless tobacco use was defined as using chewing tobacco, snuff, or snus every day or some days. ‡ Current e-cigarette use was defined as using e-cigarettes or other electronic "vaping" products every day or some days.

# Cigarette Smoking by Selected Socio-demographic Characteristics, Western Pyramid Region

## BY GENDER<sup>¶</sup>

15.1%


About 15 of every 100 adult women.




19.3%

About 19 of every 100 adult men.

## BY AGE<sup>¶</sup>



Nearly 20 of every 100 adults aged 18-44 years.



About 18 of every 100 adults aged 45-64 years.

## BY OBESITY<sup>¶</sup>


Nearly 21 of every 100 adults who were Normal or Underweight (BMI<25).

20.8%



Nearly 11 of every 100 adults who were Overweight (25<=BMI<30).

10.8%




About 21 of every 100 adults who were Obese (BMI>=30).


21.3%



## BY HEALTH INSURANCE<sup>¶</sup>



Nearly 15 of every 100 adults who were insured.




About 30 of every 100 adults who were uninsured.


<sup>¶</sup> The prevalence estimates of current cigarette smoking in Western Pyramid Region are not significantly different by gender, age, obesity, and health insurance groups.

# Cigarette Smoking by Selected Socio-demographic Characteristics, Western Pyramid Region

## BY EDUCATION#



Nearly 24 of every 100 adults with a high school education or less.



Nearly 12 of every 100 adults with some college education or higher.

## BY ANNUAL HOUSEHOLD INCOME

Current cigarette smoking was significantly higher among persons with an annual household income of **less than \$35,000 per year** compared to those with **\$35,000 or higher per year**.



29.4%

About 29 of every 100 adults with an annual household income of less than \$35,000 per year.




11.8%

Nearly 12 of every 100 adults with an annual household income of \$35,000 or higher per year.

## BY DISABILITY STATUS#


Nearly 23 of every 100 adults who reported living with a disability.§

22.8%



Nearly 16 of every 100 adults who reported living without a disability.

15.6%



# The prevalence estimates of current cigarette smoking in Western Pyramid Region are not significantly different by education and disability status groups. § Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

Western Pyramid Region counties: Finney, Greeley, Hamilton, Kearny, Lane, Scott, Wallace, Wichita

Kansas Behavioral Risk Factor Surveillance System-Local Data, 2017. Kansas Department of Health and Environment, Bureau of Health Promotion website. Available at <http://www.kdheks.gov/brfss/BRFSS2017/index.html>. Accessed July 21, 2019.

Supported by grants from the Health Forward Foundation, Kansas Health Foundation, REACH Healthcare Foundation, Sunflower Foundation and the Centers for Disease Control and Prevention.