

Tobacco Product Use Among Adults

Southwest Kansas Health Initiative, 2017



OVERVIEW



In 2017, **about 19 of every 100** Southwest Kansas Health Initiative adults 18 years and older currently smoked cigarettes.*

Cigarette Smoking by Selected Socio-demographic Characteristics, Southwest Kansas Health Initiative

BY GENDER[¶]

14.8%


Nearly 15 of every 100 adult women.




23.2%

About 23 of every 100 adult men.

BY AGE[¶]



Nearly 18 of every 100 adults aged 18-44 years.



26 of every 100 adults aged 45-64 years.

BY OBESITY[¶]


Nearly 24 of every 100 adults who were Overweight ($25 \leq \text{BMI} < 30$).

23.8%



About 16 of every 100 adults who were Obese ($\text{BMI} \geq 30$).

16.1%




[¶] The prevalence estimates of current cigarette smoking in Southwest Kansas Health Initiative are not significantly different by gender, age, and obesity groups.

Cigarette Smoking by Selected Socio-demographic Characteristics, Southwest Kansas Health Initiative

BY EDUCATION

Current cigarette smoking was **significantly higher among persons with a high school education or less** compared to adults with **some college education or higher**.



About 28 of every 100 adults with a high school education or less.



Nearly 10 of every 100 adults with some college education or higher.

BY ANNUAL HOUSEHOLD INCOME

Current cigarette smoking was significantly higher among persons with an annual household income of **less than \$35,000 per year** compared to those with **\$35,000 or higher per year**.



36.1%

About 36 of every 100 adults with an annual household income of less than \$35,000 per year.




11.8%

Nearly 12 of every 100 adults with an annual household income of \$35,000 or higher per year.

BY DISABILITY STATUS#


About 28 of every 100 adults who reported living with a disability.§

28.4%



17 of every 100 adults who reported living without a disability.

17.0%



The prevalence estimates of current cigarette smoking in Southwest Kansas Health Initiative are not significantly different by disability status groups. § Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).