

Table 1C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	79,556
Total Records (All Visits)	108,288

Source of Data	Number	%
WIC	79,556	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	79,556	100.0
<i>Excluded Unknown: 0 0.0 %</i>		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	39,099	49.1
Black, Not Hispanic	9,265	11.6
Hispanic	26,437	33.2
American Indian/Alaskan Native	870	1.1
Asian/Pacific Islander	1,252	1.6
Multiple Races	2,628	3.3
All Other	0	0.0
Total	79,551	100.0
<i>Excluded Unknown: 5 * %</i>		

Age Distribution (4)	Number	%
0 - 5 Months	21,409	26.9
6 - 11 Months	3,956	5.0
12 - 23 Months	18,901	23.8
24 - 35 Months	13,415	16.9
3 - 4 Years	21,875	27.5
Total	79,556	100.0

% of Poverty Level	Number	%
0-50	19,255	24.8
51-100	27,025	34.8
101-130	14,703	18.9
131-150	7,198	9.3
151-185	8,178	10.5
186-200	388	0.5
Over 200	1,018	1.3
Adjunctive Eligibility	0	0.0
Total	77,765	100.0
<i>Excluded Unknown: 1,791 2.3 %</i>		

Program Participation	Number	%
WIC	79,556	100.0
FoodStamps	79,556	23.2
Medicaid	79,556	47.1
TANF	79,556	7.6
<i>Excluded Unknown:</i>		
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	15	*
No	79,541	100.0
Total	79,556	100.0
<i>Excluded Unknown: 0 0.0 %</i>		

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Health Indicators ⁽³⁾						
			Kansas Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
Birthweight (4)						
Low	< 2500 g		19,418	8.1	1,953,242	9.1
High	> 4000 g		19,418	6.4	1,953,242	6.4
Height and Weight						
Short Stature (5)						
	< 5th		76,976	6.7	7,526,585	6.2
	< 10th		76,976	12.0	7,526,585	11.2
Underweight (6)						
	< 5th		76,976	2.8	7,526,585	4.5
	< 10th		76,976	5.2	7,526,585	7.8
Obese (6)						
	≥ 95th		76,976	12.4	7,526,585	13.9
≥ 2 Yrs Overweight (6)						
	85th - < 95th		34,352	16.7	3,058,130	16.4
	≥ 95th		34,352	13.3	3,058,130	14.9
Anemia (7)						
Low Hb			50,405	11.5	4,357,486	15.3
Low Hct			789	3.2	627,528	11.0
Low Hb/Hct			51,194	11.4	4,759,588	15.0
Breastfeeding (8)						
Ever Breastfed			19,342	68.0	1,747,004	59.8
Breastfed At Least 6 Months			7,878	20.6	874,434	25.4
Breastfed At Least 12 Months			12,678	12.2	979,105	17.5
Smoking in Household						
≤ 2 Hours TV Viewing/ Day ⁽⁹⁾			77,483	18.6	3,047,308	11.3
			36,868	76.8	687,613	75.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 3C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Kansas Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	19,342	68.0	1,747,004	59.8
Breastfed 1+ Weeks	17,848	63.1	1,441,655	57.7
Breastfed 2+ Weeks	11,889	61.3	1,143,026	54.6
Breastfed 3+ Weeks	8,016	58.0	945,918	51.9
Breastfed 4+ Weeks	6,063	53.9	829,522	49.3
Breastfed 6+ Weeks	4,390	46.2	703,467	43.4
Breastfed 2+ Months	3,965	40.0	656,316	38.1
Breastfed 3+ Months	4,440	32.7	698,226	33.2
Breastfed 4+ Months	5,372	26.8	781,546	29.4
Breastfed 5+ Months	6,540	23.0	876,545	26.5
Breastfed 6+ Months	7,878	20.6	874,434	25.4
Breastfed 9+ Months	11,448	15.3	956,555	20.2
Breastfed 12+ Months	12,678	12.2	979,105	17.5
Breastfed 18+ Months	9,739	5.0	722,829	10.5
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	4,390	14.0	127,047	10.2
Exclusively Breastfed at Least 6 Months	7,769	2.9	182,064	5.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Racial and Ethnic Distribution by Contributor
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Contributor								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Kansas	79,556	49.1	11.6	33.2	1.1	1.6	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Contributor
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by Contributor				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Kansas	79,556	31.9	23.8	44.4
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Contributor
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Contributor (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Over- weight (6)					
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥95th		85th-	<95th	≥95th		
Kansas	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
(4)

Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
Kansas	19,342	68.0	7,878	20.6	12,678	12.2	4,390	14.0	7,769	2.9	36,868	76.8	77,483	18.6
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		
												Number
Race/Ethnicity												
White, Not Hispanic	9,257	8.1	6.6	37,932	7.1	3.1	11.3	17,284	16.3	11.8	25,268	9.9
Black, Not Hispanic	2,150	12.4	3.4	9,000	8.2	3.3	11.5	4,171	16.8	11.3	6,132	17.1
Hispanic	6,241	6.3	7.3	25,473	5.2	2.4	14.5	11,690	17.3	16.2	17,212	11.2
American Indian/Alaskan Native	154	7.1	10.4	841	4.9	2.1	18.3	395	20.8	19.5	616	11.4
Asian/Pacific Islander	327	10.7	2.1	1,207	8.2	4.1	9.4	503	13.3	10.7	803	14.1
Multiple Races	1,285	9.0	7.0	2,519	10.2	2.1	12.3	309	15.5	13.3	1,163	13.4
All Other	4	*	*	4	*	*	*	0	*	*	0	*
Total	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4
Age												
0 - 11 Months	-	-	-	23,898	11.1	2.7	8.6	-	*	*	4,036	15.1
12 - 23 Months	-	-	-	18,726	6.3	2.1	15.7	-	*	*	19,639	12.7
24 - 35 Months	-	-	-	13,042	4.3	3.5	11.7	13,042	16.2	11.7	10,320	13.0
36 - 47 Months	-	-	-	11,251	3.8	3.4	13.7	11,251	16.6	13.7	9,827	9.3
48 - 59 Months	-	-	-	10,059	3.4	3.2	15.0	10,059	17.4	15.0	7,372	6.2
Total	-	-	-	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	9,215	66.3	3,824	18.4	6,055	11.0	18,457	80.6	38,176	24.3
Black, Not Hispanic	2,130	57.3	730	14.4	1,386	7.9	4,505	66.5	9,077	20.9
Hispanic	6,246	75.3	2,652	26.1	4,240	15.1	12,611	75.5	25,646	9.2
American Indian/Alaskan Native	152	67.8	81	*	148	12.8	433	75.3	857	14.9
Asian/Pacific Islander	322	65.2	124	31.5	224	16.1	535	66.2	1,203	11.6
Multiple Races	1,274	63.3	467	14.3	625	10.9	327	71.9	2,521	24.0
All Other	3	*	0	*	0	*	0	*	3	*
Total	19,342	68.0	7,878	20.6	12,678	12.2	36,868	76.8	77,483	18.6
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	23,979	18.9
12 - 23 Months	-	-	-	-	-	-	0	*	18,607	18.2
24 - 35 Months	-	-	-	-	-	-	15,238	80.4	13,242	18.6
36 - 47 Months	-	-	-	-	-	-	11,386	74.9	11,486	18.6
48 - 59 Months	-	-	-	-	-	-	10,244	73.5	10,169	18.4
Total	19,342	68.0	7,878	20.6	12,678	12.2	36,868	76.8	77,483	18.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2008	79,556	49.1	11.6	33.2	1.1	1.6	3.3	0.0
2007	76,000	51.2	12.4	32.0	1.1	1.5	1.7	0.0
2006	53,321	52.7	10.1	31.2	0.9	1.6	3.5	0.0
2005	74,457	54.3	10.5	29.5	0.9	1.6	3.1	0.0
2004	68,875	84.1	12.2	0.0	1.8	1.9	0.0	0.0
2003	64,491	70.1	13.3	13.0	1.3	2.3	0.0	0.0
2002	56,559	57.3	12.9	26.6	1.2	2.0	0.0	0.0
2001	57,278	58.3	13.2	25.5	1.1	1.9	0.0	0.0
2000	69,094	59.6	13.1	24.2	1.1	1.9	0.0	0.0
1999	47,151	60.7	13.9	22.4	1.0	1.9	0.0	0.0
1998	55,221	61.3	14.1	21.5	1.0	2.0	0.0	0.0
1997	56,412	62.6	14.6	19.7	1.0	2.1	0.0	0.0
1996	53,058	64.0	14.6	18.2	1.1	2.1	0.0	0.0
1995	55,718	64.7	15.8	16.3	1.1	2.1	0.0	0.0
1994	61,575	67.3	15.2	14.5	1.1	1.9	0.0	0.0
1993	56,118	68.5	15.2	13.3	1.2	1.9	0.0	0.0
1992	52,246	70.3	15.0	11.8	1.1	1.8	0.0	0.0
1991	49,833	70.0	16.3	10.7	1.2	1.8	0.0	0.0
1990	39,873	70.0	17.4	9.5	1.1	2.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 10C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1989	44,077	71.9	16.4	8.4	1.2	2.1	0.0	0.0
1988	39,512	71.4	17.0	8.1	1.2	2.4	0.0	0.0
1987	35,727	71.7	17.0	7.7	1.1	2.5	0.0	0.0
1986	32,284	71.2	17.3	7.3	1.2	3.0	0.0	0.0
1985	13,867	68.5	19.9	7.3	1.3	3.1	0.0	0.0
1984	6,184	64.7	24.0	7.0	1.2	3.2	0.0	0.0
1983	2,875	63.7	25.9	6.5	1.1	2.8	0.0	0.0
1982	621	61.8	29.5	6.1	1.1	1.4	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2008	79,556	31.9	23.8	44.4
2007	76,000	31.9	24.1	43.9
2006	53,321	37.2	20.3	42.5
2005	74,457	33.7	20.9	45.4
2004	68,875	35.1	21.4	43.5
2003	64,491	36.1	21.4	42.6
2002	56,559	35.7	21.7	42.6
2001	57,278	37.6	21.1	41.3
2000	69,094	31.8	23.1	45.0
1999	47,151	35.4	21.7	42.9
1998	55,221	37.6	20.9	41.5
1997	56,412	36.5	20.6	42.9
1996	53,058	34.4	21.8	43.8
1995	55,718	37.0	21.7	41.3
1994	61,575	35.1	21.4	43.4
1993	56,118	34.8	24.2	41.1
1992	52,246	35.8	24.5	39.8
1991	49,833	37.6	25.3	37.1

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Records rejected if date of birth and date of visit unknown.
(4) Excludes records with unknown data or errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1990	39,873	40.8	24.1	35.1
1989	44,077	39.8	23.0	37.2
1988	39,512	45.1	20.5	34.5
1987	35,727	47.6	20.9	31.5
1986	32,284	48.5	20.6	30.8
1985	13,867	53.1	21.6	25.3
1984	6,184	57.1	26.6	16.3
1983	2,875	71.4	27.1	1.5
1982	621	87.1	12.9	0.0

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Records rejected if date of birth and date of visit unknown.
(4) Excludes records with unknown data or errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
2008	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4
2007	18,738	8.4	6.6	71,068	6.7	2.9	12.1	31,476	16.5	13.6	45,649	12.2
2006	8,310	8.3	6.7	52,465	6.2	2.5	13.4	22,404	17.0	13.8	35,746	9.4
2005	17,533	8.3	6.8	73,299	6.0	2.3	14.0	33,378	17.4	12.9	53,426	8.9
2004	15,142	8.9	7.2	68,031	6.5	2.2	14.6	29,559	17.5	13.6	49,409	9.4
2003	16,098	8.4	7.0	63,614	6.9	3.0	12.5	27,076	16.0	12.6	43,683	10.9
2002	14,236	8.0	6.7	55,644	6.8	3.4	12.0	23,788	14.7	12.0	38,189	10.0
2001	15,113	8.1	7.1	56,280	7.0	3.9	11.3	23,254	14.8	11.1	39,122	10.7
2000	14,843	8.5	7.4	67,878	6.4	3.8	10.7	30,600	14.1	10.3	42,739	10.8
1999	10,692	8.2	7.7	46,501	6.5	3.9	9.6	19,980	14.2	9.7	30,398	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g							Number	% <5th	% <5th
1998	14,607	8.2	7.3	54,359	6.5	4.1	9.1	22,628	13.5	8.8	37,581	11.7
1997	14,372	8.2	7.7	55,721	6.8	4.0	9.0	24,024	13.6	8.3	39,206	12.8
1996	11,899	8.1	7.7	52,414	6.5	4.3	8.4	23,033	12.6	7.9	37,597	13.8
1995	14,334	7.9	7.7	55,036	6.6	4.8	8.3	22,789	12.6	8.1	39,278	14.8
1994	15,269	7.7	8.2	60,875	5.5	6.4	6.4	26,501	10.6	5.8	44,216	12.0
1993	14,878	8.3	7.7	55,297	4.9	9.1	6.1	22,802	9.7	5.5	39,286	13.0
1992	14,410	8.1	8.1	51,494	5.2	8.8	6.0	20,538	9.8	5.9	35,954	12.3
1991	14,735	8.0	8.2	48,974	5.7	9.0	6.2	18,296	9.6	6.0	33,860	14.1
1990	12,592	8.2	8.8	38,053	7.1	7.1	8.1	13,372	13.1	8.5	25,189	15.9
1989	13,105	8.9	8.1	42,854	6.8	6.3	7.5	16,053	12.4	7.2	29,738	17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1988	11,911	9.5	8.0	38,652	7.1	6.2	7.7	13,343	12.2	7.1	27,776	19.0
1987	11,476	9.9	7.2	34,941	8.1	6.4	8.0	11,069	12.3	7.5	25,756	17.5
1986	11,023	10.3	7.5	31,595	7.7	7.0	7.9	9,865	12.5	7.4	23,645	16.0
1985	5,600	10.1	7.4	13,557	8.0	8.0	8.9	3,481	12.0	8.5	9,451	18.0
1984	2,644	11.1	7.8	6,032	7.7	10.0	8.2	988	12.1	7.4	4,080	21.1
1983	1,519	11.4	7.5	2,800	7.3	9.4	7.7	41	*	*	1,715	22.2
1982	510	10.2	10.8	600	5.8	10.3	8.5	0	*	*	281	20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2008	19,342	68.0	7,878	20.6	12,678	12.2
2007	19,025	67.3	7,437	21.6	12,055	12.2
2006	8,666	66.0	5,708	22.2	3,469	11.8
2005	18,412	64.5	12,813	22.5	7,890	12.8
2004	16,862	63.9	11,771	24.4	9,305	13.7
2003	16,292	61.7	8,435	19.6	7,679	13.6
2002	14,378	63.0	6,367	20.7	8,041	13.3
2001	15,311	61.0	6,289	20.6	7,924	13.6
2000	15,059	60.9	5,899	23.4	8,405	15.8
1999	10,828	60.7	3,316	24.0	4,860	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1998	14,816	59.3	5,858	22.0	7,153	15.9
1997	14,662	58.0	6,000	22.4	7,387	14.7
1996	12,263	54.8	4,366	22.4	6,150	18.0
1995	14,667	53.5	6,020	22.8	7,483	16.7
1994	15,649	52.9	6,381	21.1	8,458	15.6
1993	15,307	48.1	5,953	21.0	9,147	17.1
1992	14,902	48.3	5,711	21.2	8,727	17.5
1991	14,912	41.5	5,744	19.8	8,574	16.9
1990	11,780	40.1	4,119	20.7	5,976	14.4
1989	12,331	37.3	4,992	3.9	6,750	1.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 13C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
	Breastfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1988	11,816	34.6	6,789	2.9	5,855	1.5
1987	11,366	34.6	7,667	3.0	5,548	1.9
1986	10,927	36.5	7,653	3.8	5,132	1.9
1985	5,554	34.1	3,490	6.4	2,508	3.2
1984	2,630	34.4	1,662	7.0	1,338	3.8
1983	1,512	34.7	1,002	7.6	680	4.3
1982	468	39.5	223	14.3	61	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C
2008 Pediatric Nutrition Surveillance
Kansas
Children Aged < 5 Years

Page: 1
Run Date: 3 / 4 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2008 Pediatric Nutrition Surveillance
Kansas
Children Aged < 5 Years

Page: 1
Run Date: 3 / 4 / 09

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	11,478	11.6	11,478	3.3	11,478	7.8	0	0.0	0.0
12 - 23 Months	9,170	6.6	9,170	2.1	9,170	14.7	0	0.0	0.0
24 - 59 Months	17,284	4.4	17,284	3.5	17,284	11.8	17,284	16.3	11.8
Total	37,932	7.1	37,932	3.1	37,932	11.3	17,284	16.3	11.8
Black, Not Hispanic									
0 - 11 Months	2,568	16.8	2,568	2.5	2,568	9.3	0	0.0	0.0
12 - 23 Months	2,261	6.5	2,261	2.6	2,261	14.6	0	0.0	0.0
24 - 59 Months	4,171	3.9	4,171	4.2	4,171	11.3	4,171	16.8	11.3
Total	9,000	8.2	9,000	3.3	9,000	11.5	4,171	16.8	11.3
Hispanic									
0 - 11 Months	7,691	8.1	7,691	1.9	7,691	9.4	0	0.0	0.0
12 - 23 Months	6,092	5.9	6,092	1.8	6,092	17.4	0	0.0	0.0
24 - 59 Months	11,690	3.0	11,690	2.9	11,690	16.2	11,690	17.3	16.2
Total	25,473	5.2	25,473	2.4	25,473	14.5	11,690	17.3	16.2
American Indian/Alaskan Native									
0 - 11 Months	209	9.1	209	4.3	209	15.8	0	0.0	0.0
12 - 23 Months	237	3.0	237	2.1	237	18.6	0	0.0	0.0
24 - 59 Months	395	3.8	395	1.0	395	19.5	395	20.8	19.5
Total	841	4.9	841	2.1	841	18.3	395	20.8	19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16C
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander									
0 - 11 Months	391	12.3	391	2.8	391	6.6	0	0.0	0.0
12 - 23 Months	313	6.1	313	6.1	313	10.5	0	0.0	0.0
24 - 59 Months	503	6.4	503	4.0	503	10.7	503	13.3	10.7
Total	1,207	8.2	1,207	4.1	1,207	9.4	503	13.3	10.7
Multiple Races									
0 - 11 Months	1,557	12.8	1,557	2.2	1,557	8.9	0	0.0	0.0
12 - 23 Months	653	7.2	653	2.0	653	20.2	0	0.0	0.0
24 - 59 Months	309	3.6	309	2.3	309	13.3	309	15.5	13.3
Total	2,519	10.2	2,519	2.1	2,519	12.3	309	15.5	13.3
All Other/Unknown									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	0	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	23,898	11.1	23,898	2.7	23,898	8.6	0	0.0	0.0
12 - 23 Months	18,726	6.3	18,726	2.1	18,726	15.7	0	0.0	0.0
24 - 59 Months	34,352	3.9	34,352	3.3	34,352	13.3	34,352	16.7	13.3
Total	76,976	6.7	76,976	2.8	76,976	12.4	34,352	16.7	13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 17C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	2,036	14.1	6 - 11 Months	62	*
12 - 17 Months	5,554	12.4	12 - 17 Months	191	11.0
18 - 23 Months	4,039	8.7	18 - 23 Months	128	14.1
24 - 35 Months	5,168	11.2	24 - 35 Months	169	21.9
36 - 59 Months	8,471	7.1	36 - 59 Months	253	11.1
Total	25,268	9.9	Total	803	14.1
Black, Not Hispanic			Multiple Races		
6 - 11 Months	359	18.4	6 - 11 Months	234	16.2
12 - 17 Months	1,294	20.6	12 - 17 Months	543	14.4
18 - 23 Months	1,087	16.8	18 - 23 Months	130	10.0
24 - 35 Months	1,337	19.4	24 - 35 Months	104	11.5
36 - 59 Months	2,055	13.1	36 - 59 Months	152	9.9
Total	6,132	17.1	Total	1,163	13.4
Hispanic			All Other/Unknown		
6 - 11 Months	1,287	15.5	6 - 11 Months	0	*
12 - 17 Months	3,764	14.1	12 - 17 Months	0	*
18 - 23 Months	2,669	11.9	18 - 23 Months	0	*
24 - 35 Months	3,414	12.6	24 - 35 Months	0	*
36 - 59 Months	6,078	7.3	36 - 59 Months	0	*
Total	17,212	11.2	Total	0	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	58	*	6 - 11 Months	4,036	15.1
12 - 17 Months	126	8.7	12 - 17 Months	11,472	13.9
18 - 23 Months	114	12.3	18 - 23 Months	8,167	11.0
24 - 35 Months	128	16.4	24 - 35 Months	10,320	13.0
36 - 59 Months	190	7.9	36 - 59 Months	17,199	8.0
Total	616	11.4	Total	51,194	11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
White, Not Hispanic	2008	9,257	8.1	6.6	37,932	7.1	3.1	11.3	17,284	16.3	11.8	25,268	9.9
	2007	9,266	8.6	6.7	36,363	7.1	3.2	11.3	16,062	16.1	12.1	23,529	10.7
	2006	4,367	8.8	6.5	27,667	6.6	3.0	11.9	11,515	16.3	11.8	18,648	8.2
	2005	9,485	8.0	7.0	39,839	6.3	2.5	12.7	17,673	16.9	11.5	28,766	7.9
	2004	12,386	8.2	7.7	57,246	6.2	2.1	14.6	25,217	17.5	13.8	41,860	8.9
	2003	11,899	7.8	7.5	44,592	6.9	3.1	12.0	18,417	15.8	12.1	30,273	10.0
	2002	8,150	8.0	6.7	31,903	7.1	3.6	10.5	13,714	14.2	10.2	21,877	8.4
	2001	8,766	8.2	7.3	32,820	7.5	4.1	10.0	13,800	14.4	9.4	22,723	9.5
	2000	8,612	8.3	7.7	40,556	6.8	4.0	9.7	18,455	13.8	9.2	25,554	9.1
	1999	6,416	8.4	8.2	28,265	6.7	4.1	8.7	12,236	14.0	8.8	18,575	9.3
Black, Not Hispanic	2008	2,150	12.4	3.4	9,000	8.2	3.3	11.5	4,171	16.8	11.3	6,132	17.1
	2007	2,227	12.3	4.6	8,834	7.8	3.0	11.2	3,717	15.7	11.5	5,924	18.4
	2006	1,011	11.7	3.2	5,286	7.8	3.1	12.6	2,159	15.4	11.6	3,448	14.2
	2005	2,024	14.2	4.0	7,703	7.6	2.7	13.3	3,417	16.1	10.7	5,457	13.0
	2004	2,176	13.4	4.5	8,271	8.2	2.5	14.8	3,288	16.2	13.4	5,765	12.0
	2003	2,412	12.1	4.2	8,450	8.3	3.0	12.3	3,265	14.8	11.9	5,642	14.4
	2002	2,066	11.0	4.6	7,150	7.9	4.2	11.3	2,801	12.9	11.1	4,680	14.0
	2001	2,210	11.6	4.8	7,451	8.3	4.6	10.9	2,785	13.4	9.5	4,991	13.8
	2000	2,257	12.1	4.6	8,882	7.2	4.4	10.3	3,684	12.5	8.9	5,514	15.7
	1999	1,661	10.5	4.6	6,450	7.8	4.5	9.0	2,548	12.8	8.0	4,027	18.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Hispanic	2008	6,241	6.3	7.3	25,473	5.2	2.4	14.5	11,690	17.3	16.2	17,212	11.2
	2007	5,787	6.3	7.1	22,764	5.2	2.5	14.1	10,738	17.3	16.6	14,731	11.9
	2006	2,282	6.3	8.7	16,372	4.9	1.7	16.3	7,678	18.1	17.4	11,757	9.2
	2005	4,779	6.4	7.6	21,627	4.6	1.7	16.7	10,796	18.4	15.8	16,490	8.8
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	1,182	7.4	8.7	8,267	5.3	2.2	15.8	4,466	18.1	15.2	6,217	11.5
	2002	3,530	6.3	7.8	14,814	5.6	2.5	15.4	6,579	16.6	16.0	10,460	11.2
	2001	3,663	5.7	8.2	14,347	5.2	3.0	14.7	6,073	16.4	15.5	10,288	11.6
	2000	3,475	6.6	8.4	16,398	4.9	2.8	13.2	7,567	15.4	14.0	10,440	12.2
	1999	2,312	5.9	9.0	10,410	5.1	3.0	12.4	4,612	15.5	13.0	6,899	12.2
American Indian/Alaskan Native	2008	154	7.1	10.4	841	4.9	2.1	18.3	395	20.8	19.5	616	11.4
	2007	191	4.2	11.5	804	6.3	2.0	13.4	346	20.2	14.2	539	10.9
	2006	53	*	*	470	5.3	1.1	16.6	218	22.0	17.4	331	11.2
	2005	147	5.4	12.9	695	3.5	1.6	18.8	330	20.0	18.5	524	7.4
	2004	269	4.8	10.8	1,206	4.9	1.5	17.1	539	22.8	12.4	873	10.8
	2003	196	5.6	8.7	820	4.3	2.1	14.4	349	14.3	13.5	581	11.4
	2002	160	3.8	8.8	643	4.5	2.5	14.2	271	19.6	14.8	451	11.8
	2001	160	8.8	9.4	601	6.0	5.2	14.5	221	14.9	11.3	419	15.8
	2000	164	4.9	15.2	732	4.2	3.8	13.7	319	18.5	11.0	472	11.0
	1999	93	*	*	472	4.4	3.0	11.9	200	15.0	13.0	320	15.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
Asian/Pacific Islander	2008	327	10.7	2.1	1,207	8.2	4.1	9.4	503	13.3	10.7	803	14.1
	2007	316	7.9	3.8	1,082	9.6	3.0	9.1	437	12.6	9.4	640	15.8
	2006	152	4.6	11.2	824	7.3	3.4	10.0	339	18.9	9.7	546	14.8
	2005	281	10.0	4.3	1,162	7.4	2.5	10.4	519	16.8	9.8	841	13.7
	2004	311	7.7	4.8	1,308	7.0	2.7	11.9	515	18.6	10.3	911	13.8
	2003	409	8.6	4.4	1,485	7.2	3.2	9.4	579	14.0	11.7	970	14.9
	2002	330	6.7	4.8	1,134	7.5	4.2	10.0	423	13.2	10.6	721	14.7
	2001	314	6.7	2.2	1,061	7.6	5.6	10.5	375	12.5	11.7	701	11.1
	2000	335	9.3	3.9	1,310	7.9	4.5	8.5	575	11.1	8.5	759	14.9
	1999	210	11.9	3.8	904	7.4	4.6	7.1	384	12.8	7.6	577	16.3
Multiple Races	2008	1,285	9.0	7.0	2,519	10.2	2.1	12.3	309	15.5	13.3	1,163	13.4
	2007	935	10.6	6.6	1,207	12.3	3.1	9.6	176	14.8	14.2	286	10.8
	2006	443	7.2	5.2	1,843	7.1	2.1	12.3	495	18.2	13.3	1,016	12.9
	2005	817	9.2	7.1	2,273	6.9	2.0	14.9	643	17.9	13.7	1,348	10.7
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 18C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th		
All Other/Unknown	2008	4	*	*	4	*	*	*	0	*	*	0	*
	2007	16	*	*	14	*	*	*	0	*	*	0	*
	2006	2	*	*	3	*	*	*	0	*	*	0	*
	2005	0	*	*	0	*	*	*	0	*	*	0	*
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
Total All Race/Ethnic Groups	2008	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4
	2007	18,738	8.4	6.6	71,068	6.7	2.9	12.1	31,476	16.5	13.6	45,649	12.2
	2006	8,310	8.3	6.7	52,465	6.2	2.5	13.4	22,404	17.0	13.8	35,746	9.4
	2005	17,533	8.3	6.8	73,299	6.0	2.3	14.0	33,378	17.4	12.9	53,426	8.9
	2004	15,142	8.9	7.2	68,031	6.5	2.2	14.6	29,559	17.5	13.6	49,409	9.4
	2003	16,098	8.4	7.0	63,614	6.9	3.0	12.5	27,076	16.0	12.6	43,683	10.9
	2002	14,236	8.0	6.7	55,644	6.8	3.4	12.0	23,788	14.7	12.0	38,189	10.0
	2001	15,113	8.1	7.1	56,280	7.0	3.9	11.3	23,254	14.8	11.1	39,122	10.7
	2000	14,843	8.5	7.4	67,878	6.4	3.8	10.7	30,600	14.1	10.3	42,739	10.8
	1999	10,692	8.2	7.7	46,501	6.5	3.9	9.6	19,980	14.2	9.7	30,398	11.4

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Infants born during the reporting period included in the analysis.
(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2008	9,215	66.3	3,824	18.4	6,055	11.0
	2007	9,436	65.6	3,854	19.9	6,298	11.5
	2006	4,618	64.6	3,045	19.3	1,778	11.9
	2005	10,124	62.9	7,066	21.5	4,191	12.1
	2004	13,942	66.0	9,872	25.8	7,755	14.4
	2003	12,077	64.0	6,445	19.7	5,584	13.8
	2002	8,235	61.6	3,629	19.2	4,668	12.6
	2001	8,884	60.4	3,567	19.4	4,583	12.9
	2000	8,757	61.0	3,497	23.5	5,024	15.4
	1999	6,505	61.8	2,006	23.3	2,987	16.6
Black, Not Hispanic	2008	2,130	57.3	730	14.4	1,386	7.9
	2007	2,245	56.0	1,009	13.2	1,700	6.7
	2006	1,026	54.8	583	16.8	366	6.0
	2005	2,043	51.8	1,258	14.7	803	7.6
	2004	2,278	52.6	1,434	16.0	1,196	10.3
	2003	2,414	47.0	1,116	11.6	1,056	8.1
	2002	2,089	50.5	808	13.1	1,009	9.3
	2001	2,242	48.7	843	12.2	1,075	8.7
	2000	2,286	46.9	781	18.1	1,154	12.5
	1999	1,679	45.9	465	17.8	681	12.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2008	6,246	75.3	2,652	26.1	4,240	15.1
	2007	5,846	75.6	2,286	28.3	3,676	15.8
	2006	2,359	75.8	1,682	29.0	1,093	14.7
	2005	4,953	73.4	3,641	28.2	2,390	16.1
	2004	0	*	0	*	0	*
	2003	1,191	71.3	562	33.5	763	20.6
	2002	3,560	74.2	1,722	27.0	2,143	16.7
	2001	3,704	70.4	1,670	27.4	2,016	17.0
	2000	3,509	70.4	1,444	25.6	2,014	18.1
	1999	2,337	68.3	739	29.9	1,041	19.5
American Indian/Alaskan Native	2008	152	67.8	81	*	148	12.8
	2007	193	62.2	101	17.8	145	11.0
	2006	67	*	48	*	33	*
	2005	166	71.7	109	24.8	72	*
	2004	312	65.7	215	27.4	160	11.9
	2003	196	66.3	105	18.1	104	11.5
	2002	162	65.4	88	*	79	*
	2001	161	63.4	70	*	105	21.9
	2000	167	68.3	67	*	84	*
	1999	94	*	42	*	60	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2008	322	65.2	124	31.5	224	16.1
	2007	318	60.7	117	23.1	180	11.7
	2006	150	54.0	92	*	51	*
	2005	288	59.7	208	21.2	121	16.5
	2004	330	54.2	250	16.8	194	10.8
	2003	414	51.0	207	20.3	172	12.8
	2002	332	53.9	120	25.0	142	16.2
	2001	320	53.1	139	16.5	145	18.6
	2000	340	50.3	110	26.4	129	20.9
	1999	213	56.3	64	*	91	*
Multiple Races	2008	1,274	63.3	467	14.3	625	10.9
	2007	969	62.8	70	*	56	*
	2006	444	58.1	258	20.2	148	6.1
	2005	838	61.6	531	15.8	313	9.3
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 19C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2008	3	*	0	*	0	*
	2007	18	*	0	*	0	*
	2006	2	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
Total All Race/Ethnic Groups	2008	19,342	68.0	7,878	20.6	12,678	12.2
	2007	19,025	67.3	7,437	21.6	12,055	12.2
	2006	8,666	66.0	5,708	22.2	3,469	11.8
	2005	18,412	64.5	12,813	22.5	7,890	12.8
	2004	16,862	63.9	11,771	24.4	9,305	13.7
	2003	16,292	61.7	8,435	19.6	7,679	13.6
	2002	14,378	63.0	6,367	20.7	8,041	13.3
	2001	15,311	61.0	6,289	20.6	7,924	13.6
	2000	15,059	60.9	5,899	23.4	8,405	15.8
	1999	10,828	60.7	3,316	24.0	4,860	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)		Under- weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under- weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
	<5th	<5th	≥95th		85th-<95th	≥95th			<5th	<5th	≥95th		85th-<95th	≥95th				
0 - 11 Months									24 - 35 Months									
2008	23,898	11.1	2.7	8.6	0	*	*	2008	13,042	4.3	3.5	11.7	13,042	16.2	11.7			
2007	22,827	10.9	3.1	7.9	0	*	*	2007	12,123	3.8	2.8	12.4	12,123	15.7	12.4			
2006	19,352	8.6	2.7	11.5	0	*	*	2006	8,847	4.2	2.4	12.2	8,847	16.5	12.2			
2005	24,528	8.6	2.0	13.5	0	*	*	2005	12,195	4.3	2.5	11.1	12,195	17.0	11.1			
2004	23,816	9.1	2.1	13.8	0	*	*	2004	11,343	4.8	2.5	11.9	11,343	17.0	11.9			
2003	22,878	9.7	3.5	10.8	0	*	*	2003	10,733	5.2	2.8	11.6	10,733	15.7	11.6			
2002	19,779	10.0	3.7	10.4	0	*	*	2002	9,445	4.7	3.8	10.3	9,445	14.0	10.3			
2001	21,123	10.0	4.2	10.1	0	*	*	2001	9,263	4.7	4.0	10.2	9,263	14.7	10.2			
2000	21,499	9.6	4.0	9.4	0	*	*	2000	12,328	3.9	4.6	9.0	12,328	13.1	9.0			
1999	16,366	9.2	3.9	8.0	0	*	*	1999	7,832	4.1	4.8	8.6	7,832	13.0	8.6			
12 - 23 Months									36 - 47 Months									
2008	18,726	6.3	2.1	15.7	0	*	*	2008	11,251	3.8	3.4	13.7	11,251	16.6	13.7			
2007	16,765	6.3	2.5	15.1	0	*	*	2007	10,323	4.1	3.3	13.8	10,323	16.1	13.8			
2006	10,709	6.0	2.3	16.0	0	*	*	2006	7,606	4.4	2.8	14.1	7,606	16.9	14.1			
2005	15,393	5.8	1.8	17.2	0	*	*	2005	10,450	4.4	3.0	12.9	10,450	16.8	12.9			
2004	14,656	5.8	1.8	17.7	0	*	*	2004	9,859	4.9	2.5	13.9	9,859	17.6	13.9			
2003	13,660	5.9	2.2	15.4	0	*	*	2003	9,218	5.2	3.1	13.1	9,218	16.0	13.1			
2002	12,077	5.9	2.7	14.4	0	*	*	2002	7,852	4.9	3.4	12.5	7,852	15.0	12.5			
2001	11,903	5.9	3.1	14.1	0	*	*	2001	7,649	4.9	4.2	11.4	7,649	14.9	11.4			
2000	15,779	5.7	2.9	13.1	0	*	*	2000	10,359	5.0	4.2	11.2	10,359	14.4	11.2			
1999	10,155	5.5	3.3	12.1	0	*	*	1999	6,776	5.5	3.7	10.0	6,776	14.6	10.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																							
Age and Year *	Height and Weight							Age and Year *	Height and Weight														
	Short Stature (4)		Under- weight (5)		Obese (5)				≥ 2 Yrs Overweight (5)		Short Stature (4)		Under- weight (5)		Obese (5)			≥ 2 Yrs Overweight (5)					
	Number	%	%	%	%	%	%		Number	%	%	%	Number	%	%	%	%	%	Number	%	%		
	<5th	<5th	<5th	≥95th	85th-<95th	≥95th		<5th	<5th	<5th	≥95th	85th-<95th	≥95th		<5th	<5th	<5th	≥95th	85th-<95th	≥95th			
48 - 59 Months																							
2008	10,059	3.4	3.2	15.0	10,059	17.4	15.0	2008	10,059	3.4	3.2	15.0	10,059	17.4	15.0	2008	10,059	3.4	3.2	15.0	10,059	17.4	15.0
2007	9,030	3.5	3.0	14.9	9,030	18.0	14.9	2007	9,030	3.5	3.0	14.9	9,030	18.0	14.9	2007	9,030	3.5	3.0	14.9	9,030	18.0	14.9
2006	5,951	3.8	2.3	15.6	5,951	17.8	15.6	2006	5,951	3.8	2.3	15.6	5,951	17.8	15.6	2006	5,951	3.8	2.3	15.6	5,951	17.8	15.6
2005	10,733	3.7	2.7	15.0	10,733	18.4	15.0	2005	10,733	3.7	2.7	15.0	10,733	18.4	15.0	2005	10,733	3.7	2.7	15.0	10,733	18.4	15.0
2004	8,357	4.3	2.2	15.6	8,357	18.0	15.6	2004	8,357	4.3	2.2	15.6	8,357	18.0	15.6	2004	8,357	4.3	2.2	15.6	8,357	18.0	15.6
2003	7,125	4.4	3.0	13.3	7,125	16.4	13.3	2003	7,125	4.4	3.0	13.3	7,125	16.4	13.3	2003	7,125	4.4	3.0	13.3	7,125	16.4	13.3
2002	6,491	4.0	3.4	13.9	6,491	15.5	13.9	2002	6,491	4.0	3.4	13.9	6,491	15.5	13.9	2002	6,491	4.0	3.4	13.9	6,491	15.5	13.9
2001	6,342	4.9	3.8	11.8	6,342	14.8	11.8	2001	6,342	4.9	3.8	11.8	6,342	14.8	11.8	2001	6,342	4.9	3.8	11.8	6,342	14.8	11.8
2000	7,913	4.6	3.4	11.3	7,913	15.1	11.3	2000	7,913	4.6	3.4	11.3	7,913	15.1	11.3	2000	7,913	4.6	3.4	11.3	7,913	15.1	11.3
1999	5,372	4.5	3.9	10.8	5,372	15.4	10.8	1999	5,372	4.5	3.9	10.8	5,372	15.4	10.8	1999	5,372	4.5	3.9	10.8	5,372	15.4	10.8
Total All Age Groups																							
2008	76,976	6.7	2.8	12.4	34,352	16.7	13.3	2008	76,976	6.7	2.8	12.4	34,352	16.7	13.3	2008	76,976	6.7	2.8	12.4	34,352	16.7	13.3
2007	71,068	6.7	2.9	12.1	31,476	16.5	13.6	2007	71,068	6.7	2.9	12.1	31,476	16.5	13.6	2007	71,068	6.7	2.9	12.1	31,476	16.5	13.6
2006	52,465	6.2	2.5	13.4	22,404	17.0	13.8	2006	52,465	6.2	2.5	13.4	22,404	17.0	13.8	2006	52,465	6.2	2.5	13.4	22,404	17.0	13.8
2005	73,299	6.0	2.3	14.0	33,378	17.4	12.9	2005	73,299	6.0	2.3	14.0	33,378	17.4	12.9	2005	73,299	6.0	2.3	14.0	33,378	17.4	12.9
2004	68,031	6.5	2.2	14.6	29,559	17.5	13.6	2004	68,031	6.5	2.2	14.6	29,559	17.5	13.6	2004	68,031	6.5	2.2	14.6	29,559	17.5	13.6
2003	63,614	6.9	3.0	12.5	27,076	16.0	12.6	2003	63,614	6.9	3.0	12.5	27,076	16.0	12.6	2003	63,614	6.9	3.0	12.5	27,076	16.0	12.6
2002	55,644	6.8	3.4	12.0	23,788	14.7	12.0	2002	55,644	6.8	3.4	12.0	23,788	14.7	12.0	2002	55,644	6.8	3.4	12.0	23,788	14.7	12.0
2001	56,280	7.0	3.9	11.3	23,254	14.8	11.1	2001	56,280	7.0	3.9	11.3	23,254	14.8	11.1	2001	56,280	7.0	3.9	11.3	23,254	14.8	11.1
2000	67,878	6.4	3.8	10.7	30,600	14.1	10.3	2000	67,878	6.4	3.8	10.7	30,600	14.1	10.3	2000	67,878	6.4	3.8	10.7	30,600	14.1	10.3
1999	46,501	6.5	3.9	9.6	19,980	14.2	9.7	1999	46,501	6.5	3.9	9.6	19,980	14.2	9.7	1999	46,501	6.5	3.9	9.6	19,980	14.2	9.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2008 Pediatric Nutrition Surveillance (1)
Kansas
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 1
 Run Date: 3 / 4 / 09

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
2008		4,036	15.1	2008		8,167	11.0
2007		3,682	15.2	2007		7,097	11.4
2006		2,409	14.7	2006		6,574	8.4
2005		3,675	12.6	2005		9,104	7.7
2004		4,226	13.4	2004		6,836	10.0
2003		6,109	14.5	2003		5,843	11.2
2002		5,205	13.2	2002		5,279	11.0
2001		5,654	13.9	2001		5,651	10.4
2000		5,786	12.8	2000		6,059	11.8
1999		4,663	15.5	1999		3,837	12.1
12 - 17 Months				24 - 35 Months			
2008		11,472	13.9	2008		10,320	13.0
2007		10,115	15.7	2007		9,863	13.4
2006		6,569	12.2	2006		8,379	10.2
2005		9,332	11.7	2005		11,714	10.5
2004		8,531	13.3	2004		11,409	10.0
2003		7,651	13.0	2003		9,503	12.5
2002		7,182	11.1	2002		8,280	11.1
2001		7,163	12.2	2001		8,109	12.0
2000		7,825	13.8	2000		9,475	11.9
1999		5,286	14.8	1999		6,599	12.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2008 Pediatric Nutrition Surveillance (1)
Kansas

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2008	17,199	8.0		2008	51,194	11.4
	2007	14,892	8.6		2007	45,649	12.2
	2006	11,815	6.6		2006	35,746	9.4
	2005	19,601	6.4		2005	53,426	8.9
	2004	18,407	6.1		2004	49,409	9.4
	2003	14,577	7.2		2003	43,683	10.9
	2002	12,243	6.9		2002	38,189	10.0
	2001	12,545	7.7		2001	39,122	10.7
	2000	13,594	7.0		2000	42,739	10.8
	1999	10,013	6.9		1999	30,398	11.4
All Other/Unknown							
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				
	1999	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

