

Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Allen	324	85.8	2.5	5.2	1.2	0.6	4.6	0.0
Anderson	219	87.7	2.7	5.0	0.5	0.0	4.1	0.0
Atchison	528	84.5	6.8	2.3	0.2	0.2	6.1	0.0
Barber-Kio	11	*	*	*	*	*	*	*
Barber-Med	161	88.8	1.2	6.8	0.0	2.5	0.6	0.0
Barton	1,006	55.8	2.0	38.9	0.3	0.2	2.9	0.0
Bourbon	478	85.1	5.2	4.0	0.4	0.6	4.6	0.0
Brown	365	72.1	1.4	7.7	16.7	0.0	2.2	0.0
Butler	1,063	83.8	1.8	9.6	0.7	0.1	4.0	0.0
Chase	55	*	*	*	*	*	*	*
Chautauqua	112	92.0	0.0	5.4	0.0	0.0	2.7	0.0
Cherokee	667	87.0	1.3	3.9	1.5	2.1	4.2	0.0
Cheyenne	32	*	*	*	*	*	*	*
Clark	25	*	*	*	*	*	*	*
Clay	243	88.9	0.8	4.1	2.5	0.0	3.7	0.0
Cloud	336	91.4	0.3	5.4	2.1	0.3	0.6	0.0
Coffey	110	87.3	3.6	2.7	0.9	0.9	4.5	0.0
Comanche	30	*	*	*	*	*	*	*
Cowley-Ark	811	60.3	3.0	34.4	0.5	0.2	1.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Cowley-Win	668	78.0	2.4	10.9	0.9	1.8	6.0	0.0
Crawford-G	3	*	*	*	*	*	*	*
Crawford-P	1,298	73.8	3.6	15.0	0.5	1.0	6.0	0.0
Decatur	48	*	*	*	*	*	*	*
DickinsonA	447	85.5	0.9	10.7	0.0	0.0	2.9	0.0
DickinsonH	68	*	*	*	*	*	*	*
Doniphan	180	85.6	1.1	8.9	1.7	0.0	2.8	0.0
Douglas	1,755	54.7	9.6	14.2	6.2	5.0	10.4	0.0
Edwards	110	50.0	0.0	46.4	0.0	0.0	3.6	0.0
Elk	86	*	*	*	*	*	*	*
Ellis	536	73.9	2.4	20.0	0.6	0.0	3.2	0.0
Ellsworth	160	91.3	0.6	4.4	0.0	0.6	3.1	0.0
Finney	2,751	19.3	1.3	75.5	0.0	3.4	0.4	0.0
Ford	2,564	14.7	1.6	83.0	0.1	0.4	0.2	0.0
Franklin	678	82.3	1.8	9.4	0.4	0.1	5.9	0.0
Geary	1,364	43.6	19.8	23.9	0.4	1.9	10.4	0.0
Gove	53	*	*	*	*	*	*	*
Graham	78	*	*	*	*	*	*	*
Grant	345	13.9	0.3	85.2	0.3	0.0	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Gray	247	67.2	2.4	28.7	0.4	0.4	0.8	0.0
Greeley	50	*	*	*	*	*	*	*
Greenwood	206	90.3	0.5	8.3	1.0	0.0	0.0	0.0
Hamilton	115	13.0	1.7	85.2	0.0	0.0	0.0	0.0
Harper	209	74.6	0.0	20.1	1.0	0.0	4.3	0.0
Harvey	1,148	59.1	3.9	30.5	0.6	0.9	5.0	0.0
Haskell	112	34.8	0.0	65.2	0.0	0.0	0.0	0.0
Hodgeman	49	*	*	*	*	*	*	*
Jackson	373	64.1	1.3	13.7	10.7	0.0	10.2	0.0
Jefferson	258	93.0	1.6	2.7	0.8	0.0	1.9	0.0
Jewell	51	*	*	*	*	*	*	*
Johnson-M	3,122	36.7	16.9	40.7	0.2	2.4	3.1	0.0
Johnson-O	4,248	36.2	11.0	44.0	0.5	2.7	5.6	0.0
Kearny	101	37.6	0.0	61.4	0.0	0.0	1.0	0.0
Kingman	224	91.1	2.2	5.4	0.4	0.4	0.4	0.0
Kiowa	51	*	*	*	*	*	*	*
Labette	684	71.5	8.9	7.3	2.2	0.3	9.8	0.0
Lane	54	*	*	*	*	*	*	*
Leavenworth	1,249	55.6	14.3	16.3	0.6	0.6	12.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lincoln	99	*	*	*	*	*	*	*
Linn	288	93.4	0.7	4.9	0.0	0.0	1.0	0.0
Logan	65	*	*	*	*	*	*	*
Lyon	1,205	45.6	4.0	46.5	0.3	1.1	2.5	0.0
Marion	225	87.6	0.0	10.7	0.0	0.9	0.9	0.0
Marshall	252	87.7	0.4	6.0	1.2	0.0	4.8	0.0
Mc Pherson	545	77.8	3.9	13.2	0.9	0.4	3.9	0.0
Meade	183	54.6	0.0	44.3	0.0	0.0	1.1	0.0
Miami	498	85.1	3.2	6.0	0.2	0.0	5.4	0.0
Mitchell	174	91.4	0.6	7.5	0.0	0.0	0.6	0.0
Montgome-C	611	61.9	12.8	13.9	3.4	0.2	7.9	0.0
Montgome-I	695	75.8	6.2	9.4	1.9	1.0	5.8	0.0
Morris	98	*	*	*	*	*	*	*
Nemaha	119	86.6	1.7	8.4	0.0	0.0	3.4	0.0
Neosho-Ch	563	82.9	1.8	11.5	0.7	0.2	2.8	0.0
Neosho-Er	49	*	*	*	*	*	*	*
Ness	59	*	*	*	*	*	*	*
Norton	150	80.0	3.3	14.0	0.0	0.7	2.0	0.0
Osage	372	90.9	2.2	3.5	0.0	0.0	3.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Osborne	69	*	*	*	*	*	*	*
Ottawa	117	92.3	0.9	3.4	0.0	0.0	3.4	0.0
Pawnee	237	76.8	3.0	16.9	0.0	0.0	3.4	0.0
Phillips	160	85.0	0.6	10.0	0.0	0.6	3.8	0.0
Pottawat-S	106	77.4	0.9	20.8	0.0	0.0	0.9	0.0
Pottawat-W	84	*	*	*	*	*	*	*
Pratt	300	78.3	0.7	18.3	0.3	0.0	2.3	0.0
Rawlins	58	*	*	*	*	*	*	*
Reno	1,639	68.5	2.7	22.2	0.3	0.5	5.9	0.0
Republic	137	89.8	0.0	5.8	0.7	0.0	3.6	0.0
Rice	293	63.5	2.0	31.7	0.0	1.0	1.7	0.0
Riley-Ft	2,236	66.0	12.3	15.1	1.1	2.3	3.2	0.0
Riley-Manh	1,435	60.2	10.2	16.0	0.5	3.6	9.4	0.0
Rooks	184	93.5	1.6	2.2	0.0	0.5	2.2	0.0
Rush	52	*	*	*	*	*	*	*
Russell	150	86.7	6.0	4.7	1.3	0.0	1.3	0.0
Saline	1,911	58.3	4.2	29.5	0.3	1.4	6.3	0.0
Scott	201	46.8	2.5	50.2	0.0	0.0	0.5	0.0
Sedgwick-C	4,594	30.4	13.4	42.9	0.9	5.3	7.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Sedgwick-M	7,273	23.7	24.0	42.6	1.6	1.8	6.4	0.0
Sedgwick-S	5,150	54.1	8.1	26.5	1.1	1.8	8.3	0.0
Seneca	49	*	*	*	*	*	*	*
Seward	1,921	11.0	1.5	85.2	1.1	0.6	0.7	0.0
ShawneeM&I	408	23.5	12.5	55.9	0.7	1.2	6.1	0.0
ShawneeMa	5,080	42.9	15.3	31.1	1.2	0.3	9.1	0.0
Sheridan	40	*	*	*	*	*	*	*
Sherman	230	59.6	0.0	36.5	0.4	0.9	2.6	0.0
Smith	90	*	*	*	*	*	*	*
Stafford	170	55.9	0.6	40.6	0.0	0.0	2.9	0.0
Stanton	96	*	*	*	*	*	*	*
Stevens	344	37.5	0.6	60.8	0.0	0.0	1.2	0.0
Sumner	657	78.8	2.1	12.8	1.1	0.0	5.2	0.0
Thomas	208	77.9	0.0	17.3	0.0	1.9	2.9	0.0
Trego	57	*	*	*	*	*	*	*
Wabaunsee	89	*	*	*	*	*	*	*
Washington	100	66.0	4.0	26.0	1.0	1.0	2.0	0.0
Wichita	77	*	*	*	*	*	*	*
Wilson	366	88.3	1.4	6.3	1.1	0.3	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodson	59	*	*	*	*	*	*	*
Wyandotte	8,265	18.0	25.9	49.6	0.3	3.6	2.6	0.0
Unknown Clinics	72	*	*	*	*	*	*	*
Kansas	83,333	47.6	10.5	34.2	0.9	1.8	5.0	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Allen	324	29.0	25.6	45.4
Anderson	219	31.1	23.7	45.2
Atchison	528	29.0	26.1	44.9
Barber-Kio	11	*	*	*
Barber-Med	161	32.9	24.8	42.2
Barton	1,006	27.0	23.5	49.5
Bourbon	478	31.6	22.4	46.0
Brown	365	25.2	25.2	49.6
Butler	1,063	34.0	23.1	42.9
Chase	55	*	*	*
Chautauqua	112	27.7	29.5	42.9
Cherokee	667	31.6	22.2	46.2
Cheyenne	32	*	*	*
Clark	25	*	*	*
Clay	243	27.2	18.1	54.7
Cloud	336	32.4	26.5	41.1
Coffey	110	29.1	22.7	48.2
Comanche	30	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cowley-Ark	811	29.7	22.8	47.5
Cowley-Win	668	29.5	19.9	50.6
Crawford-G	3	*	*	*
Crawford-P	1,298	33.1	22.1	44.8
Decatur	48	*	*	*
DickinsonA	447	35.8	21.7	42.5
DickinsonH	68	*	*	*
Doniphan	180	33.3	21.7	45.0
Douglas	1,755	32.5	24.4	43.0
Edwards	110	22.7	24.5	52.7
Elk	86	*	*	*
Ellis	536	31.3	27.1	41.6
Ellsworth	160	30.0	17.5	52.5
Finney	2,751	29.3	23.0	47.7
Ford	2,564	26.6	25.2	48.2
Franklin	678	29.6	24.8	45.6
Geary	1,364	33.8	24.2	42.0
Gove	53	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Graham	78	*	*	*
Grant	345	24.1	27.5	48.4
Gray	247	24.3	16.2	59.5
Greeley	50	*	*	*
Greenwood	206	25.2	18.9	55.8
Hamilton	115	29.6	16.5	53.9
Harper	209	31.1	23.9	45.0
Harvey	1,148	30.1	22.6	47.3
Haskell	112	23.2	23.2	53.6
Hodgeman	49	*	*	*
Jackson	373	27.1	22.8	50.1
Jefferson	258	29.1	24.4	46.5
Jewell	51	*	*	*
Johnson-M	3,122	30.5	24.7	44.7
Johnson-O	4,248	29.9	24.6	45.5
Kearny	101	27.7	13.9	58.4
Kingman	224	23.7	23.7	52.7
Kiowa	51	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Labette	684	25.7	25.7	48.5
Lane	54	*	*	*
Leavenworth	1,249	34.7	23.1	42.3
Lincoln	99	*	*	*
Linn	288	26.7	25.7	47.6
Logan	65	*	*	*
Lyon	1,205	26.8	22.4	50.8
Marion	225	27.6	20.4	52.0
Marshall	252	27.4	19.8	52.8
Mc Pherson	545	29.0	23.3	47.7
Meade	183	23.5	23.0	53.6
Miami	498	38.0	22.9	39.2
Mitchell	174	28.2	22.4	49.4
Montgome-C	611	29.1	22.1	48.8
Montgome-I	695	27.8	24.9	47.3
Morris	98	*	*	*
Nemaha	119	34.5	25.2	40.3
Neosho-Ch	563	30.7	22.9	46.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Neosho-Er	49	*	*	*
Ness	59	*	*	*
Norton	150	28.0	26.7	45.3
Osage	372	28.8	26.6	44.6
Osborne	69	*	*	*
Ottawa	117	34.2	22.2	43.6
Pawnee	237	29.1	19.8	51.1
Phillips	160	30.6	23.8	45.6
Pottawat-S	106	17.9	17.0	65.1
Pottawat-W	84	*	*	*
Pratt	300	31.3	19.3	49.3
Rawlins	58	*	*	*
Reno	1,639	32.1	23.2	44.7
Republic	137	29.9	16.1	54.0
Rice	293	32.4	20.1	47.4
Riley-Ft	2,236	32.6	21.3	46.1
Riley-Manh	1,435	35.0	23.8	41.3
Rooks	184	29.9	22.8	47.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Rush	52	*	*	*
Russell	150	32.7	20.7	46.7
Saline	1,911	30.5	25.4	44.2
Scott	201	17.9	24.9	57.2
Sedgwick-C	4,594	31.6	22.6	45.8
Sedgwick-M	7,273	32.5	22.0	45.5
Sedgwick-S	5,150	31.0	24.3	44.7
Seneca	49	*	*	*
Seward	1,921	27.6	24.1	48.3
ShawneeM&I	408	57.1	15.0	27.9
ShawneeMa	5,080	27.6	25.9	46.5
Sheridan	40	*	*	*
Sherman	230	28.7	21.3	50.0
Smith	90	*	*	*
Stafford	170	25.9	21.8	52.4
Stanton	96	*	*	*
Stevens	344	23.3	20.3	56.4
Sumner	657	29.2	23.6	47.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Thomas	208	29.3	26.9	43.8
Trego	57	*	*	*
Wabaunsee	89	*	*	*
Washington	100	21.0	22.0	57.0
Wichita	77	*	*	*
Wilson	366	29.0	25.1	45.9
Woodson	59	*	*	*
Wyandotte	8,265	29.9	22.3	47.8
Unknown Clinics	72	*	*	*
Kansas	83,333	30.3	23.3	46.4
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Allen	71	* *	* *	319	6.0 (39)	0.9 (3)	13.5 (59)	143	21.7 (56)	15.4 (50)	209	1.0 (2)
Anderson	44	* *	* *	217	8.3 (70)	2.3 (19)	8.8 (17)	104	17.3 (39)	7.7 (7)	139	10.1 (46)
Atchison	112	11.6 (35)	2.7 (2)	512	5.7 (28)	6.4 (72)	13.5 (59)	229	18.3 (49)	15.7 (51)	340	12.6 (57)
Barber-Kio	3	* *	* *	11	* *	* *	* *	5	* *	* *	6	* *
Barber-Med	46	* *	* *	158	7.6 (65)	3.8 (52)	11.4 (48)	68	* *	* *	100	11.0 (49)
Barton	211	7.6 (17)	4.3 (6)	976	6.4 (46)	3.2 (44)	8.6 (16)	498	13.3 (11)	9.2 (11)	661	6.5 (29)
Bourbon	106	14.2 (37)	1.9 (1)	467	10.3 (77)	1.5 (6)	11.6 (49)	214	20.6 (55)	15.0 (44)	297	4.0 (10)
Brown	61	* *	* *	355	4.8 (16)	5.4 (67)	9.9 (27)	181	16.0 (30)	13.3 (36)	227	4.8 (20)
Butler	265	7.5 (16)	5.3 (10)	1,031	12.0 (80)	4.3 (55)	14.5 (70)	449	15.1 (21)	9.8 (14)	708	25.7 (71)
Chase	9	* *	* *	54	* *	* *	* *	26	* *	* *	42	* *
Chautauqua	15	* *	* *	109	6.4 (46)	2.8 (30)	13.8 (64)	49	* *	* *	80	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cherokee	165	7.9 (20)	4.8 (8)	645	5.7 (28)	2.8 (30)	10.2 (30)	290	15.5 (25)	13.8 (40)	427	3.5 (4)
Cheyenne	7	* *	* *	31	* *	* *	* *	16	* *	* *	18	* *
Clark	4	* *	* *	25	* *	* *	* *	14	* *	* *	19	* *
Clay	47	* *	* *	231	15.2 (82)	5.2 (64)	18.6 (79)	125	15.2 (22)	16.0 (52)	175	16.0 (65)
Cloud	88	* *	* *	331	5.7 (28)	4.5 (58)	13.0 (57)	136	16.2 (32)	13.2 (35)	212	11.3 (51)
Coffey	26	* *	* *	107	8.4 (72)	0.0 (1)	11.2 (43)	50	* *	* *	71	* *
Comanche	6	* *	* *	30	* *	* *	* *	13	* *	* *	21	* *
Cowley-Ark	200	6.5 (6)	8.0 (29)	787	5.7 (28)	2.5 (22)	13.5 (59)	379	10.3 (7)	12.4 (28)	507	9.9 (43)
Cowley-Win	119	7.6 (17)	9.2 (34)	654	6.3 (44)	1.7 (7)	11.3 (46)	337	19.6 (52)	13.6 (39)	413	11.9 (54)
Crawford-G	2	* *	* *	3	* *	* *	* *	0	* *	* *	1	* *
Crawford-P	280	5.7 (3)	3.2 (3)	1,263	5.9 (37)	1.9 (11)	13.0 (57)	564	19.0 (51)	16.1 (53)	842	4.0 (10)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Decatur	11	* *	* *	48	* *	* *	* *	27	* *	* *		35	* *
DickinsonA	115	7.0 (10)	8.7 (33)	436	4.6 (13)	2.8 (30)	6.9 (3)	191	13.1 (10)	8.9 (10)		276	3.6 (6)
DickinsonH	16	* *	* *	67	* *	* *	* *	34	* *	* *		49	* *
Doniphan	51	* *	* *	171	13.5 (81)	6.4 (72)	22.2 (82)	73	* *	* *		114	9.6 (42)
Douglas	440	8.2 (23)	8.4 (31)	1,710	6.9 (51)	2.1 (14)	10.5 (34)	739	16.6 (36)	10.6 (16)		1,161	6.5 (29)
Edwards	21	* *	* *	107	9.3 (76)	2.8 (30)	7.5 (8)	56	* *	* *		71	* *
Elk	23	* *	* *	85	* *	* *	* *	38	* *	* *		50	* *
Ellis	130	7.7 (19)	6.2 (19)	530	7.5 (61)	2.8 (30)	10.2 (30)	228	15.8 (28)	11.8 (22)		353	4.0 (10)
Ellsworth	34	* *	* *	159	7.5 (61)	4.4 (57)	13.8 (64)	88	* *	* *		114	4.4 (16)
Finney	612	7.4 (15)	5.6 (14)	2,658	5.4 (22)	8.5 (76)	10.7 (37)	1,266	6.3 (3)	5.9 (4)		1,896	21.8 (68)
Ford	574	5.7 (3)	5.9 (17)	2,452	7.0 (55)	2.1 (14)	19.0 (80)	1,186	19.6 (52)	19.6 (59)		1,612	4.7 (19)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Franklin	154	7.1 (11)	5.8 (16)	658	3.8 (9)	3.2 (44)	10.5 (34)	308	18.5 (50)	12.0 (25)	435	3.7 (7)
Geary	380	6.6 (7)	7.4 (25)	1,315	7.8 (66)	3.4 (47)	9.7 (25)	559	13.6 (13)	11.6 (19)	848	14.7 (63)
Gove	8	* *	* *	52	* *	* *	* *	27	* *	* *	40	* *
Graham	16	* *	* *	75	* *	* *	* *	38	* *	* *	46	* *
Grant	63	* *	* *	330	6.4 (46)	2.7 (27)	13.6 (63)	157	14.0 (15)	13.4 (38)	250	32.8 (72)
Gray	26	* *	* *	241	1.2 (1)	11.2 (80)	2.9 (1)	146	8.2 (4)	1.4 (1)	165	4.8 (20)
Greeley	10	* *	* *	50	* *	* *	* *	20	* *	* *	35	* *
Greenwood	39	* *	* *	200	7.5 (61)	2.0 (13)	14.5 (70)	110	27.3 (61)	17.3 (55)	136	5.9 (24)
Hamilton	25	* *	* *	110	5.5 (26)	5.5 (68)	7.3 (6)	58	* *	* *	78	* *
Harper	49	* *	* *	206	5.3 (21)	3.4 (47)	14.6 (72)	96	* *	* *	134	10.4 (47)
Harvey	249	8.8 (27)	4.8 (8)	1,127	9.1 (75)	2.4 (21)	13.8 (64)	533	21.8 (57)	19.5 (58)	767	12.9 (58)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Haskell	17	* *	* *	108	4.6 (13)	4.6 (59)	15.7 (76)	60	* *	* *	* *	76	* *
Hodgeman	10	* *	* *	49	* *	* *	* *	21	* *	* *	* *	34	* *
Jackson	82	* *	* *	369	6.0 (39)	3.0 (37)	12.7 (55)	191	14.7 (20)	14.7 (43)		236	14.4 (62)
Jefferson	58	* *	* *	256	7.0 (55)	4.3 (55)	11.7 (50)	122	20.5 (54)	13.1 (34)		154	9.1 (41)
Jewell	6	* *	* *	51	* *	* *	* *	26	* *	* *	* *	40	* *
Johnson-M	678	9.3 (30)	5.5 (13)	2,988	5.8 (35)	2.1 (14)	10.9 (39)	1,376	15.3 (23)	12.7 (30)		1,952	6.0 (25)
Johnson-O	987	8.0 (21)	7.4 (25)	4,095	5.5 (26)	3.3 (46)	11.2 (43)	1,879	12.9 (9)	11.8 (22)		2,715	6.0 (25)
Kearny	20	* *	* *	101	4.0 (10)	3.0 (37)	15.8 (77)	54	* *	* *	* *	71	* *
Kingman	24	* *	* *	219	3.2 (4)	10.5 (79)	7.3 (6)	115	6.1 (2)	3.5 (2)		152	7.2 (33)
Kiowa	7	* *	* *	48	* *	* *	* *	23	* *	* *	* *	37	* *
Labette	147	9.5 (31)	8.2 (30)	674	5.8 (35)	3.0 (37)	10.8 (38)	326	16.3 (34)	11.7 (21)		456	3.7 (7)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lane	11	* *	* *	50	* *	* *	* *	29	* *	* *	35	* *
Leavenwort	336	6.8 (9)	9.2 (34)	1,178	8.3 (70)	3.7 (49)	9.5 (24)	503	16.5 (35)	10.7 (17)	743	7.4 (34)
Lincoln	21	* *	* *	96	* *	* *	* *	49	* *	* *	62	* *
Linn	62	* *	* *	279	7.9 (69)	3.9 (53)	10.4 (33)	132	18.2 (47)	15.2 (48)	190	14.7 (63)
Logan	12	* *	* *	61	* *	* *	* *	29	* *	* *	45	* *
Lyon	260	8.1 (22)	7.3 (24)	1,167	5.9 (37)	2.6 (26)	13.8 (64)	590	17.3 (39)	15.3 (49)	802	6.5 (29)
Marion	55	* *	* *	221	5.4 (22)	1.8 (8)	12.7 (55)	117	13.7 (14)	17.9 (56)	151	6.6 (32)
Marshall	47	* *	* *	247	4.9 (18)	9.3 (78)	8.9 (19)	127	3.1 (1)	5.5 (3)	160	11.3 (51)
Mc Pherson	116	6.0 (5)	6.0 (18)	535	5.0 (19)	3.7 (49)	8.4 (14)	255	17.3 (39)	8.2 (9)	363	9.9 (43)
Meade	31	* *	* *	180	7.8 (66)	5.0 (63)	7.8 (12)	101	9.9 (6)	5.9 (4)	111	2.7 (3)
Miami	136	2.9 (1)	11.8 (37)	489	7.8 (66)	2.5 (22)	13.5 (59)	192	16.1 (31)	14.6 (42)	302	18.2 (66)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mitchell	27	* *	* *	174	5.7 (28)	2.3 (19)	7.5 (8)	87	* *	* *	125	8.8 (39)
Montgome-C	143	9.1 (28)	3.5 (4)	598	6.9 (51)	1.8 (8)	10.2 (30)	290	15.5 (25)	12.8 (32)	413	4.6 (17)
Montgome-I	152	7.2 (13)	3.9 (5)	679	5.7 (28)	2.5 (22)	9.1 (20)	333	16.2 (32)	10.2 (15)	469	6.4 (27)
Morris	29	* *	* *	93	* *	* *	* *	45	* *	* *	52	* *
Nemaha	15	* *	* *	118	3.4 (6)	12.7 (82)	7.6 (10)	46	* *	* *	66	* *
Neosho-Ch	127	8.7 (25)	6.3 (20)	556	4.1 (11)	4.7 (60)	11.3 (46)	256	14.1 (16)	12.9 (33)	339	12.4 (55)
Neosho-Er	10	* *	* *	49	* *	* *	* *	26	* *	* *	30	* *
Ness	15	* *	* *	59	* *	* *	* *	33	* *	* *	36	* *
Norton	32	* *	* *	145	11.7 (79)	6.2 (70)	6.9 (3)	68	* *	* *	103	3.9 (9)
Osage	72	* *	* *	363	6.3 (44)	1.1 (4)	14.6 (72)	157	22.3 (59)	19.7 (60)	236	0.4 (1)
Osborne	19	* *	* *	64	* *	* *	* *	31	* *	* *	41	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ottawa	26	* *	* *	114	7.0 (55)	7.9 (75)	16.7 (78)	47	* *	* *	78	* *
Pawnee	49	* *	* *	229	5.7 (28)	5.2 (64)	7.9 (13)	114	10.5 (8)	9.6 (13)	153	4.6 (17)
Phillips	37	* *	* *	159	7.5 (61)	2.5 (22)	9.4 (23)	72	* *	* *	111	18.9 (67)
Pottawat-S	15	* *	* *	105	1.9 (2)	1.9 (11)	6.7 (2)	68	* *	* *	81	* *
Pottawat-W	17	* *	* *	84	* *	* *	* *	39	* *	* *	59	* *
Pratt	71	* *	* *	300	6.7 (50)	3.0 (37)	11.0 (41)	153	17.6 (44)	12.4 (28)	194	4.1 (13)
Rawlins	7	* *	* *	56	* *	* *	* *	27	* *	* *	43	* *
Reno	415	10.4 (34)	6.5 (22)	1,618	5.4 (22)	3.0 (37)	8.4 (14)	730	15.8 (28)	11.8 (22)	1,043	7.8 (36)
Republic	22	* *	* *	133	6.0 (39)	5.3 (66)	10.5 (34)	70	* *	* *	92	* *
Rice	69	* *	* *	286	7.3 (59)	0.7 (2)	21.7 (81)	139	22.3 (59)	23.7 (61)	185	7.6 (35)
Riley-Ft	556	6.7 (8)	8.5 (32)	2,195	6.4 (46)	4.2 (54)	7.7 (11)	1,024	13.4 (12)	7.2 (6)	1,362	23.5 (70)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Riley-Manh	356	5.6 (2)	10.4 (36)	1,389	4.6 (13)	2.2 (17)	10.1 (29)	583	14.2 (17)	10.8 (18)	925	12.4 (55)
Rooks	42	* *	* *	183	2.7 (3)	4.9 (62)	10.9 (39)	83	* *	* *	120	5.0 (23)
Rush	12	* *	* *	50	* *	* *	* *	25	* *	* *	34	* *
Russell	37	* *	* *	144	3.5 (7)	11.8 (81)	6.9 (3)	68	* *	* *	102	4.9 (22)
Saline	481	7.3 (14)	5.4 (11)	1,873	8.5 (73)	1.2 (5)	14.2 (69)	835	18.2 (47)	12.7 (30)	1,259	4.1 (13)
Scott	25	* *	* *	196	3.6 (8)	7.7 (74)	11.2 (43)	115	8.7 (5)	7.8 (8)	142	3.5 (4)
Sedgwick-C	1,114	10.1 (33)	7.4 (25)	4,488	6.1 (42)	2.7 (27)	11.9 (51)	2,064	17.3 (39)	15.1 (46)	3,105	11.6 (53)
Sedgwick-M	1,725	11.6 (35)	6.8 (23)	7,079	7.4 (60)	2.2 (17)	12.5 (53)	3,234	17.1 (38)	13.9 (41)	4,827	11.2 (50)
Sedgwick-S	1,256	9.5 (31)	7.7 (28)	5,026	7.0 (55)	3.0 (37)	12.6 (54)	2,259	17.3 (39)	15.1 (46)	3,433	10.0 (45)
Seneca	3	* *	* *	48	* *	* *	* *	26	* *	* *	23	* *
Seward	350	7.1 (11)	6.3 (20)	1,842	4.5 (12)	3.1 (43)	13.8 (64)	890	14.5 (18)	16.7 (54)	1,187	6.4 (27)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ShawneeM&I	219	8.2 (23)	12.8 (38)	391	5.4 (22)	9.0 (77)	11.0 (41)	111	15.3 (23)	18.0 (57)	169	13.0 (59)
ShawneeMa	1,022	8.7 (25)	4.4 (7)	4,924	6.9 (51)	2.8 (30)	15.1 (74)	2,325	17.9 (45)	15.0 (44)	3,343	14.3 (61)
Sheridan	7	* *	* *	40	* *	* *	* *	19	* *	* *	28	* *
Sherman	51	* *	* *	229	4.8 (16)	5.7 (69)	9.2 (22)	117	22.2 (58)	12.0 (25)	152	10.5 (48)
Smith	13	* *	* *	90	* *	* *	* *	48	* *	* *	70	* *
Stafford	30	* *	* *	164	6.1 (42)	3.7 (49)	12.2 (52)	82	* *	* *	124	8.9 (40)
Stanton	14	* *	* *	95	* *	* *	* *	56	* *	* *	71	* *
Stevens	36	* *	* *	340	3.2 (4)	1.8 (8)	8.8 (17)	191	15.7 (27)	9.4 (12)	231	13.0 (59)
Sumner	149	14.8 (38)	5.4 (11)	647	10.8 (78)	2.9 (36)	15.6 (75)	309	16.8 (37)	13.3 (36)	412	22.6 (69)
Thomas	47	* *	* *	205	8.8 (74)	6.3 (71)	9.8 (26)	95	* *	* *	142	8.5 (38)
Trego	12	* *	* *	55	* *	* *	* *	24	* *	* *	35	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wabaunsee	16	* *	* *	87	* *	* *	* *	46	* *	* *	67	* *
Washington	17	* *	* *	94	* *	* *	* *	53	* *	* *	67	* *
Wichita	13	* *	* *	73	* *	* *	* *	38	* *	* *	60	* *
Wilson	76	* *	* *	361	6.9 (51)	4.7 (60)	9.1 (20)	172	18.0 (46)	11.6 (19)	243	4.1 (13)
Woodson	14	* *	* *	57	* *	* *	* *	28	* *	* *	28	* *
Wyandotte	1,727	9.1 (28)	5.6 (14)	7,972	5.0 (19)	2.7 (27)	10.0 (28)	3,876	14.6 (19)	12.0 (25)	5,575	8.2 (37)
Unknown Clinics	19	* *	* *	68	* *	* *	* *	26	* *	* *	45	* *
Kansas	18,864	8.5	6.5	80,951	6.4	3.2	11.8	37,838	15.7	13.0	54,397	10.2
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Allen	70	* *	30	* *	54	* *	22	* *	30	* *	156	84.6 (15)	322	51.9 (78)
Anderson	50	* *	14	* *	30	* *	8	* *	14	* *	109	75.2 (49)	219	23.7 (52)
Atchison	119	44.5 (38)	48	* *	94	* *	28	* *	46	* *	247	81.4 (28)	517	27.5 (57)
Barber-Kio	3	* *	0	* *	2	* *	0	* *	0	* *	6	* *	11	* *
Barber-Med	45	* *	21	* *	29	* *	11	* *	20	* *	70	* *	160	56.9 (82)
Barton	192	75.0 (9)	90	* *	147	8.8 (13)	50	* *	88	* *	528	79.9 (35)	980	5.7 (11)
Bourbon	102	58.8 (31)	39	* *	66	* *	29	* *	38	* *	231	77.9 (43)	475	45.7 (71)
Brown	68	* *	36	* *	51	* *	20	* *	34	* *	196	92.9 (2)	365	46.6 (75)
Butler	251	65.3 (22)	111	16.2 (12)	174	9.2 (11)	61	* *	107	3.7 (10)	489	69.3 (61)	1,047	9.7 (25)
Chase	8	* *	4	* *	12	* *	2	* *	4	* *	28	* *	55	* *
Chautauqua	18	* *	18	* *	19	* *	11	* *	18	* *	55	* *	112	46.4 (74)
Cherokee	157	49.7 (36)	58	* *	97	* *	33	* *	56	* *	318	88.7 (8)	655	42.1 (69)
Cheyenne	6	* *	2	* *	4	* *	1	* *	2	* *	16	* *	31	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clark	3	* *	4	* *	4	* *	4	* *	4	* *	16	* *	24	* *
Clay	43	* *	21	* *	37	* *	13	* *	21	* *	132	81.1 (29)	238	5.5 (10)
Cloud	79	* *	39	* *	63	* *	21	* *	38	* *	145	85.5 (13)	335	2.4 (2)
Coffey	24	* *	10	* *	13	* *	6	* *	10	* *	53	* *	108	13.9 (38)
Comanche	5	* *	3	* *	6	* *	1	* *	3	* *	15	* *	30	* *
Cowley-Ark	191	45.5 (37)	73	* *	125	5.6 (25)	40	* *	72	* *	405	80.7 (30)	802	13.1 (35)
Cowley-Win	132	63.6 (27)	61	* *	83	* *	42	* *	60	* *	360	78.6 (40)	661	12.1 (32)
Crawford-G	2	* *	1	* *	1	* *	0	* *	1	* *	0	* *	3	* *
Crawford-P	255	54.9 (33)	168	7.7 (20)	200	7.0 (22)	96	* *	165	2.4 (16)	609	81.8 (26)	1,278	46.3 (73)
Decatur	10	* *	1	* *	7	* *	0	* *	0	* *	28	* *	48	* *
DickinsonA	103	68.9 (15)	44	* *	61	* *	31	* *	43	* *	196	88.3 (9)	437	6.6 (17)
DickinsonH	13	* *	3	* *	12	* *	0	* *	3	* *	35	* *	66	* *
Doniphan	46	* *	12	* *	22	* *	10	* *	12	* *	82	* *	174	36.8 (63)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Douglas	396	77.5 (5)	160	32.5 (1)	263	16.0 (1)	111	33.3 (1)	155	10.3 (1)	790	79.9 (35)	1,726	8.5 (23)
Edwards	19	* *	11	* *	19	* *	8	* *	11	* *	58	* *	108	29.6 (58)
Elk	21	* *	6	* *	12	* *	4	* *	6	* *	40	* *	83	* *
Ellis	131	79.4 (1)	54	* *	91	* *	32	* *	53	* *	241	78.4 (41)	524	2.9 (3)
Ellsworth	35	* *	18	* *	17	* *	12	* *	18	* *	92	* *	160	16.9 (46)
Finney	518	72.2 (13)	259	18.5 (8)	415	10.8 (8)	152	14.5 (8)	252	4.0 (9)	1,397	78.0 (42)	2,737	11.5 (31)
Ford	437	68.6 (16)	243	12.8 (17)	430	7.7 (16)	130	4.6 (13)	240	1.7 (19)	1,305	90.4 (3)	2,509	7.9 (21)
Franklin	142	59.2 (30)	72	* *	104	7.7 (16)	45	* *	70	* *	330	88.8 (7)	562	16.7 (45)
Geary	342	66.4 (19)	151	17.2 (10)	226	7.1 (20)	106	16.0 (6)	150	6.0 (4)	588	71.1 (58)	1,323	35.2 (62)
Gove	7	* *	3	* *	11	* *	1	* *	2	* *	30	* *	52	* *
Graham	14	* *	6	* *	6	* *	6	* *	5	* *	43	* *	75	* *
Grant	61	* *	44	* *	68	* *	19	* *	42	* *	180	80.6 (32)	344	10.8 (28)
Gray	40	* *	20	* *	28	* *	10	* *	20	* *	153	71.9 (56)	245	6.1 (16)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Greeley	10	* *	4	* *	8	* *	4	* *	4	* *	24	* *	49	* *
Greenwood	35	* *	17	* *	26	* *	10	* *	17	* *	119	93.3 (1)	205	15.1 (42)
Hamilton	21	* *	6	* *	16	* *	4	* *	6	* *	63	* *	114	7.9 (21)
Harper	47	* *	22	* *	34	* *	13	* *	22	* *	100	75.0 (50)	202	25.2 (55)
Harvey	212	78.8 (4)	111	22.5 (4)	168	11.3 (6)	64	* *	107	2.8 (13)	575	90.1 (5)	1,138	6.0 (14)
Haskell	16	* *	11	* *	14	* *	4	* *	11	* *	65	* *	111	16.2 (44)
Hodgeman	10	* *	6	* *	8	* *	4	* *	6	* *	24	* *	49	* *
Jackson	79	* *	23	* *	48	* *	22	* *	23	* *	199	83.4 (23)	369	19.8 (49)
Jefferson	49	* *	23	* *	30	* *	18	* *	23	* *	125	89.6 (6)	227	43.2 (70)
Jewell	8	* *	3	* *	6	* *	1	* *	3	* *	27	* *	51	* *
Johnson-M	629	75.4 (6)	308	15.3 (14)	506	8.9 (12)	206	15.5 (7)	305	2.6 (14)	1,482	86.1 (12)	3,025	20.2 (50)
Johnson-O	885	79.1 (3)	401	27.2 (3)	665	12.8 (3)	243	19.3 (3)	392	5.1 (7)	2,043	80.7 (30)	4,166	15.9 (43)
Kearny	18	* *	7	* *	7	* *	3	* *	7	* *	62	* *	100	24.0 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Kingman	43	* *	19	* *	34	* *	9	* *	17	* *	128	83.6 (20)	221	24.0 (53)
Kiowa	8	* *	5	* *	11	* *	3	* *	4	* *	23	* *	51	* *
Labette	142	53.5 (34)	73	* *	123	4.9 (26)	24	* *	70	* *	353	90.4 (3)	678	33.8 (61)
Lane	8	* *	4	* *	6	* *	1	* *	4	* *	33	* *	54	* *
Leavenworth	320	64.4 (24)	123	14.6 (15)	198	7.6 (18)	94	* *	122	5.7 (6)	533	72.6 (55)	1,198	45.7 (71)
Lincoln	17	* *	15	* *	9	* *	10	* *	15	* *	54	* *	99	* *
Linn	64	* *	27	* *	48	* *	16	* *	25	* *	149	84.6 (15)	284	13.0 (34)
Logan	12	* *	5	* *	13	* *	3	* *	5	* *	31	* *	63	* *
Lyon	228	71.5 (14)	91	* *	181	12.2 (5)	52	* *	87	* *	629	76.5 (46)	1,174	5.7 (11)
Marion	47	* *	13	* *	31	* *	11	* *	13	* *	116	84.5 (17)	219	5.0 (7)
Marshall	52	* *	26	* *	30	* *	15	* *	26	* *	136	74.3 (51)	252	55.6 (80)
Mc Pherson	105	75.2 (8)	56	* *	91	* *	33	* *	55	* *	269	81.8 (26)	540	3.9 (4)
Meade	28	* *	12	* *	26	* *	11	* *	12	* *	105	80.0 (34)	182	14.8 (41)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		
Miami	134	75.4 (6)	55	* *	84	* *	41	* *	55	* *	199	84.4 (19)	485	18.1 (47)
Mitchell	29	* *	21	* *	29	* *	11	* *	21	* *	89	* *	171	11.1 (29)
Montgome-C	126	57.1 (32)	57	* *	94	* *	38	* *	57	* *	316	82.0 (25)	596	37.4 (65)
Montgome-I	140	59.3 (29)	69	* *	112	7.1 (20)	40	* *	68	* *	351	83.5 (22)	687	37.6 (67)
Morris	34	* *	4	* *	11	* *	3	* *	4	* *	46	* *	95	* *
Nemaha	29	* *	18	* *	18	* *	10	* *	18	* *	50	* *	119	47.9 (76)
Neosho-Ch	128	51.6 (35)	43	* *	70	* *	27	* *	43	* *	273	79.1 (39)	556	27.2 (56)
Neosho-Er	8	* *	4	* *	8	* *	0	* *	4	* *	29	* *	49	* *
Ness	17	* *	3	* *	2	* *	3	* *	3	* *	34	* *	54	* *
Norton	33	* *	15	* *	29	* *	5	* *	13	* *	72	* *	150	6.7 (19)
Osage	85	* *	45	* *	72	* *	28	* *	45	* *	172	80.2 (33)	371	21.0 (51)
Osborne	17	* *	2	* *	8	* *	2	* *	2	* *	36	* *	68	* *
Ottawa	25	* *	13	* *	19	* *	6	* *	12	* *	54	* *	116	5.2 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Pawnee	45	* *	21	* *	36	* *	17	* *	19	* *	122	76.2 (47)	231	13.9 (38)
Phillips	36	* *	17	* *	25	* *	9	* *	16	* *	78	* *	160	37.5 (66)
Pottawat-S	13	* *	6	* *	12	* *	4	* *	5	* *	70	* *	105	1.0 (1)
Pottawat-W	16	* *	6	* *	12	* *	1	* *	6	* *	41	* *	84	* *
Pratt	68	* *	25	* *	36	* *	12	* *	24	* *	158	87.3 (11)	298	36.9 (64)
Rawlins	6	* *	14	* *	10	* *	7	* *	12	* *	33	* *	56	* *
Reno	362	66.0 (21)	157	10.8 (19)	254	7.9 (15)	76	* *	152	0.7 (20)	771	87.5 (10)	1,619	5.7 (11)
Republic	23	* *	18	* *	22	* *	10	* *	17	* *	76	* *	136	39.0 (68)
Rice	63	* *	25	* *	38	* *	15	* *	21	* *	146	83.6 (20)	285	11.2 (30)
Riley-Ft	489	73.2 (12)	223	19.3 (7)	313	9.6 (10)	183	18.0 (4)	216	4.2 (8)	1,053	70.1 (60)	2,156	18.7 (48)
Riley-Manh	306	79.4 (1)	177	27.7 (2)	223	12.6 (4)	113	24.8 (2)	170	5.9 (5)	630	73.8 (53)	1,418	5.1 (8)
Rooks	39	* *	20	* *	33	* *	9	* *	18	* *	89	* *	182	33.5 (60)
Rush	12	* *	1	* *	4	* *	4	* *	1	* *	29	* *	52	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Russell	36	* *	14	* *	16	* *	7	* *	13	* *	75	* *
Saline	434	61.1 (28)	191	16.8 (11)	320	6.3 (23)	91	* *	183	3.3 (11)	893	79.2 (38)
Scott	25	* *	19	* *	41	* *	10	* *	18	* *	119	70.6 (59)
Sedgwick-C	978	63.7 (26)	446	13.0 (16)	669	7.3 (19)	265	13.2 (9)	439	2.5 (15)	2,224	68.6 (62)
Sedgwick-M	1,526	67.0 (18)	726	15.4 (13)	1,051	8.1 (14)	415	10.8 (12)	715	2.9 (12)	3,502	74.1 (52)
Sedgwick-S	1,106	65.3 (22)	491	11.8 (18)	841	5.7 (24)	299	11.0 (11)	485	2.1 (17)	2,442	85.1 (14)
Seneca	9	* *	4	* *	5	* *	2	* *	4	* *	28	* *
Seward	312	74.4 (11)	193	20.7 (6)	307	10.7 (9)	97	* *	188	2.1 (17)	991	71.2 (57)
ShawneeM&I	172	75.0 (9)	14	* *	34	* *	10	* *	14	* *	121	77.7 (44)
ShawneeMa	926	64.0 (25)	525	18.3 (9)	883	11.0 (7)	274	17.2 (5)	512	6.1 (3)	2,519	76.8 (45)
Sheridan	6	* *	3	* *	7	* *	3	* *	3	* *	21	* *
Sherman	43	* *	14	* *	36	* *	8	* *	13	* *	126	82.5 (24)
Smith	15	* *	12	* *	16	* *	5	* *	11	* *	49	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Stafford	26	* *	26	* *	28	* *	8	* *	24	* *	94	* *	168	6.0 (14)
Stanton	13	* *	5	* *	11	* *	2	* *	5	* *	59	* *	96	* *
Stevens	50	* *	30	* *	49	* *	15	* *	28	* *	200	84.5 (17)	342	12.9 (33)
Sumner	149	67.8 (17)	71	* *	104	3.8 (27)	44	* *	71	* *	327	79.5 (37)	651	51.8 (77)
Thomas	40	* *	24	* *	40	* *	11	* *	23	* *	98	* *	207	14.0 (40)
Trego	11	* *	4	* *	9	* *	3	* *	4	* *	25	* *	57	* *
Wabaunsee	16	* *	12	* *	10	* *	7	* *	12	* *	47	* *	88	* *
Washington	19	* *	6	* *	16	* *	4	* *	6	* *	59	* *	99	* *
Wichita	15	* *	4	* *	13	* *	3	* *	4	* *	41	* *	77	* *
Wilson	68	* *	42	* *	55	* *	25	* *	41	* *	183	75.4 (48)	358	54.5 (79)
Woodson	20	* *	2	* *	6	* *	4	* *	2	* *	27	* *	58	* *
Wyandotte	1,606	66.4 (19)	742	22.0 (5)	1,166	13.5 (2)	419	12.9 (10)	732	6.7 (2)	4,126	72.7 (54)	8,053	13.4 (37)
Unknown Clinics	21	* *	10	* *	14	* *	8	* *	10	* *	27	* *	68	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Kansas	17,176	67.7	8,058	17.3	12,761	9.4	4,767	14.9	7,876	4.0	40,679	78.6	81,883	15.5
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Allen	256	9.0 (48)	3.1 (5)	998	7.4 (83)	0.8 (4)	15.0 (97)	417	21.8 (86)	14.6 (62)	647	4.0 (9)
Anderson	131	9.2 (52)	8.4 (57)	650	7.1 (73)	3.1 (59)	9.8 (28)	311	15.4 (32)	9.3 (14)	438	11.9 (70)
Atchison	355	8.2 (34)	4.8 (17)	1,502	5.9 (42)	5.5 (95)	12.5 (68)	655	17.4 (56)	13.9 (55)	986	13.1 (76)
Barber-Kio	5	* *	* *	33	* *	* *	* *	17	* *	* *	23	* *
Barber-Med	110	13.6 (68)	2.7 (2)	385	9.4(104)	2.6 (42)	12.7 (73)	151	18.5 (68)	14.6 (62)	235	11.1 (64)
Barton	670	6.9 (16)	4.3 (13)	2,901	6.7 (66)	3.1 (59)	9.2 (22)	1,368	14.3 (22)	9.6 (16)	1,965	9.5 (50)
Bourbon	333	9.6 (59)	4.2 (11)	1,426	8.4 (98)	1.1 (5)	14.0 (91)	628	20.1 (81)	16.1 (78)	946	6.9 (32)
Brown	226	8.4 (38)	7.5 (49)	1,138	4.0 (14)	4.0 (77)	11.4 (49)	542	16.4 (40)	12.4 (41)	736	8.4 (43)
Butler	812	8.5 (40)	6.0 (28)	3,054	9.7(105)	4.0 (77)	12.3 (63)	1,346	14.4 (24)	10.6 (24)	2,031	24.3(100)
Chase	37	* *	* *	167	3.6 (10)	3.6 (72)	10.2 (35)	81	* *	* *	113	13.3 (77)
Chautauqua	72	* *	* *	366	6.3 (53)	2.5 (37)	16.1(101)	175	20.0 (80)	14.9 (66)	256	7.0 (33)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Cherokee	541	7.8 (28)	5.9 (26)	2,109	6.4 (56)	3.5 (70)	12.8 (76)	935	16.5 (42)	15.7 (75)	1,411	4.8 (13)
Cheyenne	10	* *	* *	46	* *	* *	* *	26	* *	* *	31	* *
Clark	18	* *	* *	74	* *	* *	* *	33	* *	* *	53	* *
Clay	165	9.1 (51)	6.7 (41)	717	11.6(110)	3.6 (72)	19.4(108)	352	16.5 (42)	17.3 (83)	505	16.6 (91)
Cloud	242	9.5 (58)	2.9 (3)	948	6.5 (60)	3.3 (67)	12.1 (60)	421	15.7 (35)	13.1 (49)	626	13.6 (79)
Coffey	76	* *	* *	308	6.5 (60)	0.6 (2)	14.9 (96)	147	15.6 (34)	20.4 (88)	198	6.1 (26)
Comanche	21	* *	* *	83	* *	* *	* *	33	* *	* *	59	* *
Cowley-Ark	579	6.4 (11)	7.6 (51)	2,347	5.8 (39)	2.5 (37)	13.5 (86)	1,109	14.2 (19)	11.9 (36)	1,572	7.4 (37)
Cowley-Win	398	10.1 (64)	8.3 (56)	1,872	6.1 (52)	1.6 (10)	11.3 (47)	903	20.9 (83)	13.2 (51)	1,235	11.2 (67)
Crawford-G	3	* *	* *	10	* *	* *	* *	3	* *	* *	7	* *
Crawford-P	947	8.7 (43)	4.5 (14)	3,874	6.3 (53)	1.8 (13)	12.8 (76)	1,701	18.0 (62)	13.9 (55)	2,549	5.7 (21)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Decatur	26	* *	* *	125	6.4 (56)	3.2 (65)	7.2 (8)	62	* *	* *	92	* *
DickinsonA	299	8.0 (33)	9.7 (65)	1,225	4.6 (23)	4.7 (84)	8.6 (19)	556	12.6 (15)	10.3 (22)	812	3.3 (6)
DickinsonH	35	* *	* *	187	7.0 (70)	2.1 (23)	6.4 (5)	95	* *	* *	135	4.4 (12)
Doniphan	127	12.6 (67)	9.4 (63)	470	13.4(111)	6.2 (97)	23.2(110)	208	24.0 (91)	37.5 (92)	306	7.8 (39)
Douglas	1,312	7.1 (18)	7.0 (44)	4,963	7.2 (77)	1.8 (13)	12.3 (63)	2,058	17.0 (48)	11.5 (33)	3,357	8.8 (48)
Edwards	65	* *	* *	307	7.8 (91)	2.6 (42)	10.1 (34)	158	15.2 (29)	10.1 (19)	201	2.0 (3)
Elk	57	* *	* *	243	8.2 (94)	2.9 (54)	14.0 (91)	120	19.2 (76)	10.0 (18)	164	12.8 (75)
Ellis	396	7.6 (23)	6.1 (29)	1,548	6.7 (66)	2.1 (23)	9.8 (28)	669	18.8 (72)	11.1 (30)	986	4.0 (9)
Ellsworth	95	* *	* *	443	9.0(102)	3.2 (65)	12.6 (70)	227	16.7 (45)	11.9 (36)	316	5.7 (21)
Finney	1,877	7.5 (21)	6.2 (32)	8,004	5.1 (29)	7.1(100)	10.8 (40)	3,806	8.2 (6)	6.7 (9)	5,632	23.4 (99)
Ford	1,726	5.2 (3)	6.1 (29)	7,240	7.2 (77)	2.0 (19)	18.8(107)	3,461	19.1 (75)	18.4 (86)	4,802	5.5 (20)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Franklin	481	6.7 (15)	5.8 (23)	1,959	5.6 (37)	2.6 (42)	11.4 (49)	871	17.3 (53)	11.8 (34)	1,282	4.2 (11)
Geary	1,076	7.1 (18)	5.5 (21)	3,502	8.3 (97)	3.0 (56)	9.8 (28)	1,414	15.2 (29)	10.1 (19)	2,224	15.5 (88)
Gove	32	* *	* *	158	6.3 (53)	1.9 (15)	15.2 (99)	76	* *	* *	112	12.5 (73)
Graham	38	* *	* *	203	11.3(109)	3.0 (56)	17.2(104)	99	* *	* *	130	22.3 (98)
Grant	196	9.7 (62)	4.1 (10)	949	5.9 (42)	2.6 (42)	15.0 (97)	457	14.7 (26)	17.9 (84)	704	31.5(104)
Gray	105	5.7 (4)	9.5 (64)	717	1.5 (1)	11.4(109)	3.8 (2)	392	9.2 (8)	2.0 (2)	507	5.3 (17)
Greeley	32	* *	* *	122	2.5 (4)	7.4(103)	13.1 (79)	53	* *	* *	74	* *
Greenwood	124	6.5 (13)	5.6 (22)	627	7.0 (70)	2.1 (23)	12.3 (63)	325	21.8 (86)	15.1 (68)	446	5.8 (24)
Hamilton	64	* *	* *	297	7.1 (73)	5.1 (89)	11.1 (45)	144	12.5 (13)	11.8 (34)	220	29.5(102)
Harper	132	7.6 (23)	9.1 (61)	611	5.9 (42)	3.6 (72)	13.3 (81)	296	14.2 (19)	13.5 (52)	406	8.6 (44)
Harvey	724	8.3 (36)	6.2 (32)	3,238	7.1 (73)	2.4 (30)	12.8 (76)	1,534	19.5 (77)	16.3 (79)	2,225	10.7 (61)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Haskell	54	* *	* *	345	4.1 (16)	2.6 (42)	13.6 (87)	198	12.6 (15)	11.1 (30)	241	27.0 (101)
Hodgeman	35	* *	* *	161	2.5 (4)	1.2 (7)	11.2 (46)	76	* *	* *	116	0.9 (1)
Jackson	218	9.2 (52)	10.6 (67)	1,056	6.0 (47)	2.4 (30)	13.8 (90)	528	19.7 (78)	15.3 (72)	639	10.6 (57)
Jefferson	180	7.8 (28)	7.8 (55)	781	5.4 (34)	4.7 (84)	11.9 (58)	364	21.2 (84)	10.7 (27)	485	12.0 (71)
Jewell	35	* *	* *	160	7.5 (87)	1.3 (8)	19.4 (108)	73	* *	* *	108	21.3 (97)
Johnson-M	2,156	9.0 (48)	6.3 (35)	9,208	5.6 (37)	2.2 (26)	12.2 (62)	4,118	15.5 (33)	13.6 (53)	6,062	6.6 (29)
Johnson-O	2,821	7.3 (20)	7.7 (52)	11,717	5.4 (34)	3.1 (59)	11.7 (54)	5,284	14.4 (24)	12.1 (39)	7,790	6.5 (27)
Kearny	59	* *	* *	333	6.0 (47)	4.2 (81)	12.6 (70)	184	13.0 (17)	13.0 (47)	247	29.6 (103)
Kingman	104	7.7 (26)	7.7 (52)	660	4.5 (21)	9.5 (107)	7.1 (7)	333	6.9 (3)	3.6 (5)	457	9.0 (49)
Kiowa	31	* *	* *	156	5.1 (29)	5.8 (96)	10.9 (41)	77	* *	* *	112	7.1 (34)
Labette	493	6.9 (16)	7.7 (52)	2,024	6.4 (56)	2.7 (48)	11.7 (54)	928	17.1 (50)	12.4 (41)	1,373	5.9 (25)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lane	34	* *	* *	166	2.4 (3)	7.2(102)	7.8 (12)	92	* *	* *	120	11.7 (69)
Leavenwort	964	9.6 (59)	7.1 (47)	3,454	8.1 (92)	2.9 (54)	10.0 (32)	1,449	17.6 (59)	12.9 (46)	2,197	10.5 (53)
Lincoln	57	* *	* *	275	6.5 (60)	6.5 (98)	10.5 (39)	133	14.3 (22)	7.5 (10)	196	15.8 (90)
Linn	177	9.0 (48)	4.5 (14)	785	8.7(100)	2.2 (26)	12.1 (60)	355	23.1 (90)	12.7 (44)	531	10.5 (53)
Logan	35	* *	* *	176	4.5 (21)	4.5 (83)	10.2 (35)	91	* *	* *	127	7.1 (34)
Lyon	867	7.6 (23)	6.7 (41)	3,667	5.5 (36)	2.5 (37)	13.4 (82)	1,758	16.6 (44)	15.4 (73)	2,486	5.3 (17)
Marion	139	5.0 (2)	6.5 (39)	640	6.4 (56)	1.1 (5)	11.3 (47)	317	16.7 (45)	15.8 (76)	455	8.6 (44)
Marshall	142	9.2 (52)	3.5 (8)	672	4.0 (14)	11.8(110)	8.3 (16)	334	6.0 (2)	3.9 (6)	449	11.1 (64)
Mc Pherson	400	6.0 (9)	5.8 (23)	1,641	6.0 (47)	3.0 (56)	7.9 (13)	768	14.7 (26)	7.8 (12)	1,090	10.7 (61)
Meade	96	* *	* *	521	5.8 (39)	3.6 (72)	9.0 (21)	278	10.8 (10)	5.4 (8)	351	4.8 (13)
Miami	423	7.8 (28)	8.5 (59)	1,459	8.6 (99)	2.0 (19)	12.7 (73)	600	17.2 (51)	14.3 (58)	910	18.6 (93)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mitchell	101	5.9 (5)	5.9 (26)	479	4.2 (17)	2.5 (37)	9.2 (22)	223	13.9 (18)	10.8 (28)	325	10.5 (53)
Montgome-C	428	7.9 (32)	4.2 (11)	1,766	8.2 (94)	2.5 (37)	12.3 (63)	845	16.0 (39)	14.0 (57)	1,200	7.1 (34)
Montgome-I	468	10.0 (63)	3.4 (6)	2,042	7.4 (83)	2.7 (48)	11.9 (58)	953	18.0 (62)	13.1 (49)	1,407	6.8 (31)
Morris	74	* *	* *	307	4.6 (23)	2.3 (29)	7.5 (10)	144	21.5 (85)	9.7 (17)	207	10.6 (57)
Nemaha	57	* *	* *	329	4.6 (23)	8.8(105)	13.7 (89)	138	17.4 (56)	18.8 (87)	191	13.6 (79)
Neosho-Ch	308	7.8 (28)	5.8 (23)	1,622	6.0 (47)	4.4 (82)	11.7 (54)	738	18.0 (62)	11.1 (30)	1,030	15.0 (87)
Neosho-Er	26	* *	* *	149	7.4 (83)	4.0 (77)	11.4 (49)	74	* *	* *	96	* *
Ness	26	* *	* *	147	8.2 (94)	2.0 (19)	7.5 (10)	78	* *	* *	101	13.9 (84)
Norton	83	* *	* *	407	10.3(107)	5.2 (92)	8.4 (18)	202	12.4 (12)	9.4 (15)	299	3.3 (6)
Osage	239	7.5 (21)	3.8 (9)	1,028	7.0 (70)	2.4 (30)	13.6 (87)	463	22.0 (88)	14.3 (58)	666	1.5 (2)
Osborne	49	* *	* *	235	7.2 (77)	1.7 (11)	17.0(103)	116	20.7 (82)	18.1 (85)	170	19.4 (96)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ottawa	70	* *	* *	322	6.8 (68)	7.1(100)	16.1(101)	142	17.6 (59)	21.8 (90)	222	18.9 (95)
Pawnee	142	9.2 (52)	7.0 (44)	648	6.6 (65)	5.1 (89)	9.7 (25)	308	9.1 (7)	12.7 (44)	456	4.8 (13)
Phillips	99	* *	* *	455	5.9 (42)	2.4 (30)	12.5 (68)	210	18.6 (70)	16.7 (81)	325	16.9 (92)
Pottawat-S	42	* *	* *	295	3.7 (11)	3.1 (59)	4.4 (3)	175	10.9 (11)	2.9 (3)	228	12.7 (74)
Pottawat-W	59	* *	* *	264	6.8 (68)	1.9 (15)	11.0 (43)	116	9.5 (9)	14.7 (65)	187	10.7 (61)
Pratt	201	4.5 (1)	10.9 (68)	858	6.5 (60)	4.0 (77)	11.5 (52)	410	17.3 (53)	14.6 (62)	558	5.7 (21)
Rawlins	26	* *	* *	162	3.7 (11)	3.1 (59)	9.9 (31)	82	* *	* *	123	10.6 (57)
Reno	1,346	8.6 (42)	6.1 (29)	4,998	6.0 (47)	3.8 (76)	8.3 (16)	2,173	16.4 (40)	12.2 (40)	3,166	6.5 (27)
Republic	86	* *	* *	426	7.3 (82)	2.8 (52)	13.1 (79)	204	22.5 (89)	15.2 (71)	280	11.4 (68)
Rice	191	8.9 (46)	9.9 (66)	839	7.6 (90)	0.7 (3)	25.0(111)	413	19.9 (79)	26.4 (91)	560	8.2 (41)
Riley-Ft	1,471	6.5 (13)	8.6 (60)	5,818	5.8 (39)	3.3 (67)	8.6 (19)	2,617	12.5 (13)	7.7 (11)	2,836	13.6 (79)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Riley-Manh	1,086	6.4 (11)	7.5 (49)	3,958	4.9 (27)	2.4 (30)	9.7 (25)	1,668	15.7 (35)	10.6 (24)	2,621	9.9 (51)
Rooks	123	8.9 (46)	4.9 (18)	522	3.8 (13)	3.4 (69)	8.0 (14)	246	14.2 (19)	8.1 (13)	353	8.2 (41)
Rush	33	* *	* *	154	10.4(108)	2.6 (42)	11.0 (43)	78	* *	* *	110	2.7 (4)
Russell	120	8.3 (36)	2.5 (1)	457	5.3 (32)	10.9(108)	7.2 (8)	207	7.2 (5)	2.9 (3)	330	3.3 (6)
Saline	1,440	8.8 (44)	6.3 (35)	5,409	8.9(101)	1.4 (9)	14.8 (95)	2,368	18.7 (71)	14.4 (61)	3,629	5.1 (16)
Scott	101	5.9 (5)	3.0 (4)	586	2.9 (7)	9.0(106)	9.7 (25)	319	6.9 (3)	5.3 (7)	406	5.4 (19)
Sedgwick-C	3,332	8.8 (44)	7.3 (48)	13,306	6.5 (60)	2.4 (30)	11.8 (57)	6,086	17.4 (56)	15.1 (68)	9,243	13.4 (78)
Sedgwick-M	5,513	11.3 (66)	6.5 (39)	21,599	7.5 (87)	1.9 (15)	12.7 (73)	9,498	16.9 (47)	14.3 (58)	14,510	12.2 (72)
Sedgwick-S	3,714	8.2 (34)	7.0 (44)	14,543	7.2 (77)	2.4 (30)	13.4 (82)	6,494	18.4 (67)	15.1 (68)	9,857	10.6 (57)
Seneca	19	* *	* *	142	9.2(103)	0.0 (1)	18.3(106)	69	* *	* *	82	* *
Seward	1,224	6.0 (9)	6.4 (38)	5,458	4.3 (20)	3.5 (70)	12.6 (70)	2,515	15.8 (38)	15.8 (76)	3,444	7.7 (38)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ShawneeM&I	483	7.7 (26)	9.3 (62)	976	4.2 (17)	6.8 (99)	11.5 (52)	323	17.0 (48)	16.7 (81)	461	15.6 (89)
ShawneeMa	3,251	8.5 (40)	4.9 (18)	14,581	7.2 (77)	2.7 (48)	15.3(100)	6,793	18.9 (74)	15.0 (67)	9,701	14.3 (85)
Sheridan	25	* *	* *	120	2.5 (4)	7.5(104)	3.3 (1)	54	* *	* *	81	* *
Sherman	178	8.4 (38)	3.4 (6)	785	5.9 (42)	5.1 (89)	8.2 (15)	395	15.7 (35)	10.4 (23)	535	10.5 (53)
Smith	46	* *	* *	268	7.1 (73)	2.2 (26)	13.4 (82)	138	18.1 (65)	13.8 (54)	197	8.1 (40)
Stafford	101	5.9 (5)	5.0 (20)	494	5.3 (32)	5.3 (93)	12.3 (63)	258	15.1 (28)	16.3 (79)	359	8.6 (44)
Stanton	47	* *	* *	288	4.2 (17)	2.8 (52)	10.4 (37)	147	17.7 (61)	10.2 (21)	211	34.1(105)
Stevens	119	5.9 (5)	8.4 (57)	1,025	3.3 (9)	2.0 (19)	10.0 (32)	538	17.3 (53)	10.6 (24)	704	13.6 (79)
Sumner	450	11.1 (65)	6.9 (43)	1,854	9.9(106)	2.7 (48)	14.3 (93)	839	17.2 (51)	11.9 (36)	1,239	18.6 (93)
Thomas	156	9.6 (59)	4.5 (14)	612	7.5 (87)	5.4 (94)	9.5 (24)	276	18.8 (72)	10.9 (29)	408	10.3 (52)
Trego	40	* *	* *	204	7.4 (83)	4.9 (87)	6.9 (6)	96	* *	* *	135	11.1 (64)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Wabaunsee	56	* *	* *	268	3.0 (8)	1.9 (15)	17.5(105)	126	24.6 (92)	20.6 (89)	198	14.6 (86)
Wallace	1	* *	* *	3	* *	* *	* *	2	* *	* *	2	* *
Washington	65	* *	* *	309	4.9 (27)	12.3(111)	6.1 (4)	164	3.7 (1)	1.8 (1)	235	13.6 (79)
Wichita	42	* *	* *	234	4.7 (26)	1.7 (11)	14.5 (94)	130	18.5 (68)	15.4 (73)	172	2.9 (5)
Wilson	256	9.4 (57)	6.3 (35)	1,096	8.1 (92)	4.7 (84)	10.9 (41)	509	18.3 (66)	13.0 (47)	744	6.6 (29)
Woodson	23	* *	* *	119	1.7 (2)	5.0 (88)	13.4 (82)	63	* *	* *	70	* *
Wyandotte	5,619	9.2 (52)	6.2 (32)	23,739	5.2 (31)	3.1 (59)	10.4 (37)	11,122	15.3 (31)	12.6 (43)	16,745	8.7 (47)
Unknown Clinics	22	* *	* *	80	* *	* *	* *	28	* *	* *	50	* *
Kansas	57,823	8.3	6.5	238,988	6.5	3.0	12.2	109,146	16.3	13.1	159,762	10.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	%	Number	% (Rank)
Allen	289	55.7 (68)	188	10.1 (60)	205	6.3 (53)	170	11.2 (39)	187	1.6 (59)	452	81.6 (41)	567	49.2 (88)
Anderson	166	55.4 (70)	115	19.1 (28)	119	14.3 (13)	108	10.2 (43)	115	4.3 (22)	327	79.2 (56)	368	28.3 (62)
Atchison	423	50.8 (73)	291	21.6 (18)	325	19.4 (2)	270	14.4 (23)	287	5.6 (10)	708	79.9 (51)	876	29.3 (63)
Barber-Kio	9	* *	7	* *	6	* *	6	* *	7	* *	19	* *	20	* *
Barber-Med	130	75.4 (15)	83	* *	90	* *	81	* *	82	* *	162	73.5 (83)	229	56.8 (94)
Barton	742	72.6 (26)	561	17.6 (33)	605	10.2 (28)	506	11.5 (37)	551	2.9 (39)	1,471	81.2 (45)	1,612	5.6 (10)
Bourbon	379	59.4 (60)	271	9.2 (64)	300	5.0 (61)	249	11.2 (39)	267	0.7 (62)	675	76.0 (74)	825	42.7 (79)
Brown	288	52.8 (71)	220	18.6 (30)	235	20.9 (1)	194	11.3 (38)	213	1.9 (53)	585	89.9 (4)	645	47.6 (85)
Butler	932	67.5 (42)	609	17.1 (36)	640	9.5 (31)	561	11.8 (35)	598	1.7 (57)	1,443	67.4 (94)	1,843	10.3 (24)
Chase	44	* *	37	* *	38	* *	34	* *	37	* *	86	* *	95	* *
Chautauqua	87	* *	72	* *	69	* *	68	* *	71	* *	190	88.9 (5)	203	49.8 (90)
Cherokee	585	55.6 (69)	407	9.3 (63)	422	5.0 (61)	367	9.8 (45)	402	2.5 (47)	1,019	87.4 (14)	1,268	36.9 (72)
Cheyenne	13	* *	8	* *	7	* *	8	* *	8	* *	26	* *	27	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clark	21	* *	17	* *	20	* *	17	* *	17	* *	36	* *	40	* *
Clay	177	58.2 (65)	121	13.2 (50)	133	12.0 (23)	110	9.1 (49)	121	3.3 (33)	385	82.6 (37)	406	16.7 (43)
Cloud	264	69.7 (34)	188	16.0 (41)	190	4.2 (64)	163	14.1 (25)	186	2.7 (43)	446	83.9 (27)	550	4.0 (4)
Coffey	83	* *	52	* *	58	* *	47	* *	51	* *	154	77.3 (67)	185	22.2 (54)
Comanche	27	* *	22	* *	24	* *	21	* *	22	* *	37	* *	53	* *
Cowley-Ark	642	48.8 (74)	433	12.2 (54)	480	6.0 (56)	401	9.2 (48)	429	2.1 (52)	1,190	82.4 (39)	1,344	10.2 (23)
Cowley-Win	475	66.3 (46)	339	11.2 (56)	354	5.1 (60)	314	8.9 (53)	336	1.8 (55)	973	77.3 (67)	1,044	14.8 (36)
Crawford-G	3	* *	2	* *	2	* *	2	* *	2	* *	3	* *	7	* *
Crawford-P	1,053	56.4 (66)	784	11.0 (57)	777	6.3 (53)	709	7.5 (58)	775	2.5 (47)	1,853	79.4 (55)	2,223	43.6 (81)
Decatur	27	* *	23	* *	26	* *	19	* *	21	* *	65	* *	68	* *
DickinsonA	336	72.0 (29)	245	20.8 (20)	241	12.9 (19)	228	18.4 (10)	239	5.0 (15)	580	87.6 (12)	723	7.2 (16)
DickinsonH	36	* *	33	* *	41	* *	23	* *	32	* *	96	* *	103	0.0 (1)
Doniphan	148	60.8 (58)	88	* *	98	* *	84	* *	88	* *	223	79.8 (52)	309	44.7 (82)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Douglas	1,468	77.6 (8)	1,016	32.2 (1)	1,048	19.3 (3)	910	23.4 (3)	986	8.1 (2)	2,179	80.4 (48)	2,957	7.4 (18)
Edwards	77	* *	57	* *	59	* *	56	* *	57	* *	170	77.6 (65)	172	25.6 (58)
Elk	57	* *	38	* *	37	* *	33	* *	36	* *	126	85.7 (19)	133	32.3 (66)
Ellis	473	77.6 (8)	298	18.8 (29)	318	9.1 (39)	283	17.7 (13)	297	3.0 (37)	720	81.5 (42)	908	5.1 (7)
Ellsworth	109	63.3 (49)	82	* *	89	* *	81	* *	82	* *	247	75.7 (75)	260	15.4 (40)
Finney	1,997	74.2 (18)	1,440	21.7 (17)	1,575	12.2 (22)	1,316	10.8 (41)	1,421	3.4 (32)	4,158	76.8 (70)	4,536	15.3 (39)
Ford	1,813	73.1 (23)	1,375	19.7 (25)	1,534	9.3 (34)	1,244	4.7 (60)	1,363	1.5 (60)	3,753	87.0 (16)	4,040	6.1 (12)
Franklin	554	59.7 (59)	383	13.1 (51)	415	7.5 (47)	356	10.7 (42)	374	3.2 (34)	935	84.4 (26)	1,042	13.7 (32)
Geary	1,234	68.9 (37)	777	14.9 (45)	796	6.4 (52)	776	14.9 (21)	770	4.5 (19)	1,501	74.5 (81)	2,294	37.0 (73)
Gove	34	* *	27	* *	33	* *	25	* *	26	* *	79	* *	82	* *
Graham	48	* *	41	* *	37	* *	30	* *	40	* *	101	76.2 (71)	116	44.8 (83)
Grant	234	69.2 (36)	194	13.9 (47)	214	8.4 (41)	172	5.2 (59)	192	2.6 (45)	508	80.1 (50)	533	14.4 (35)
Gray	151	80.1 (2)	125	30.4 (2)	129	16.3 (8)	108	28.7 (2)	125	6.4 (5)	406	77.1 (69)	397	7.8 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Greeley	37	* *	26	* *	28	* *	25	* *	26	* *	60	* *	70	* *
Greenwood	132	58.3 (64)	115	12.2 (54)	123	8.1 (45)	103	13.6 (27)	113	3.5 (29)	356	96.3 (1)	333	20.1 (48)
Hamilton	74	* *	57	* *	59	* *	47	* *	56	* *	171	75.4 (76)	183	17.5 (44)
Harper	156	72.4 (27)	104	26.0 (10)	113	13.3 (18)	94	* *	104	8.7 (1)	311	70.7 (88)	339	27.7 (60)
Harvey	801	77.8 (7)	612	23.9 (11)	628	12.4 (20)	551	18.1 (11)	606	5.3 (12)	1,658	88.7 (7)	1,836	5.9 (11)
Haskell	65	* *	50	* *	57	* *	44	* *	48	* *	207	80.2 (49)	180	15.6 (41)
Hodgeman	40	* *	29	* *	34	* *	26	* *	29	* *	83	* *	87	* *
Jackson	258	71.7 (32)	183	20.8 (20)	205	9.3 (34)	163	17.8 (12)	181	4.4 (20)	562	83.6 (28)	615	19.2 (46)
Jefferson	190	62.6 (51)	130	13.1 (51)	149	9.4 (32)	126	17.5 (14)	129	7.0 (3)	368	92.4 (2)	399	42.4 (78)
Jewell	39	* *	34	* *	35	* *	30	* *	34	* *	78	* *	85	* *
Johnson-M	2,593	76.8 (10)	1,780	28.4 (6)	1,892	14.2 (15)	1,663	13.3 (29)	1,761	4.3 (22)	4,435	84.6 (23)	5,478	21.7 (51)
Johnson-O	3,298	79.0 (5)	2,281	29.3 (5)	2,417	16.0 (10)	2,067	16.0 (17)	2,239	3.8 (27)	5,693	82.2 (40)	6,881	18.2 (45)
Kearny	67	* *	45	* *	48	* *	42	* *	45	* *	197	76.1 (72)	183	21.9 (52)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Kingman	160	78.8 (6)	119	21.0 (19)	126	14.3 (13)	103	17.5 (14)	114	2.6 (45)	359	82.7 (36)	370	31.6 (64)
Kiowa	43	* *	38	* *	37	* *	30	* *	35	* *	79	* *	98	* *
Labette	545	51.9 (72)	381	10.0 (61)	430	5.6 (59)	346	8.7 (55)	377	1.9 (53)	995	86.6 (17)	1,133	32.9 (68)
Lane	33	* *	25	* *	28	* *	22	* *	24	* *	102	88.2 (10)	93	* *
Leavenworth	1,167	63.1 (50)	696	15.4 (43)	719	7.6 (46)	664	13.6 (27)	692	4.3 (22)	1,539	69.5 (89)	2,232	47.6 (85)
Lincoln	64	* *	55	* *	55	* *	50	* *	55	* *	145	47.6 (95)	157	42.7 (79)
Linn	209	71.8 (30)	151	20.5 (22)	176	10.8 (27)	134	14.9 (21)	148	5.4 (11)	393	85.0 (22)	458	15.7 (42)
Logan	41	* *	34	* *	36	* *	31	* *	34	* *	98	* *	93	* *
Lyon	899	72.9 (25)	668	19.2 (27)	744	9.4 (32)	590	12.9 (31)	659	3.9 (26)	1,890	78.2 (62)	2,042	7.3 (17)
Marion	153	79.7 (3)	109	29.4 (4)	125	14.4 (12)	104	33.7 (1)	107	6.5 (4)	334	88.6 (8)	360	4.2 (5)
Marshall	182	62.6 (51)	125	16.8 (38)	129	9.3 (34)	111	14.4 (23)	122	4.9 (16)	361	69.5 (89)	404	54.2 (93)
Mc Pherson	458	71.8 (30)	324	22.5 (14)	329	10.9 (26)	305	18.7 (8)	315	3.5 (29)	806	78.0 (63)	989	4.4 (6)
Meade	121	73.6 (20)	101	17.8 (32)	102	9.8 (29)	87	* *	101	4.0 (25)	293	79.2 (56)	281	21.0 (49)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Miami	486	73.5 (21)	290	18.6 (30)	288	8.3 (43)	287	18.5 (9)	286	2.8 (41)	633	84.5 (24)	910	21.5 (50)
Mitchell	133	72.2 (28)	90	* *	94	* *	88	* *	88	* *	231	88.3 (9)	276	13.8 (33)
Montgome-C	460	60.9 (57)	323	9.9 (62)	363	5.8 (58)	303	7.9 (57)	321	2.8 (41)	915	81.5 (42)	1,018	36.0 (69)
Montgome-I	529	58.8 (63)	379	10.8 (58)	436	6.2 (55)	337	9.8 (45)	374	3.2 (34)	1,026	83.4 (31)	1,158	36.0 (69)
Morris	83	* *	50	* *	67	* *	47	* *	50	* *	154	83.1 (33)	187	13.4 (31)
Nemaha	105	61.0 (56)	73	* *	68	* *	66	* *	73	* *	146	82.9 (35)	197	46.2 (84)
Neosho-Ch	436	56.2 (67)	289	13.5 (49)	309	6.8 (50)	270	12.2 (33)	287	4.9 (16)	791	81.5 (42)	915	27.0 (59)
Neosho-Er	35	* *	24	* *	27	* *	25	* *	24	* *	78	* *	78	* *
Ness	35	* *	23	* *	23	* *	19	* *	23	* *	82	* *	87	* *
Norton	111	76.6 (12)	84	* *	94	* *	70	* *	82	* *	217	88.9 (5)	233	7.7 (19)
Osage	303	59.4 (60)	203	14.8 (46)	215	8.4 (41)	197	11.7 (36)	202	5.9 (6)	491	83.5 (30)	593	23.1 (55)
Osborne	56	* *	44	* *	52	* *	35	* *	42	* *	126	87.3 (15)	143	36.4 (71)
Ottawa	81	* *	61	* *	66	* *	52	* *	58	* *	159	83.0 (34)	185	5.4 (8)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Pawnee	167	73.7 (19)	115	17.4 (35)	140	7.1 (49)	116	20.7 (4)	113	2.7 (43)	333	75.4 (76)	361	10.8 (26)
Phillips	114	85.1 (1)	87	* *	93	* *	73	* *	85	* *	222	77.5 (66)	270	38.9 (76)
Pottawat-S	53	* *	45	* *	53	* *	38	* *	41	* *	186	87.6 (12)	157	3.8 (3)
Pottawat-W	65	* *	43	* *	55	* *	40	* *	43	* *	126	78.6 (58)	147	10.9 (28)
Pratt	225	67.1 (43)	146	17.1 (36)	169	11.8 (24)	135	15.6 (18)	141	5.7 (8)	432	86.1 (18)	488	37.7 (74)
Rawlins	34	* *	36	* *	35	* *	29	* *	34	* *	95	* *	84	* *
Reno	1,432	64.1 (48)	955	17.6 (33)	1,009	9.8 (29)	854	13.0 (30)	939	3.6 (28)	2,295	87.8 (11)	2,937	10.8 (26)
Republic	104	76.0 (13)	89	* *	84	* *	80	* *	88	* *	223	73.5 (83)	234	48.3 (87)
Rice	216	69.4 (35)	139	15.8 (42)	150	7.3 (48)	125	12.0 (34)	134	3.0 (37)	432	85.4 (21)	483	14.9 (37)
Riley-Ft	1,869	74.9 (16)	1,195	19.5 (26)	1,216	9.3 (34)	1,148	20.6 (5)	1,174	5.7 (8)	2,746	69.0 (91)	4,107	19.5 (47)
Riley-Manh	1,234	79.5 (4)	828	27.2 (7)	808	13.6 (17)	771	19.3 (7)	809	4.9 (16)	1,766	75.4 (76)	2,518	6.8 (14)
Rooks	132	68.2 (39)	101	23.8 (12)	110	17.3 (6)	90	* *	97	* *	268	83.6 (28)	308	39.0 (77)
Rush	39	* *	24	* *	25	* *	23	* *	24	* *	88	* *	89	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Russell	139	61.9 (55)	92	* *	96	* *	79	* *	88	* *	234	79.5 (54)	284	59.2 (95)
Saline	1,576	62.0 (53)	1,049	13.1 (51)	1,147	6.0 (56)	964	9.3 (47)	1,039	1.7 (57)	2,511	78.4 (59)	3,111	8.0 (21)
Scott	129	58.9 (62)	105	26.7 (9)	122	18.0 (5)	93	* *	99	* *	337	75.1 (80)	321	32.4 (67)
Sedgwick-C	3,560	67.7 (40)	2,466	16.7 (40)	2,674	9.2 (38)	2,269	10.0 (44)	2,439	2.5 (47)	6,552	67.9 (93)	7,617	10.5 (25)
Sedgwick-M	5,901	67.7 (40)	4,222	16.8 (38)	4,319	9.0 (40)	3,875	9.0 (51)	4,176	2.9 (39)	10,281	73.2 (85)	12,363	12.2 (29)
Sedgwick-S	4,054	66.1 (47)	2,865	13.7 (48)	3,031	6.6 (51)	2,639	9.1 (49)	2,835	1.8 (55)	6,990	84.5 (24)	8,378	6.1 (12)
Seneca	32	* *	21	* *	21	* *	21	* *	21	* *	75	* *	78	* *
Seward	1,422	71.4 (33)	1,086	22.3 (16)	1,131	11.6 (25)	987	8.8 (54)	1,066	2.4 (50)	2,746	68.5 (92)	3,113	15.0 (38)
ShawneeM&I	380	76.8 (10)	176	29.5 (3)	178	16.9 (7)	167	15.0 (20)	174	5.2 (13)	338	74.0 (82)	606	5.4 (8)
ShawneeMa	3,739	66.7 (45)	2,836	20.1 (23)	3,093	12.4 (20)	2,524	14.1 (25)	2,789	5.1 (14)	7,305	75.4 (76)	8,238	8.4 (22)
Sheridan	35	* *	25	* *	26	* *	19	* *	25	* *	57	* *	75	* *
Sherman	187	73.3 (22)	133	23.3 (13)	148	18.2 (4)	126	12.7 (32)	130	3.1 (36)	409	79.7 (53)	457	23.9 (56)
Smith	61	* *	48	* *	57	* *	42	* *	47	* *	145	71.7 (86)	153	28.1 (61)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Stafford	108	73.1 (23)	88	* *	92	* *	74	* *	86	* *	286	83.2 (32)	272	7.0 (15)
Stanton	62	* *	53	* *	54	* *	48	* *	53	* *	161	78.3 (60)	149	14.1 (34)
Stevens	236	75.8 (14)	188	27.1 (8)	199	16.1 (9)	157	20.4 (6)	182	2.2 (51)	572	82.5 (38)	581	12.2 (29)
Sumner	535	66.9 (44)	373	15.0 (44)	401	8.2 (44)	353	17.3 (16)	367	3.5 (29)	900	77.9 (64)	1,074	49.2 (88)
Thomas	176	74.4 (17)	121	19.8 (24)	131	15.3 (11)	111	15.3 (19)	118	5.9 (6)	281	81.1 (46)	364	24.5 (57)
Trego	42	* *	33	* *	38	* *	31	* *	32	* *	103	80.6 (47)	111	51.4 (92)
Wabaunsee	64	* *	54	* *	58	* *	46	* *	54	* *	131	85.5 (20)	150	3.3 (2)
Wallace	1	* *	0	* *	0	* *	1	* *	0	* *	2	* *	3	* *
Washington	79	* *	51	* *	65	* *	47	* *	51	* *	180	76.1 (72)	188	38.8 (75)
Wichita	51	* *	40	* *	44	* *	35	* *	39	* *	139	92.1 (3)	138	31.9 (65)
Wilson	266	62.0 (53)	205	10.7 (59)	218	5.0 (61)	189	8.5 (56)	203	1.5 (60)	548	78.3 (60)	576	50.0 (91)
Woodson	36	* *	21	* *	22	* *	20	* *	21	* *	64	* *	68	* *
Wyandotte	6,256	68.8 (38)	4,454	22.5 (14)	4,733	14.1 (16)	4,026	9.0 (51)	4,407	4.4 (20)	11,993	70.9 (87)	13,408	22.1 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household				
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Unknown Clinics	45	* *	32	* *	32	* *	30	* *	32	* *	29	* *	58	* *
Kansas	65,162	68.9	45,914	19.5	48,792	10.8	41,999	12.4	45,272	3.7	117,290	77.9	138,579	17.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

