

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Allen	363	87.3	4.1	3.9	0.6	0.3	3.9	0.0
Anderson	222	88.3	1.8	6.3	0.0	1.4	2.3	0.0
Atchison	482	82.6	9.5	2.1	0.6	0.0	5.2	0.0
Barber	113	91.2	3.5	4.4	0.0	0.9	0.0	0.0
Barton	1,014	59.0	2.7	36.4	0.1	0.2	1.7	0.0
Bourbon	499	86.4	5.4	4.0	0.4	0.2	3.6	0.0
Brown	414	73.9	2.2	5.3	15.5	0.2	2.9	0.0
Butler	1,023	88.0	2.7	6.4	0.4	0.0	2.5	0.0
Chase	52	*	*	*	*	*	*	*
Chautauqua	133	86.5	0.8	9.8	1.5	0.0	1.5	0.0
Cherokee	773	87.8	1.8	4.7	1.2	1.2	3.4	0.0
Cheyenne	1	*	*	*	*	*	*	*
Clark	31	*	*	*	*	*	*	*
Clay	258	94.6	0.8	1.9	1.6	0.8	0.4	0.0
Cloud	309	90.0	1.3	8.1	0.3	0.3	0.0	0.0
Coffey	99	*	*	*	*	*	*	*
Comanche	22	*	*	*	*	*	*	*
Cowley	1,420	71.5	4.2	20.4	0.8	0.8	2.2	0.0
Crawford	1,344	79.1	4.5	11.5	0.6	1.0	3.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Decatur	43	*	*	*	*	*	*	*
Dickinson	450	88.0	1.1	8.7	0.2	0.0	2.0	0.0
Doniphan	146	84.9	6.2	5.5	1.4	0.0	2.1	0.0
Douglas	1,630	52.2	12.1	14.8	8.6	5.1	7.2	0.0
Edwards	104	51.0	0.0	49.0	0.0	0.0	0.0	0.0
Elk	79	*	*	*	*	*	*	*
Ellis	490	76.5	2.7	18.2	0.8	0.2	1.6	0.0
Ellsworth	140	88.6	1.4	7.9	0.0	0.0	2.1	0.0
Finney	2,754	22.7	1.3	72.9	0.2	2.1	0.7	0.0
Ford	2,421	16.5	1.0	81.9	0.0	0.4	0.2	0.0
Franklin	649	85.4	2.6	7.1	0.5	0.0	4.5	0.0
Geary	1,087	43.5	23.9	22.2	0.4	2.6	7.5	0.0
Gove	53	*	*	*	*	*	*	*
Graham	66	*	*	*	*	*	*	*
Grant	314	19.7	0.0	79.3	0.6	0.3	0.0	0.0
Gray	250	61.6	1.6	36.0	0.0	0.0	0.8	0.0
Greeley	34	*	*	*	*	*	*	*
Greenwood	208	91.3	1.4	3.8	0.5	0.0	2.9	0.0
Hamilton	96	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Harper	213	80.8	0.0	17.8	0.9	0.0	0.5	0.0
Harvey	1,059	59.8	3.1	32.5	1.0	0.3	3.3	0.0
Haskell	121	53.7	0.8	45.5	0.0	0.0	0.0	0.0
Hodgeman	51	*	*	*	*	*	*	*
Jackson	357	71.4	3.9	8.1	11.8	0.0	4.8	0.0
Jefferson	261	93.1	3.1	2.3	0.4	0.0	1.1	0.0
Jewell	57	*	*	*	*	*	*	*
Johnson	7,099	36.1	14.1	43.6	0.4	2.5	3.3	0.0
Kearny	127	39.4	0.8	59.8	0.0	0.0	0.0	0.0
Kingman	219	92.2	1.8	4.6	0.5	0.9	0.0	0.0
Kiowa	53	*	*	*	*	*	*	*
Labette	649	76.9	10.8	6.8	1.2	0.3	4.0	0.0
Lane	64	*	*	*	*	*	*	*
Leavenworth	1,176	55.2	21.0	14.1	0.4	0.9	8.4	0.0
Lincoln	92	*	*	*	*	*	*	*
Linn	260	94.2	1.2	3.5	0.0	0.0	1.2	0.0
Logan	63	*	*	*	*	*	*	*
Lyon	1,318	47.9	4.6	45.9	0.1	0.5	1.1	0.0
Marion	547	82.3	3.1	10.4	1.3	0.7	2.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marshall	204	86.8	0.0	9.3	0.5	1.5	2.0	0.0
McPherson	232	86.6	1.7	4.7	1.7	0.0	5.2	0.0
Meade	169	56.2	0.6	42.6	0.0	0.0	0.6	0.0
Miami	492	82.9	5.1	8.5	0.2	0.4	2.8	0.0
Mitchell	143	93.7	0.7	4.2	0.0	0.0	1.4	0.0
Montgomery	1,270	70.3	11.3	11.1	2.7	0.6	4.0	0.0
Morris	129	84.5	1.6	10.1	0.8	0.0	3.1	0.0
Nemaha	155	88.4	1.9	7.1	0.6	0.0	1.9	0.0
Neosho	573	83.9	2.8	11.7	0.5	0.3	0.7	0.0
Ness	48	*	*	*	*	*	*	*
Norton	123	87.0	2.4	8.1	0.8	0.8	0.8	0.0
Osage	324	94.1	1.9	1.9	0.3	0.0	1.9	0.0
Osborne	96	*	*	*	*	*	*	*
Ottawa	94	*	*	*	*	*	*	*
Pawnee	205	74.6	3.4	19.0	0.5	0.0	2.4	0.0
Phillips	148	79.1	2.7	14.2	0.7	0.7	2.7	0.0
Pottawatom	192	84.9	2.1	11.5	0.0	0.0	1.6	0.0
Pratt	273	81.7	0.7	15.4	1.1	0.0	1.1	0.0
Rawlins	54	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Reno	1,720	73.4	4.9	17.8	0.6	0.3	3.0	0.0
Republic	138	87.0	2.9	9.4	0.0	0.0	0.7	0.0
Rice	276	73.9	1.1	23.9	0.0	0.0	1.1	0.0
Riley	3,093	66.6	11.9	13.8	0.7	2.9	4.0	0.0
Rooks	172	91.3	2.3	4.7	0.6	0.0	1.2	0.0
Rush	53	*	*	*	*	*	*	*
Russell	169	85.2	8.3	5.3	0.6	0.0	0.6	0.0
Saline	1,726	59.0	5.4	27.3	0.2	1.9	6.2	0.0
Scott	192	55.7	2.1	41.7	0.0	0.5	0.0	0.0
Sedgwick	16,210	35.9	17.7	37.2	1.6	2.9	4.8	0.0
Seward	1,807	11.8	1.9	82.7	2.3	0.8	0.4	0.0
Shawnee	5,256	41.9	17.5	33.1	1.4	0.3	5.7	0.0
Sheridan	41	*	*	*	*	*	*	*
Sherman	296	61.5	0.7	33.4	1.0	0.0	3.4	0.0
Smith	93	*	*	*	*	*	*	*
Stafford	174	62.6	0.6	36.2	0.0	0.0	0.6	0.0
Stanton	95	*	*	*	*	*	*	*
Stevens	322	37.3	0.0	61.5	0.0	0.3	0.9	0.0
Sumner	576	85.9	2.1	9.4	0.5	0.2	1.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by County								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Thomas	214	76.6	1.9	18.7	0.5	0.5	1.9	0.0
Trego	74	*	*	*	*	*	*	*
Wabaunsee	88	*	*	*	*	*	*	*
Wallace	3	*	*	*	*	*	*	*
Washington	113	79.6	4.4	12.4	0.0	0.9	2.7	0.0
Wichita	83	*	*	*	*	*	*	*
Wilson	347	90.5	2.9	5.5	0.0	0.3	0.9	0.0
Woodson	27	*	*	*	*	*	*	*
Wyandotte	7,900	19.7	28.6	47.8	0.2	2.2	1.5	0.0
Unknown Counties	2	*	*	*	*	*	*	*
Kansas	79,556	49.1	11.6	33.2	1.1	1.6	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Allen	363	37.7	24.2	38.0
Anderson	222	28.4	26.6	45.0
Atchison	482	28.0	28.2	43.8
Barber	113	36.3	26.5	37.2
Barton	1,014	31.9	24.5	43.7
Bourbon	499	34.9	23.8	41.3
Brown	414	28.7	24.2	47.1
Butler	1,023	34.9	21.6	43.5
Chase	52	*	*	*
Chautauqua	133	32.3	16.5	51.1
Cherokee	773	33.6	22.5	43.9
Cheyenne	1	*	*	*
Clark	31	*	*	*
Clay	258	30.2	22.5	47.3
Cloud	309	27.2	28.5	44.3
Coffey	99	*	*	*
Comanche	22	*	*	*
Cowley	1,420	30.5	23.0	46.5

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Crawford	1,344	34.1	22.8	43.1
Decatur	43	*	*	*
Dickinson	450	33.3	19.8	46.9
Doniphan	146	34.2	24.0	41.8
Douglas	1,630	36.1	24.0	39.9
Edwards	104	21.2	26.0	52.9
Elk	79	*	*	*
Ellis	490	35.1	20.6	44.3
Ellsworth	140	25.0	24.3	50.7
Finney	2,754	30.4	22.5	47.1
Ford	2,421	28.9	23.6	47.5
Franklin	649	32.2	23.0	44.8
Geary	1,087	36.7	24.5	38.8
Gove	53	*	*	*
Graham	66	*	*	*
Grant	314	26.1	25.2	48.7
Gray	250	23.6	25.2	51.2
Greeley	34	*	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Greenwood	208	23.6	21.2	55.3
Hamilton	96	*	*	*
Harper	213	27.2	24.9	47.9
Harvey	1,059	29.6	23.7	46.7
Haskell	121	22.3	21.5	56.2
Hodgeman	51	*	*	*
Jackson	357	26.3	24.4	49.3
Jefferson	261	28.4	27.6	44.1
Jewell	57	*	*	*
Johnson	7,099	32.9	24.1	43.0
Kearny	127	24.4	20.5	55.1
Kingman	219	28.3	21.9	49.8
Kiowa	53	*	*	*
Labette	649	31.7	28.0	40.2
Lane	64	*	*	*
Leavenworth	1,176	35.7	23.5	40.8
Lincoln	92	*	*	*
Linn	260	26.9	31.9	41.2

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Logan	63	*	*	*
Lyon	1,318	31.6	22.8	45.7
Marion	547	32.7	24.1	43.1
Marshall	204	27.9	26.0	46.1
McPherson	232	32.8	19.8	47.4
Meade	169	33.1	18.9	47.9
Miami	492	34.8	23.8	41.5
Mitchell	143	32.9	24.5	42.7
Montgomery	1,270	30.6	23.9	45.6
Morris	129	27.1	27.9	45.0
Nemaha	155	30.3	26.5	43.2
Neosho	573	34.6	20.6	44.9
Ness	48	*	*	*
Norton	123	26.0	22.0	52.0
Osage	324	34.3	21.6	44.1
Osborne	96	*	*	*
Ottawa	94	*	*	*
Pawnee	205	28.3	24.4	47.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Phillips	148	24.3	30.4	45.3
Pottawatom	192	26.0	23.4	50.5
Pratt	273	28.9	27.8	43.2
Rawlins	54	*	*	*
Reno	1,720	34.1	23.2	42.7
Republic	138	34.8	19.6	45.7
Rice	276	28.6	23.2	48.2
Riley	3,093	33.5	25.0	41.5
Rooks	172	24.4	27.3	48.3
Rush	53	*	*	*
Russell	169	29.6	29.0	41.4
Saline	1,726	34.1	24.0	41.9
Scott	192	21.9	27.6	50.5
Sedgwick	16,210	32.5	23.8	43.6
Seward	1,807	33.1	22.6	44.3
Shawnee	5,256	31.9	22.8	45.3
Sheridan	41	*	*	*
Sherman	296	29.7	22.6	47.6

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Smith	93	*	*	*
Stafford	174	24.7	23.0	52.3
Stanton	95	*	*	*
Stevens	322	23.6	26.1	50.3
Sumner	576	32.5	24.7	42.9
Thomas	214	28.0	24.3	47.7
Trego	74	*	*	*
Wabaunsee	88	*	*	*
Wallace	3	*	*	*
Washington	113	30.1	21.2	48.7
Wichita	83	*	*	*
Wilson	347	28.0	25.4	46.7
Woodson	27	*	*	*
Wyandotte	7,900	31.3	23.8	44.9
Unknown Counties	2	*	*	*
Kansas	79,556	31.9	23.8	44.4
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Allen	110	7.3 (15)	6.4 (19)	356	9.3 (65)	1.1 (5)	17.1 (68)	132	20.5 (44)	13.6 (31)	222	6.3 (11)
Anderson	50	* *	* *	211	6.6 (37)	3.3 (45)	11.8 (32)	96	* *	* *	148	15.5 (52)
Atchison	105	5.7 (4)	5.7 (13)	467	4.7 (15)	4.7 (59)	12.8 (43)	199	17.6 (29)	14.1 (38)	319	11.9 (41)
Barber	33	* *	* *	113	9.7 (67)	1.8 (19)	12.4 (38)	38	* *	* *	62	* *
Barton	256	8.2 (21)	5.5 (11)	975	7.0 (41)	3.2 (43)	9.1 (13)	430	14.7 (12)	9.1 (8)	635	11.7 (38)
Bourbon	123	7.3 (15)	5.7 (13)	485	8.5 (60)	1.2 (8)	15.7 (64)	206	18.4 (36)	17.0 (45)	318	12.3 (42)
Brown	86	* *	* *	386	3.1 (6)	3.1 (41)	11.7 (31)	187	16.0 (17)	11.8 (19)	257	13.2 (45)
Butler	288	10.8 (31)	5.9 (16)	995	10.6 (71)	3.6 (48)	11.0 (27)	435	13.6 (8)	9.9 (12)	634	20.5 (58)
Chase	13	* *	* *	51	* *	* *	* *	26	* *	* *	29	* *
Chautauqua	28	* *	* *	128	7.0 (41)	2.3 (25)	21.1 (72)	66	* *	* *	91	* *
Cherokee	200	7.5 (19)	5.5 (11)	750	6.5 (34)	4.3 (55)	12.3 (36)	324	18.2 (34)	16.0 (43)	497	7.8 (20)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Cheyenne	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *
Clark	9	* *	* *	27	* *	* *	* *	10	* *	* *	19	* *
Clay	60	* *	* *	253	9.1 (64)	4.3 (55)	20.2 (71)	111	13.5 (7)	21.6 (49)	166	16.3 (55)
Cloud	67	* *	* *	304	7.9 (55)	3.0 (37)	10.9 (26)	138	18.1 (33)	10.9 (14)	214	11.7 (38)
Coffey	25	* *	* *	96	* *	* *	* *	47	* *	* *	62	* *
Comanche	5	* *	* *	22	* *	* *	* *	8	* *	* *	17	* *
Cowley	351	7.1 (14)	7.7 (28)	1,381	6.2 (32)	1.6 (13)	13.1 (48)	642	17.3 (26)	13.7 (32)	932	7.9 (21)
Crawford	337	9.5 (26)	5.3 (8)	1,295	6.8 (39)	1.6 (13)	14.2 (57)	570	16.0 (17)	13.0 (24)	834	8.2 (23)
Decatur	7	* *	* *	41	* *	* *	* *	21	* *	* *	32	* *
Dickinson	96	* *	* *	436	5.0 (18)	4.8 (60)	10.3 (18)	207	8.7 (1)	11.6 (18)	303	4.0 (5)
Doniphan	38	* *	* *	131	15.3 (74)	6.1 (65)	22.9 (73)	57	* *	* *	85	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Douglas	438	6.2 (9)	6.8 (23)	1,587	8.3 (58)	1.4 (10)	14.2 (57)	625	18.7 (37)	13.3 (28)	1,058	12.6 (44)
Edwards	21	* *	* *	104	4.8 (16)	1.9 (20)	12.5 (41)	52	* *	* *	71	* *
Elk	14	* *	* *	78	* *	* *	* *	39	* *	* *	62	* *
Ellis	130	10.0 (30)	1.5 (1)	478	7.3 (47)	1.7 (16)	9.2 (14)	215	21.4 (47)	9.8 (11)	293	3.4 (4)
Ellsworth	30	* *	* *	135	11.1 (73)	3.0 (37)	13.3 (51)	67	* *	* *	94	* *
Finney	647	6.0 (7)	7.0 (27)	2,654	5.4 (22)	6.4 (66)	11.6 (30)	1,242	9.4 (4)	7.7 (6)	1,821	25.1 (60)
Ford	591	5.8 (5)	6.3 (17)	2,294	7.6 (50)	1.9 (20)	19.4 (70)	1,107	18.2 (34)	18.1 (48)	1,535	6.5 (12)
Franklin	159	6.9 (12)	6.3 (17)	629	7.8 (52)	2.2 (24)	12.4 (38)	273	17.6 (29)	11.0 (16)	404	5.9 (9)
Geary	332	6.0 (7)	4.8 (4)	1,040	8.5 (60)	3.2 (43)	10.3 (18)	411	17.3 (26)	10.9 (14)	656	14.9 (50)
Gove	10	* *	* *	53	* *	* *	* *	26	* *	* *	42	* *
Graham	11	* *	* *	63	* *	* *	* *	31	* *	* *	42	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Grant	67	* *	* *	301	5.3 (21)	1.7 (16)	15.3 (63)	150	15.3 (13)	17.3 (46)	217	31.8 (61)
Gray	39	* *	* *	242	1.7 (1)	11.6 (72)	3.3 (1)	125	10.4 (5)	3.2 (2)	176	5.7 (8)
Greeley	10	* *	* *	32	* *	* *	* *	13	* *	* *	14	* *
Greenwood	41	* *	* *	203	7.4 (48)	2.5 (26)	11.8 (32)	107	16.8 (23)	14.0 (37)	147	6.8 (15)
Hamilton	13	* *	* *	91	* *	* *	* *	44	* *	* *	71	* *
Harper	38	* *	* *	202	5.9 (28)	3.0 (37)	15.8 (65)	101	18.8 (38)	13.9 (34)	135	8.9 (26)
Harvey	224	9.8 (28)	5.4 (9)	1,012	7.2 (44)	2.1 (22)	13.0 (47)	489	20.0 (43)	14.1 (38)	714	9.2 (27)
Haskell	24	* *	* *	119	5.0 (18)	0.8 (3)	16.8 (67)	69	* *	* *	75	* *
Hodgeman	12	* *	* *	51	* *	* *	* *	26	* *	* *	38	* *
Jackson	70	* *	* *	348	4.9 (17)	1.1 (5)	14.9 (61)	171	22.2 (49)	17.5 (47)	208	8.2 (23)
Jefferson	64	* *	* *	256	5.9 (28)	5.9 (64)	12.9 (45)	118	22.0 (48)	6.8 (5)	159	18.2 (56)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Jewell	15	* *	* *	54	* *	* *	* *	24	* *	* *	34	* *
Johnson	1,694	8.0 (20)	6.9 (25)	6,784	5.6 (25)	2.6 (29)	12.3 (36)	2,983	16.2 (19)	12.7 (22)	4,507	6.9 (17)
Kearny	22	* *	* *	123	9.8 (69)	5.7 (63)	11.4 (29)	71	* *	* *	93	* *
Kingman	43	* *	* *	209	4.3 (12)	9.1 (69)	8.1 (10)	104	8.7 (1)	5.8 (3)	139	6.5 (12)
Kiowa	10	* *	* *	52	* *	* *	* *	27	* *	* *	34	* *
Labette	163	5.5 (2)	9.2 (31)	634	6.0 (31)	2.5 (26)	12.6 (42)	261	13.0 (6)	13.0 (24)	425	8.0 (22)
Lane	13	* *	* *	61	* *	* *	* *	35	* *	* *	49	* *
Leavenworth	308	9.7 (27)	4.2 (3)	1,120	7.9 (55)	2.9 (34)	9.8 (15)	470	19.4 (41)	13.0 (24)	711	15.9 (54)
Lincoln	22	* *	* *	89	* *	* *	* *	39	* *	* *	63	* *
Linn	53	* *	* *	249	9.6 (66)	0.8 (3)	12.9 (45)	106	23.6 (50)	12.3 (21)	174	10.3 (31)
Logan	11	* *	* *	61	* *	* *	* *	35	* *	* *	38	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lyon	324	6.2 (9)	6.8 (23)	1,293	5.0 (18)	2.6 (29)	12.4 (38)	588	17.0 (25)	16.3 (44)	855	5.3 (7)
Marion	142	4.2 (1)	4.9 (6)	540	6.5 (34)	3.1 (41)	6.1 (5)	240	13.8 (9)	5.8 (3)	346	12.4 (43)
Marshall	43	* *	* *	203	5.9 (28)	0.5 (1)	10.3 (18)	87	* *	* *	146	11.6 (37)
McPherson	55	* *	* *	211	2.8 (2)	17.5 (74)	8.5 (12)	102	8.8 (3)	2.0 (1)	143	8.4 (25)
Meade	38	* *	* *	158	4.4 (14)	4.4 (57)	10.8 (24)	78	* *	* *	106	6.6 (14)
Miami	140	8.6 (22)	5.7 (13)	474	9.7 (67)	1.1 (5)	13.1 (48)	202	17.3 (26)	13.9 (34)	299	19.4 (57)
Mitchell	40	* *	* *	143	2.8 (2)	3.5 (47)	8.4 (11)	61	* *	* *	93	* *
Montgomery	304	9.9 (29)	3.9 (2)	1,244	7.8 (52)	2.7 (32)	12.8 (43)	559	17.9 (31)	13.2 (27)	850	11.1 (36)
Morris	29	* *	* *	123	5.7 (27)	1.6 (13)	4.9 (3)	58	* *	* *	85	* *
Nemaha	35	* *	* *	149	3.4 (7)	4.0 (50)	16.1 (66)	72	* *	* *	95	* *
Neosho	123	7.3 (15)	6.5 (20)	561	8.7 (62)	3.0 (37)	13.5 (54)	244	16.8 (23)	10.7 (13)	354	14.1 (48)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ness	8	* *	* *	48	* *	* *	* *	24	* *	* *	32	* *
Norton	21	* *	* *	122	9.8 (69)	7.4 (68)	9.8 (15)	60	* *	* *	85	* *
Osage	85	* *	* *	315	6.7 (38)	2.5 (26)	13.7 (55)	139	20.9 (45)	11.5 (17)	205	1.5 (1)
Osborne	20	* *	* *	92	* *	* *	* *	43	* *	* *	67	* *
Ottawa	19	* *	* *	90	* *	* *	* *	41	* *	* *	63	* *
Pawnee	43	* *	* *	199	5.5 (23)	4.0 (50)	12.1 (35)	91	* *	* *	147	2.0 (2)
Phillips	27	* *	* *	146	6.2 (32)	2.1 (22)	17.1 (68)	67	* *	* *	107	20.6 (59)
Pottawatom	35	* *	* *	187	7.5 (49)	2.7 (32)	5.9 (4)	93	* *	* *	138	7.2 (19)
Pratt	64	* *	* *	269	7.8 (52)	5.2 (62)	11.9 (34)	116	19.8 (42)	13.8 (33)	183	9.3 (28)
Rawlins	9	* *	* *	54	* *	* *	* *	27	* *	* *	38	* *
Reno	478	6.7 (11)	7.9 (30)	1,701	6.5 (34)	4.1 (53)	8.0 (9)	716	15.4 (14)	11.9 (20)	1,079	5.0 (6)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Republic	33	* *	* *	136	11.0 (72)	1.5 (12)	14.0 (56)	63	* *	* *	89	* *
Rice	60	* *	* *	269	7.1 (43)	0.7 (2)	24.5 (74)	134	16.4 (22)	26.1 (50)	186	11.8 (40)
Riley	785	7.0 (13)	6.5 (20)	3,008	5.5 (23)	2.9 (34)	9.8 (15)	1,276	14.5 (11)	9.3 (9)	1,654	6.8 (15)
Rooks	33	* *	* *	166	4.2 (11)	3.6 (48)	4.2 (2)	83	* *	* *	117	10.3 (31)
Rush	12	* *	* *	51	* *	* *	* *	26	* *	* *	36	* *
Russell	44	* *	* *	153	3.9 (9)	13.1 (73)	7.2 (6)	65	* *	* *	121	2.5 (3)
Saline	473	9.3 (24)	5.1 (7)	1,673	9.0 (63)	1.4 (10)	15.1 (62)	713	18.8 (38)	15.4 (41)	1,111	6.9 (17)
Scott	28	* *	* *	181	2.8 (2)	9.4 (70)	11.0 (27)	92	* *	* *	130	10.0 (30)
Sedgwick	4,121	9.4 (25)	6.9 (25)	15,824	7.7 (51)	1.7 (16)	13.1 (48)	6,914	18.0 (32)	15.5 (42)	10,600	13.8 (47)
Seward	437	5.5 (2)	4.8 (4)	1,737	3.8 (8)	4.0 (50)	10.5 (21)	772	16.2 (19)	13.9 (34)	1,074	10.7 (35)
Shawnee	1,220	7.4 (18)	5.4 (9)	5,088	6.8 (39)	2.6 (29)	14.5 (59)	2,323	19.2 (40)	14.5 (40)	3,348	13.6 (46)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheridan	7	* *	* *	40	* *	* *	* *	22	* *	* *		27	* *
Sherman	68	* *	* *	288	8.3 (58)	4.2 (54)	7.6 (7)	142	14.1 (10)	8.5 (7)		185	10.3 (31)
Smith	17	* *	* *	90	* *	* *	* *	44	* *	* *		68	* *
Stafford	34	* *	* *	164	4.3 (12)	6.7 (67)	14.6 (60)	91	* *	* *		124	10.5 (34)
Stanton	23	* *	* *	91	* *	* *	* *	43	* *	* *		59	* *
Stevens	35	* *	* *	307	2.9 (5)	1.3 (9)	13.4 (53)	157	21.0 (46)	13.4 (29)		222	15.8 (53)
Sumner	155	5.8 (5)	7.7 (28)	557	7.2 (44)	2.9 (34)	13.3 (51)	234	16.2 (19)	9.4 (10)		365	15.3 (51)
Thomas	46	* *	* *	208	7.2 (44)	4.8 (60)	7.7 (8)	98	* *	* *		144	14.6 (49)
Trego	11	* *	* *	73	* *	* *	* *	32	* *	* *		53	* *
Wabaunsee	18	* *	* *	86	* *	* *	* *	38	* *	* *		64	* *
Wallace	1	* *	* *	3	* *	* *	* *	2	* *	* *		2	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	25	* *	* *	102	3.9 (9)	10.8 (71)	10.8 (24)	54	* *	* *		84	* *
Wichita	13	* *	* *	80	* *	* *	* *	44	* *	* *		61	* *
Wilson	79	* *	* *	341	8.2 (57)	4.4 (57)	10.6 (22)	156	15.4 (14)	13.5 (30)		232	6.0 (10)
Woodson	2	* *	* *	27	* *	* *	* *	15	* *	* *		21	* *
Wyandotte	1,930	9.1 (23)	6.7 (22)	7,598	5.6 (25)	3.3 (45)	10.6 (22)	3,404	15.8 (16)	12.8 (23)		5,324	9.6 (29)
Unknown Counties	0	* *	* *	1	* *	* *	* *	0	* *	* *		1	* *
Kansas	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3		51,194	11.4
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9		4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Allen	113	47.8 (31)	34	* *	61	* *	16	* *	34	* *	146	82.2 (24)	363	48.8 (67)
Anderson	49	* *	24	* *	36	* *	12	* *	23	* *	103	78.6 (36)	216	20.8 (37)
Atchison	104	52.9 (28)	52	* *	92	* *	26	* *	51	* *	214	79.4 (35)	466	29.2 (47)
Barber	36	* *	15	* *	21	* *	14	* *	15	* *	44	* *	113	56.6 (74)
Barton	253	73.5 (8)	108	22.2 (7)	158	13.9 (5)	64	* *	106	4.7 (4)	467	80.9 (29)	983	7.4 (12)
Bourbon	126	64.3 (18)	50	* *	81	* *	33	* *	50	* *	216	71.3 (49)	491	40.7 (58)
Brown	101	43.6 (32)	40	* *	67	* *	19	* *	38	* *	201	87.6 (6)	405	44.9 (64)
Butler	289	68.5 (14)	97	* *	153	9.8 (13)	60	* *	96	* *	467	66.4 (52)	1,002	12.0 (21)
Chase	12	* *	3	* *	6	* *	1	* *	3	* *	27	* *	51	* *
Chautauqua	28	* *	10	* *	14	* *	4	* *	9	* *	70	* *	127	43.3 (63)
Cherokee	196	59.2 (23)	82	* *	111	7.2 (22)	40	* *	82	* *	354	86.4 (9)	757	34.1 (52)
Cheyenne	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	1	* *
Clark	8	* *	2	* *	6	* *	1	* *	2	* *	11	* *	26	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Clay	61	* *	22	* *	39	* *	13	* *	22	* *	129	82.9 (19)	255	31.8 (49)
Cloud	65	* *	37	* *	51	* *	17	* *	36	* *	145	84.1 (15)	305	3.9 (2)
Coffey	25	* *	8	* *	16	* *	6	* *	8	* *	48	* *	99	* *
Comanche	5	* *	4	* *	6	* *	1	* *	4	* *	8	* *	22	* *
Cowley	346	52.3 (29)	130	13.8 (17)	211	6.6 (24)	74	* *	129	0.8 (17)	694	82.4 (23)	1,388	12.2 (22)
Crawford	336	58.6 (24)	146	13.0 (18)	203	7.4 (19)	82	* *	144	0.7 (18)	612	76.1 (41)	1,305	41.5 (61)
Decatur	7	* *	6	* *	9	* *	4	* *	5	* *	20	* *	41	* *
Dickinson	89	* *	54	* *	56	* *	36	* *	53	* *	221	86.0 (11)	434	6.9 (11)
Doniphan	39	* *	13	* *	21	* *	8	* *	13	* *	61	* *	143	55.2 (72)
Douglas	428	74.8 (7)	202	35.1 (1)	290	22.4 (1)	102	25.5 (1)	197	7.6 (1)	670	77.5 (37)	1,578	6.4 (8)
Edwards	21	* *	11	* *	16	* *	8	* *	11	* *	59	* *	104	24.0 (42)
Elk	14	* *	9	* *	8	* *	5	* *	9	* *	40	* *	79	* *
Ellis	139	82.0 (1)	48	* *	65	* *	33	* *	47	* *	234	82.9 (19)	486	6.4 (8)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Ellsworth	30	* *	14	* *	23	* *	14	* *	77	* *	140	12.9 (24)		
Finney	656	75.5 (6)	227	22.5 (6)	437	13.3 (9)	110	9.1 (6)	226	5.3 (2)	1,341	75.5 (44)	2,679	17.4 (32)
Ford	573	73.1 (9)	218	22.9 (4)	388	12.4 (11)	94	* *	217	1.8 (13)	1,188	82.8 (21)	2,344	3.7 (1)
Franklin	160	53.1 (27)	54	* *	102	13.7 (6)	33	* *	53	* *	294	79.6 (32)	633	11.1 (19)
Geary	312	66.7 (16)	114	15.8 (14)	185	8.1 (17)	80	* *	113	3.5 (7)	438	76.0 (43)	1,036	40.9 (59)
Gove	10	* *	7	* *	12	* *	6	* *	7	* *	26	* *	53	* *
Graham	12	* *	12	* *	9	* *	4	* *	12	* *	25	* *	44	* *
Grant	68	* *	29	* *	59	* *	13	* *	29	* *	166	81.3 (27)	309	16.5 (31)
Gray	49	* *	34	* *	45	* *	17	* *	32	* *	125	87.2 (8)	248	10.9 (17)
Greeley	10	* *	2	* *	5	* *	1	* *	2	* *	15	* *	34	* *
Greenwood	40	* *	22	* *	32	* *	15	* *	22	* *	121	98.3 (1)	205	21.5 (39)
Hamilton	14	* *	11	* *	17	* *	5	* *	11	* *	51	* *	94	* *
Harper	45	* *	17	* *	32	* *	5	* *	17	* *	108	65.7 (53)	210	30.5 (48)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Harvey	231	76.6 (5)	117	22.2 (7)	164	15.9 (3)	69	* *	115	0.9 (15)	530	88.5 (3)	1,043	5.1 (4)
Haskell	24	* *	5	* *	14	* *	2	* *	5	* *	70	* *	119	14.3 (26)
Hodgeman	9	* *	3	* *	10	* *	2	* *	3	* *	29	* *	48	* *
Jackson	71	* *	35	* *	49	* *	17	* *	35	* *	181	85.1 (12)	356	15.7 (29)
Jefferson	64	* *	25	* *	43	* *	18	* *	25	* *	115	95.7 (2)	242	45.0 (65)
Jewell	16	* *	8	* *	10	* *	3	* *	8	* *	25	* *	54	* *
Johnson	1,753	77.3 (3)	724	28.5 (2)	1,110	16.8 (2)	422	15.4 (4)	718	2.8 (8)	3,205	83.4 (17)	6,888	19.5 (35)
Kearny	21	* *	11	* *	13	* *	7	* *	11	* *	74	* *	125	24.0 (42)
Kingman	49	* *	24	* *	35	* *	14	* *	24	* *	109	81.7 (25)	214	37.9 (55)
Kiowa	10	* *	7	* *	10	* *	6	* *	7	* *	29	* *	52	* *
Labette	163	50.9 (30)	67	* *	129	7.0 (23)	40	* *	67	* *	282	84.4 (14)	643	32.0 (50)
Lane	12	* *	4	* *	8	* *	4	* *	4	* *	39	* *	60	* *
Leavenworth	317	62.1 (20)	106	15.1 (15)	176	7.4 (19)	67	* *	106	0.9 (15)	497	67.4 (50)	1,118	52.0 (69)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Lincoln	23	* *	9	* *	14	* *	5	* *	8	* *	42	* *	90	* *
Linn	55	* *	26	* *	51	* *	11	* *	26	* *	113	84.1 (15)	252	18.7 (33)
Logan	11	* *	5	* *	5	* *	2	* *	5	* *	38	* *	62	* *
Lyon	315	71.7 (11)	129	18.6 (12)	208	8.7 (16)	66	* *	127	2.4 (10)	641	80.8 (30)	1,297	10.2 (15)
Marion	137	72.3 (10)	54	* *	85	* *	36	* *	52	* *	251	76.1 (41)	539	6.1 (6)
Marshall	43	* *	15	* *	35	* *	11	* *	15	* *	99	* *	202	5.9 (5)
McPherson	60	* *	21	* *	32	* *	10	* *	21	* *	112	65.2 (54)	228	53.1 (71)
Meade	43	* *	18	* *	21	* *	9	* *	17	* *	84	* *	164	20.1 (36)
Miami	136	77.2 (4)	48	* *	75	* *	31	* *	47	* *	214	85.0 (13)	477	22.9 (40)
Mitchell	40	* *	11	* *	26	* *	11	* *	11	* *	64	* *	141	5.0 (3)
Montgomery	308	61.7 (21)	118	11.0 (19)	218	7.3 (21)	69	* *	115	2.6 (9)	609	79.5 (33)	1,259	35.6 (54)
Morris	29	* *	12	* *	26	* *	8	* *	12	* *	61	* *	128	7.8 (13)
Nemaha	40	* *	18	* *	26	* *	9	* *	17	* *	72	* *	155	43.2 (62)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number (Rank)	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	% (Rank)	Number (Rank)	% (Rank)				
Neosho	151	53.6 (26)	53	* *	80	* *	32	* *	51	* *	263	79.5 (33)	567	18.9 (34)
Ness	8	* *	4	* *	7	* *	1	* *	4	* *	25	* *	47	* *
Norton	23	* *	17	* *	23	* *	7	* *	17	* *	66	* *	123	8.1 (14)
Osage	87	* *	26	* *	39	* *	18	* *	26	* *	145	86.2 (10)	318	21.1 (38)
Osborne	20	* *	11	* *	17	* *	6	* *	11	* *	46	* *	94	* *
Ottawa	18	* *	15	* *	20	* *	9	* *	14	* *	44	* *	92	* *
Pawnee	43	* *	15	* *	42	* *	13	* *	15	* *	101	73.3 (47)	205	12.7 (23)
Phillips	29	* *	15	* *	33	* *	7	* *	15	* *	68	* *	147	35.4 (53)
Pottawatom	35	* *	15	* *	31	* *	9	* *	13	* *	102	88.2 (4)	192	6.3 (7)
Pratt	66	* *	22	* *	49	* *	14	* *	21	* *	125	83.2 (18)	267	39.3 (56)
Rawlins	9	* *	5	* *	10	* *	2	* *	4	* *	32	* *	54	* *
Reno	464	58.6 (24)	163	20.9 (11)	268	13.1 (10)	92	* *	161	3.7 (6)	761	87.8 (5)	1,682	16.4 (30)
Republic	35	* *	16	* *	16	* *	8	* *	16	* *	67	* *	138	52.2 (70)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Rice	58	* *	24	* *	42	* *	12	* *	24	* *	135	87.4 (7)	268	23.5 (41)
Riley	718	77.4 (2)	314	22.6 (5)	503	9.1 (14)	184	19.0 (3)	306	4.6 (5)	1,318	71.7 (48)	2,945	15.0 (27)
Rooks	34	* *	19	* *	33	* *	7	* *	19	* *	90	* *	170	40.0 (57)
Rush	11	* *	5	* *	9	* *	0	* *	5	* *	29	* *	52	* *
Russell	44	* *	26	* *	37	* *	15	* *	26	* *	79	* *	169	56.2 (73)
Saline	470	60.9 (22)	170	14.7 (16)	279	7.9 (18)	93	* *	169	1.2 (14)	752	82.7 (22)	1,680	6.6 (10)
Scott	31	* *	17	* *	38	* *	9	* *	16	* *	101	76.2 (40)	186	33.9 (51)
Sedgwick	4,029	65.3 (17)	1,657	16.1 (13)	2,604	9.0 (15)	978	9.8 (5)	1,636	2.0 (12)	7,468	73.5 (46)	15,872	10.9 (17)
Seward	439	71.1 (12)	173	24.3 (3)	265	13.6 (7)	91	* *	166	0.6 (19)	823	64.3 (55)	1,740	15.5 (28)
Shawnee	1,228	66.9 (15)	528	22.0 (9)	817	14.2 (4)	267	19.1 (2)	523	5.2 (3)	2,471	73.8 (45)	5,107	10.5 (16)
Sheridan	7	* *	6	* *	9	* *	2	* *	6	* *	22	* *	39	* *
Sherman	64	* *	26	* *	40	* *	21	* *	26	* *	145	76.6 (39)	288	28.1 (46)
Smith	17	* *	9	* *	17	* *	5	* *	9	* *	49	* *	93	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household							
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)						
Stafford	30	* *	20	* *	28	* *	8	* *	18	* *	96	* *	168	11.3 (20)
Stanton	21	* *	7	* *	10	* *	4	* *	7	* *	48	* *	92	* *
Stevens	58	* *	39	* *	57	* *	19	* *	39	* *	169	81.7 (25)	316	13.0 (25)
Sumner	155	63.2 (19)	58	* *	101	9.9 (12)	38	* *	57	* *	253	77.5 (37)	556	49.3 (68)
Thomas	43	* *	17	* *	32	* *	10	* *	17	* *	102	80.4 (31)	207	25.1 (44)
Trego	13	* *	11	* *	14	* *	8	* *	11	* *	34	* *	73	* *
Wabaunsee	18	* *	11	* *	16	* *	4	* *	11	* *	38	* *	83	* *
Wallace	1	* *	0	* *	0	* *	1	* *	0	* *	2	* *	3	* *
Washington	25	* *	7	* *	13	* *	3	* *	7	* *	59	* *	109	41.3 (60)
Wichita	13	* *	8	* *	12	* *	6	* *	8	* *	48	* *	82	* *
Wilson	76	* *	31	* *	56	* *	15	* *	30	* *	170	81.2 (28)	342	47.7 (66)
Woodson	2	* *	4	* *	6	* *	2	* *	4	* *	16	* *	27	* *
Wyandotte	1,900	70.9 (13)	726	21.6 (10)	1,268	13.6 (7)	345	6.1 (7)	718	2.4 (10)	3,684	67.3 (51)	7,664	26.3 (45)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Unknown Counties	0	* *	0	* *	1	* *	0	* *	0	* *	1	* *		
Kansas	19,342	68.0	7,878	20.6	12,678	12.2	4,390	14.0	7,769	2.9	36,868	76.8	77,483	18.6
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Allen	193	7.3 (18)	4.7 (11)	812	7.1 (67)	2.2 (25)	16.5 (88)	346	22.8 (78)	14.5 (58)	572	6.5 (22)
Anderson	117	8.5 (29)	5.1 (18)	520	6.0 (43)	3.5 (62)	12.3 (52)	244	15.2 (29)	15.2 (65)	358	11.7 (56)
Atchison	285	8.4 (28)	5.3 (23)	1,233	6.6 (57)	5.7 (85)	11.3 (38)	522	13.6 (14)	14.2 (56)	795	14.3 (68)
Barber	80	* *	* *	288	8.7 (90)	1.0 (3)	12.5 (57)	109	18.3 (58)	11.9 (32)	174	13.2 (64)
Barton	604	9.1 (33)	5.1 (18)	2,528	5.9 (41)	3.7 (69)	9.1 (19)	1,136	14.3 (20)	11.1 (29)	1,684	7.4 (27)
Bourbon	235	7.7 (21)	4.7 (11)	1,005	7.6 (77)	1.1 (4)	16.0 (86)	444	15.8 (33)	17.6 (71)	691	8.1 (37)
Brown	145	9.0 (32)	7.6 (42)	967	5.0 (26)	3.5 (62)	12.2 (49)	476	14.7 (24)	9.9 (22)	685	13.6 (66)
Butler	639	9.7 (41)	5.8 (25)	2,602	9.9 (95)	3.6 (67)	9.8 (24)	1,116	13.8 (16)	9.3 (18)	1,696	21.2 (85)
Chase	28	* *	* *	155	1.3 (1)	3.2 (55)	19.4 (98)	79	* *	* *	106	10.4 (51)
Chautauqua	53	* *	* *	339	5.0 (26)	3.2 (55)	19.2 (97)	173	14.5 (22)	19.7 (76)	244	7.4 (27)
Cherokee	702	8.0 (23)	5.0 (16)	2,396	6.8 (61)	3.4 (60)	11.8 (46)	834	16.9 (42)	15.1 (64)	1,275	7.1 (24)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cheyenne	4	* *	* *	40	* *	* *	* *	22	* *	* *	32	* *
Clark	14	* *	* *	66	* *	* *	* *	28	* *	* *	49	* *
Clay	144	7.6 (20)	4.2 (7)	635	9.6 (93)	2.5 (37)	18.6 (95)	283	16.6 (37)	16.6 (68)	414	11.1 (53)
Cloud	162	9.9 (42)	1.9 (1)	748	6.8 (61)	3.2 (55)	11.0 (35)	335	17.9 (54)	12.5 (40)	488	13.1 (62)
Coffey	48	* *	* *	289	3.5 (11)	1.7 (10)	16.3 (87)	149	18.8 (64)	24.2 (82)	206	4.4 (10)
Comanche	13	* *	* *	74	* *	* *	* *	38	* *	* *	60	* *
Cowley	763	8.3 (25)	7.6 (42)	3,496	6.1 (45)	1.6 (8)	12.6 (58)	1,601	16.6 (37)	12.4 (39)	2,385	8.7 (41)
Crawford	917	9.6 (40)	4.9 (14)	3,690	7.7 (80)	1.9 (17)	14.3 (78)	1,530	18.6 (62)	14.2 (56)	2,296	6.1 (19)
Decatur	20	* *	* *	100	5.0 (26)	4.0 (76)	8.0 (12)	54	* *	* *	71	* *
Dickinson	249	6.8 (11)	8.0 (45)	1,153	4.8 (22)	3.8 (71)	8.2 (13)	532	11.7 (11)	8.5 (14)	801	3.7 (8)
Doniphan	87	* *	* *	338	15.4(100)	5.9 (88)	24.0(100)	156	25.6 (83)	39.7 (83)	240	5.8 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Douglas	1,048	7.8 (22)	7.3 (38)	4,159	7.5 (75)	1.5 (6)	12.6 (58)	1,656	18.0 (56)	12.9 (45)	2,715	15.0 (73)
Edwards	44	* *	* *	262	8.0 (84)	2.3 (27)	14.1 (74)	131	13.7 (15)	12.2 (37)	188	3.2 (5)
Elk	34	* *	* *	217	9.7 (94)	1.8 (12)	12.4 (55)	99	* *	* *	164	9.8 (47)
Ellis	315	6.3 (7)	4.4 (9)	1,241	5.4 (33)	1.8 (12)	11.7 (44)	543	20.4 (74)	13.3 (48)	787	3.3 (6)
Ellsworth	70	* *	* *	334	10.8 (98)	3.0 (47)	11.4 (40)	169	17.2 (46)	9.5 (19)	233	7.7 (34)
Finney	1,625	6.5 (9)	7.0 (34)	7,357	5.5 (35)	4.2 (78)	13.0 (65)	3,401	10.9 (9)	9.5 (19)	4,937	21.9 (86)
Ford	1,365	5.8 (4)	5.8 (25)	5,954	5.9 (41)	2.1 (22)	17.5 (93)	2,862	18.3 (58)	18.9 (75)	3,960	8.4 (38)
Franklin	367	9.3 (35)	4.9 (14)	1,553	8.1 (87)	2.3 (27)	11.4 (40)	679	17.4 (48)	10.5 (23)	1,031	6.0 (18)
Geary	749	6.9 (13)	6.9 (32)	2,578	7.6 (77)	2.8 (42)	9.0 (17)	1,020	18.9 (65)	10.5 (23)	1,619	15.4 (74)
Gove	20	* *	* *	130	6.2 (48)	3.8 (71)	13.8 (69)	59	* *	* *	98	* *
Graham	32	* *	* *	156	10.3 (96)	3.8 (71)	14.1 (74)	71	* *	* *	105	28.6 (90)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Obese ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grant	139	9.4 (37)	5.0 (16)	821	7.6 (77)	2.1 (22)	15.6 (84)	442	13.3 (13)	17.0 (70)	637	27.3 (89)
Gray	96	* *	* *	596	2.2 (4)	8.9 (96)	5.5 (3)	315	8.9 (6)	6.0 (6)	419	4.5 (11)
Greeley	16	* *	* *	100	2.0 (3)	7.0 (91)	11.0 (35)	50	* *	* *	66	* *
Greenwood	102	10.8 (48)	3.9 (5)	509	5.1 (29)	4.9 (82)	11.6 (43)	240	17.9 (54)	12.5 (40)	359	6.1 (19)
Hamilton	38	* *	* *	229	7.0 (65)	3.9 (75)	12.2 (49)	108	7.4 (4)	14.8 (62)	175	26.9 (88)
Harper	79	* *	* *	497	6.8 (61)	3.8 (71)	14.5 (80)	248	16.1 (36)	10.9 (28)	346	9.0 (43)
Harvey	528	8.9 (31)	6.1 (27)	2,554	6.7 (58)	2.5 (37)	13.5 (68)	1,228	19.6 (69)	13.8 (50)	1,739	9.9 (48)
Haskell	41	* *	* *	331	4.5 (18)	3.0 (47)	13.0 (65)	198	15.2 (29)	10.6 (25)	261	18.0 (80)
Hodgeman	27	* *	* *	125	3.2 (8)	0.8 (2)	14.4 (79)	58	* *	* *	93	* *
Jackson	156	8.3 (25)	9.0 (50)	918	4.7 (21)	1.6 (8)	12.9 (64)	444	19.8 (71)	14.9 (63)	591	11.5 (55)
Jefferson	145	6.2 (6)	11.0 (53)	627	6.2 (48)	3.5 (62)	15.5 (83)	286	22.7 (77)	11.9 (32)	420	15.7 (75)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jewell	34	* *	* *	128	7.0 (65)	2.3 (27)	11.7 (44)	58	* *	* *		82	* *
Johnson	4,022	7.5 (19)	7.3 (38)	16,783	5.7 (38)	2.4 (33)	12.0 (47)	7,066	16.8 (41)	12.6 (42)		10,869	7.1 (24)
Kearny	38	* *	* *	267	7.9 (83)	7.5 (92)	10.9 (34)	155	9.0 (7)	7.7 (12)		209	35.4 (91)
Kingman	90	* *	* *	525	3.4 (10)	9.0 (97)	6.5 (5)	262	8.8 (5)	3.8 (3)		360	11.1 (53)
Kiowa	24	* *	* *	172	4.1 (15)	3.5 (62)	12.2 (49)	87	* *	* *		122	0.8 (1)
Labette	331	6.9 (13)	7.6 (42)	1,574	5.3 (31)	2.4 (33)	10.5 (29)	721	14.4 (21)	10.8 (26)		1,145	7.6 (31)
Lane	24	* *	* *	140	2.9 (6)	5.7 (85)	9.3 (21)	85	* *	* *		114	8.8 (42)
Leavenworth	744	9.5 (39)	3.5 (3)	2,867	7.4 (73)	3.2 (55)	12.4 (55)	1,175	19.7 (70)	13.9 (52)		1,808	14.7 (71)
Lincoln	42	* *	* *	218	7.3 (70)	7.8 (94)	8.7 (15)	111	17.1 (44)	3.6 (2)		169	11.8 (58)
Linn	136	8.1 (24)	5.1 (18)	625	9.1 (91)	1.8 (12)	12.6 (58)	273	20.9 (75)	12.8 (44)		445	9.7 (46)
Logan	17	* *	* *	130	6.2 (48)	6.2 (90)	8.5 (14)	75	* *	* *		95	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lyon	859	7.2 (16)	7.2 (37)	3,549	4.5 (18)	2.5 (37)	13.9 (71)	1,556	18.4 (60)	18.0 (73)	2,319	4.9 (12)
Marion	313	6.4 (8)	7.0 (34)	1,434	7.2 (68)	2.3 (27)	7.1 (6)	645	15.0 (26)	6.7 (10)	951	13.0 (61)
Marshall	103	5.8 (4)	2.9 (2)	541	6.1 (45)	2.2 (25)	11.3 (38)	247	19.0 (66)	12.6 (42)	380	13.7 (67)
McPherson	110	13.6 (53)	4.5 (10)	557	2.9 (6)	13.3(100)	7.4 (8)	279	9.0 (7)	4.3 (4)	381	7.6 (31)
Meade	86	* *	* *	421	3.6 (12)	3.6 (67)	10.0 (26)	213	16.0 (35)	6.1 (7)	308	5.5 (15)
Miami	311	6.8 (11)	5.1 (18)	1,263	10.4 (97)	1.7 (10)	14.0 (72)	561	17.3 (47)	13.0 (46)	868	21.1 (84)
Mitchell	78	* *	* *	369	4.1 (15)	3.0 (47)	10.8 (33)	176	15.3 (32)	15.9 (66)	253	7.5 (30)
Montgomery	603	9.3 (35)	3.6 (4)	2,866	6.4 (54)	2.8 (42)	12.8 (63)	1,351	17.5 (50)	13.8 (50)	2,069	8.6 (40)
Morris	60	* *	* *	286	6.3 (51)	3.1 (54)	9.4 (22)	148	21.6 (76)	13.5 (49)	191	9.4 (44)
Nemaha	67	* *	* *	370	4.6 (20)	2.7 (41)	16.5 (88)	181	19.3 (67)	22.1 (80)	242	7.4 (27)
Neosho	291	10.7 (47)	6.9 (32)	1,449	7.7 (80)	4.3 (79)	12.3 (52)	630	13.8 (16)	10.8 (26)	905	15.8 (76)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Obese ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ness	13	* *	* *	111	3.6 (12)	4.5 (80)	3.6 (1)	67	* *	* *	83	* *
Norton	65	* *	* *	328	7.3 (70)	6.1 (89)	7.3 (7)	152	15.1 (27)	6.6 (8)	229	1.3 (2)
Osage	164	5.5 (3)	6.7 (30)	791	5.3 (31)	2.0 (19)	15.4 (82)	374	18.4 (60)	14.7 (60)	538	3.0 (4)
Osborne	41	* *	* *	206	5.8 (39)	2.4 (33)	17.0 (91)	93	* *	* *	147	17.7 (79)
Ottawa	50	* *	* *	242	5.4 (33)	2.5 (37)	18.6 (95)	112	23.2 (80)	18.8 (74)	172	14.5 (70)
Pawnee	111	11.7 (50)	6.3 (28)	508	5.1 (29)	5.1 (84)	9.4 (22)	244	11.1 (10)	11.9 (32)	352	2.6 (3)
Phillips	73	* *	* *	356	6.7 (58)	1.1 (4)	16.9 (90)	171	22.8 (78)	19.9 (78)	251	19.9 (83)
Pottawatom	78	* *	* *	459	6.5 (55)	2.0 (19)	7.4 (8)	244	12.7 (12)	7.8 (13)	350	6.3 (21)
Pratt	175	13.1 (51)	9.1 (51)	711	8.0 (84)	4.5 (80)	12.0 (47)	304	14.5 (22)	14.1 (55)	454	10.6 (52)
Rawlins	19	* *	* *	114	2.6 (5)	1.8 (12)	11.4 (40)	52	* *	* *	84	* *
Reno	1,071	6.7 (10)	8.6 (49)	4,395	6.3 (51)	3.7 (69)	8.8 (16)	1,833	15.2 (29)	12.0 (35)	2,803	6.6 (23)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Republic	54	* *	* *	337	8.0 (84)	1.5 (6)	14.2 (76)	167	19.8 (71)	16.8 (69)	244	14.8 (72)
Rice	157	10.2 (45)	8.3 (48)	735	6.7 (58)	0.7 (1)	22.7 (99)	366	19.9 (73)	23.8 (81)	525	7.6 (31)
Riley	1,935	7.2 (16)	8.0 (45)	7,883	5.8 (39)	2.8 (42)	10.5 (29)	3,307	14.8 (25)	9.8 (21)	4,528	7.3 (26)
Rooks	85	* *	* *	458	4.8 (22)	3.5 (62)	5.2 (2)	240	17.1 (44)	5.8 (5)	299	8.4 (38)
Rush	29	* *	* *	140	12.1 (99)	2.1 (22)	10.0 (26)	67	* *	* *	103	4.9 (12)
Russell	100	11.0 (49)	4.0 (6)	367	6.5 (55)	11.4 (99)	7.9 (11)	160	6.3 (3)	3.1 (1)	301	3.3 (6)
Saline	1,042	9.9 (42)	5.6 (24)	4,135	8.6 (89)	2.3 (27)	13.8 (69)	1,787	18.2 (57)	13.9 (52)	2,760	5.7 (16)
Scott	79	* *	* *	449	3.6 (12)	10.0 (98)	9.8 (24)	226	3.1 (1)	7.1 (11)	313	12.8 (60)
Sedgwick	9,702	9.2 (34)	6.8 (31)	40,460	7.8 (82)	1.8 (12)	14.2 (76)	17,582	18.6 (62)	16.5 (67)	27,016	13.2 (64)
Seward	1,013	5.3 (2)	7.4 (41)	4,408	3.3 (9)	5.0 (83)	10.3 (28)	1,985	14.2 (19)	12.2 (37)	2,728	12.5 (59)
Shawnee	2,929	8.3 (25)	5.2 (22)	13,582	6.3 (51)	2.8 (42)	14.0 (72)	6,152	17.8 (51)	14.7 (60)	8,967	13.1 (62)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Sheridan	21	* *	* *	105	1.9 (2)	7.6 (93)	5.7 (4)	51	* *	* *	70	* *
Sherman	171	13.5 (52)	4.7 (11)	741	9.4 (92)	2.8 (42)	9.2 (20)	327	14.1 (18)	11.3 (30)	476	7.8 (35)
Smith	53	* *	* *	230	6.1 (45)	3.0 (47)	12.6 (58)	112	23.2 (80)	11.6 (31)	166	5.4 (14)
Stafford	74	* *	* *	428	5.6 (37)	5.8 (87)	14.5 (80)	223	17.0 (43)	19.7 (76)	320	10.0 (50)
Stanton	40	* *	* *	251	7.2 (68)	2.4 (33)	11.2 (37)	135	17.8 (51)	8.9 (16)	194	24.7 (87)
Stevens	100	10.0 (44)	10.0 (52)	611	4.9 (25)	2.0 (19)	15.9 (85)	302	23.5 (82)	13.9 (52)	411	17.5 (78)
Sumner	314	7.0 (15)	7.3 (38)	1,444	7.4 (73)	3.0 (47)	12.3 (52)	637	17.4 (48)	8.5 (14)	950	19.7 (82)
Thomas	113	3.5 (1)	8.0 (45)	537	4.8 (22)	3.4 (60)	7.8 (10)	239	15.9 (34)	9.2 (17)	373	9.9 (48)
Trego	31	* *	* *	177	8.5 (88)	4.0 (76)	9.0 (17)	80	* *	* *	114	15.8 (76)
Wabaunsee	46	* *	* *	219	4.1 (15)	2.3 (27)	18.3 (94)	101	17.8 (51)	17.8 (72)	154	18.2 (81)
Wallace	4	* *	* *	29	* *	* *	* *	17	* *	* *	25	* *

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Washington	42	* *	* *	267	6.0 (43)	8.6 (95)	10.5 (29)	137	5.1 (2)	6.6 (8)	215	14.4 (69)
Wichita	30	* *	* *	259	7.3 (70)	1.9 (17)	17.4 (92)	128	19.5 (68)	20.3 (79)	188	3.7 (8)
Wilson	213	9.4 (37)	4.2 (7)	897	6.9 (64)	3.0 (47)	12.6 (58)	397	16.6 (37)	13.1 (47)	585	8.0 (36)
Woodson	20	* *	* *	97	* *	* *	* *	35	* *	* *	67	* *
Wyandotte	4,802	8.5 (29)	7.0 (34)	19,583	5.5 (35)	3.2 (55)	10.5 (29)	8,382	15.1 (27)	12.1 (36)	13,283	9.6 (45)
Unknown Counties	486	10.3 (46)	6.6 (29)	2,203	7.5 (75)	3.0 (47)	13.0 (65)	675	16.7 (40)	14.5 (58)	1,201	11.7 (56)
Kansas	46,466	8.2	6.5	200,509	6.6	2.8	12.6	88,232	16.7	13.5	132,589	11.1

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Allen	319	49.2 (69)	203	12.3 (61)	205	5.9 (57)	194	17.0 (26)	195	2.1 (56)	378	80.4 (49)	674	43.5 (82)
Anderson	202	50.0 (68)	124	18.5 (42)	130	15.4 (13)	116	14.7 (36)	119	5.0 (30)	253	81.4 (46)	456	17.3 (37)
Atchison	475	48.8 (71)	322	29.8 (13)	306	29.7 (4)	278	14.0 (39)	304	8.2 (13)	567	78.3 (61)	1,124	35.6 (70)
Barber	144	71.5 (18)	80	* *	69	* *	81	* *	75	* *	117	77.8 (62)	267	45.7 (84)
Barton	1,012	70.5 (27)	680	22.2 (26)	629	13.5 (23)	593	16.0 (32)	622	5.3 (29)	1,195	80.5 (48)	2,223	10.9 (15)
Bourbon	387	55.0 (60)	264	14.0 (56)	252	8.7 (44)	240	17.5 (23)	252	5.6 (27)	477	75.9 (68)	828	38.4 (74)
Brown	346	51.2 (65)	270	38.5 (2)	237	31.6 (2)	228	14.0 (39)	241	7.1 (19)	506	82.8 (36)	882	48.3 (88)
Butler	1,037	68.9 (31)	712	19.0 (39)	621	9.2 (43)	630	12.5 (46)	656	4.3 (40)	1,188	66.4 (81)	2,390	13.1 (20)
Chase	54	* *	34	* *	36	* *	30	* *	32	* *	82	* *	140	37.1 (72)
Chautauqua	98	* *	93	* *	76	* *	66	* *	81	* *	175	92.0 (4)	281	50.9 (92)
Cherokee	1,162	54.0 (61)	807	13.3 (57)	519	6.9 (51)	748	13.0 (44)	723	4.4 (36)	909	84.3 (31)	2,304	32.7 (68)
Cheyenne	8	* *	12	* *	11	* *	8	* *	10	* *	22	* *	34	* *
Clark	26	* *	14	* *	16	* *	15	* *	14	* *	30	* *	57	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Clay	267	61.0 (44)	163	31.9 (8)	151	18.5 (10)	157	26.1 (7)	153	8.5 (10)	275	82.9 (35)	573	27.1 (57)
Cloud	291	60.1 (48)	215	13.0 (58)	188	6.4 (55)	197	15.7 (33)	197	3.6 (51)	318	87.1 (12)	659	6.4 (6)
Coffey	77	* *	58	* *	59	* *	51	* *	56	* *	154	90.9 (6)	247	29.1 (61)
Comanche	18	* *	14	* *	16	* *	13	* *	14	* *	26	* *	68	* *
Cowley	1,314	50.8 (66)	921	14.8 (54)	827	7.0 (50)	797	11.9 (48)	857	3.0 (55)	1,625	82.0 (39)	2,991	12.7 (18)
Crawford	1,563	57.6 (55)	1,080	15.7 (52)	832	6.5 (54)	933	13.3 (42)	988	4.8 (33)	1,658	79.7 (51)	3,420	39.3 (75)
Decatur	33	* *	26	* *	26	* *	22	* *	23	* *	57	* *	97	* *
Dickinson	430	72.1 (16)	303	18.5 (42)	267	10.1 (38)	263	21.3 (14)	273	4.0 (45)	560	90.4 (7)	1,015	6.7 (9)
Doniphan	157	47.1 (72)	82	* *	80	* *	85	* *	77	* *	165	78.8 (57)	333	57.7 (94)
Douglas	1,725	73.8 (11)	1,230	30.3 (12)	1,039	18.1 (11)	1,043	26.2 (6)	1,112	11.7 (4)	1,761	78.4 (60)	3,734	8.7 (11)
Edwards	100	76.0 (7)	77	* *	66	* *	68	* *	65	* *	142	76.8 (66)	237	28.7 (60)
Elk	84	* *	56	* *	57	* *	58	* *	56	* *	105	83.8 (32)	192	30.2 (62)
Ellis	511	73.4 (12)	315	21.9 (27)	286	10.8 (33)	264	18.6 (21)	284	3.2 (54)	581	86.6 (19)	1,146	6.5 (7)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ellsworth	123	69.1 (30)	85	* *	74	* *	70	* *	74	* *	185	81.6 (43)	300	17.7 (38)
Finney	2,729	72.4 (15)	1,901	24.3 (21)	1,720	12.2 (29)	1,580	14.0 (39)	1,693	5.6 (27)	3,670	72.3 (75)	6,638	19.5 (40)
Ford	2,202	71.5 (18)	1,515	23.4 (23)	1,452	11.7 (31)	1,255	8.7 (56)	1,355	3.9 (46)	3,066	85.8 (25)	5,366	5.0 (3)
Franklin	657	51.9 (64)	411	16.5 (48)	408	7.6 (47)	362	12.2 (47)	382	3.7 (50)	709	77.3 (63)	1,427	15.3 (30)
Geary	1,148	63.0 (39)	703	16.1 (50)	638	7.8 (46)	655	14.4 (37)	650	3.8 (47)	1,084	79.2 (53)	2,359	41.4 (80)
Gove	49	* *	39	* *	35	* *	38	* *	39	* *	63	* *	108	39.8 (76)
Graham	60	* *	39	* *	39	* *	36	* *	37	* *	28	* *	47	* *
Grant	247	71.3 (20)	193	24.9 (19)	198	12.6 (26)	159	11.3 (52)	180	4.4 (36)	474	78.7 (58)	699	18.5 (39)
Gray	213	81.2 (1)	165	38.2 (3)	152	20.4 (8)	141	24.1 (10)	151	8.6 (9)	298	87.9 (10)	523	14.0 (22)
Greeley	33	* *	22	* *	18	* *	19	* *	20	* *	55	* *	97	* *
Greenwood	165	55.8 (58)	129	18.6 (41)	116	10.3 (37)	110	17.3 (24)	120	9.2 (8)	249	98.8 (1)	411	21.2 (46)
Hamilton	70	* *	54	* *	57	* *	47	* *	52	* *	121	76.0 (67)	184	14.1 (23)
Harper	207	58.9 (51)	121	37.2 (5)	120	30.0 (3)	112	18.8 (20)	118	15.3 (2)	183	67.2 (79)	406	24.6 (52)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Harvey	972	74.5 (10)	728	26.8 (15)	642	14.3 (16)	591	20.1 (15)	632	7.4 (17)	1,219	86.9 (16)	2,244	4.9 (2)
Haskell	71	* *	58	* *	77	* *	49	* *	55	* *	212	81.6 (43)	289	20.1 (43)
Hodgeman	38	* *	30	* *	31	* *	27	* *	30	* *	64	* *	104	14.4 (25)
Jackson	320	71.3 (20)	233	36.5 (6)	217	23.5 (5)	190	31.1 (2)	211	18.5 (1)	443	83.7 (33)	792	19.7 (42)
Jefferson	254	53.5 (62)	156	19.9 (37)	162	9.9 (40)	142	26.8 (5)	143	11.2 (5)	298	88.6 (9)	554	40.8 (78)
Jewell	54	* *	31	* *	26	* *	31	* *	31	* *	60	* *	109	3.7 (1)
Johnson	6,872	77.5 (5)	4,748	30.6 (11)	4,068	17.6 (12)	4,116	17.1 (25)	4,306	6.1 (25)	7,269	84.8 (29)	14,796	19.6 (41)
Kearny	69	* *	61	* *	57	* *	51	* *	57	* *	165	66.7 (80)	210	23.8 (49)
Kingman	196	71.9 (17)	141	31.2 (10)	121	22.3 (6)	107	21.5 (13)	122	7.4 (17)	206	79.6 (52)	442	32.6 (67)
Kiowa	58	* *	46	* *	48	* *	32	* *	40	* *	83	* *	173	40.5 (77)
Labette	565	49.2 (69)	410	14.6 (55)	426	6.8 (53)	366	13.1 (43)	385	4.2 (41)	776	85.2 (26)	1,344	31.6 (65)
Lane	42	* *	30	* *	30	* *	24	* *	26	* *	73	* *	115	27.8 (59)
Leavenworth	1,271	58.5 (52)	714	16.8 (47)	623	7.4 (48)	732	13.0 (44)	661	3.8 (47)	1,235	68.8 (77)	2,689	50.8 (91)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lincoln	82	* *	46	* *	43	* *	46	* *	44	* *	104	37.5 (85)	196	45.9 (86)
Linn	230	59.1 (50)	174	25.9 (17)	159	13.8 (17)	155	27.7 (4)	161	9.9 (7)	282	84.4 (30)	539	25.0 (54)
Logan	36	* *	28	* *	32	* *	22	* *	25	* *	83	* *	106	30.2 (62)
Lyon	1,379	70.8 (24)	961	20.3 (34)	832	10.5 (35)	810	11.5 (51)	870	4.7 (34)	1,651	84.9 (28)	3,138	15.7 (31)
Marion	560	72.9 (13)	372	21.8 (28)	343	11.4 (32)	321	16.2 (31)	337	4.2 (41)	682	80.8 (47)	1,313	8.1 (10)
Marshall	204	80.4 (3)	151	33.8 (7)	144	15.3 (14)	119	32.8 (1)	134	8.2 (13)	278	94.2 (2)	502	6.0 (5)
McPherson	199	57.8 (53)	143	20.3 (34)	123	13.8 (17)	112	17.0 (26)	129	6.2 (24)	312	66.0 (82)	546	49.5 (89)
Meade	142	68.3 (32)	107	42.1 (1)	108	35.2 (1)	79	* *	97	* *	230	86.5 (20)	391	20.5 (44)
Miami	505	63.4 (36)	316	18.0 (45)	277	8.3 (45)	274	17.9 (22)	290	4.1 (43)	598	86.3 (21)	1,207	27.7 (58)
Mitchell	118	61.0 (44)	84	* *	89	* *	76	* *	75	* *	181	89.5 (8)	322	8.7 (11)
Montgomery	1,019	56.4 (57)	758	12.9 (59)	759	6.1 (56)	658	11.9 (48)	711	3.8 (47)	1,478	81.8 (42)	2,497	32.9 (69)
Morris	103	70.9 (23)	78	* *	67	* *	66	* *	71	* *	155	93.5 (3)	251	14.7 (26)
Nemaha	138	64.5 (35)	102	24.5 (20)	92	* *	79	* *	93	* *	189	86.8 (17)	342	42.4 (81)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Neosho	596	50.8 (66)	409	12.7 (60)	349	4.0 (59)	358	11.7 (50)	371	5.7 (26)	572	82.7 (37)	1,214	23.9 (50)
Ness	27	* *	18	* *	21	* *	17	* *	17	* *	69	* *	92	* *
Norton	113	62.8 (40)	91	* *	84	* *	75	* *	82	* *	167	82.0 (39)	287	15.7 (31)
Osage	298	57.0 (56)	190	22.6 (24)	195	13.8 (17)	160	16.9 (28)	176	8.5 (10)	396	87.1 (12)	744	24.9 (53)
Osborne	78	* *	61	* *	53	* *	47	* *	55	* *	103	82.5 (38)	179	41.3 (79)
Ottawa	90	* *	67	* *	54	* *	58	* *	61	* *	123	86.2 (23)	211	14.2 (24)
Pawnee	188	66.0 (34)	144	20.8 (30)	129	12.4 (27)	136	16.9 (28)	137	4.4 (36)	261	78.9 (56)	451	22.4 (47)
Phillips	134	76.1 (6)	99	* *	95	* *	98	* *	97	* *	179	79.9 (50)	312	32.1 (66)
Pottawatom	130	70.8 (24)	104	37.5 (4)	100	19.0 (9)	85	* *	97	* *	255	86.3 (21)	373	9.4 (13)
Pratt	302	70.2 (28)	183	19.7 (38)	170	7.1 (49)	165	26.1 (7)	170	6.5 (23)	278	82.0 (39)	512	25.2 (55)
Rawlins	35	* *	29	* *	34	* *	26	* *	28	* *	61	* *	89	* *
Reno	1,805	61.8 (42)	1,214	18.8 (40)	1,056	9.8 (41)	1,066	19.4 (17)	1,103	4.1 (43)	1,935	87.1 (12)	3,938	10.8 (14)
Republic	115	71.3 (20)	82	* *	65	* *	71	* *	74	* *	171	65.5 (84)	297	45.8 (85)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Rice	261	61.3 (43)	169	18.3 (44)	166	9.6 (42)	152	19.7 (16)	160	7.5 (16)	384	87.2 (11)	663	26.4 (56)
Riley	3,393	74.8 (8)	2,308	26.6 (16)	1,947	13.6 (21)	1,996	26.0 (9)	2,043	7.9 (15)	3,440	73.2 (73)	7,550	17.2 (35)
Rooks	141	61.0 (44)	95	* *	76	* *	84	* *	91	* *	224	77.2 (65)	381	38.1 (73)
Rush	53	* *	33	* *	32	* *	29	* *	31	* *	72	* *	145	17.2 (35)
Russell	154	55.2 (59)	116	16.4 (49)	98	* *	98	* *	107	0.9 (57)	179	74.3 (71)	348	50.9 (92)
Saline	1,725	60.2 (47)	1,095	17.6 (46)	1,044	6.9 (51)	972	15.5 (34)	991	3.3 (53)	1,875	83.7 (33)	3,798	6.6 (8)
Scott	173	53.2 (63)	141	20.6 (31)	134	11.9 (30)	116	21.6 (12)	130	8.5 (10)	244	81.6 (43)	414	21.0 (45)
Sedgwick	15,958	63.1 (37)	10,759	20.1 (36)	9,728	10.0 (39)	9,408	14.9 (35)	9,917	4.9 (31)	18,842	75.9 (68)	35,607	11.6 (16)
Seward	1,725	70.8 (24)	1,155	27.7 (14)	1,062	13.4 (24)	936	9.5 (54)	991	4.5 (35)	2,135	67.8 (78)	3,973	13.4 (21)
Shawnee	5,155	63.1 (37)	3,578	22.4 (25)	3,194	13.6 (21)	3,121	19.4 (17)	3,298	6.8 (21)	6,278	74.1 (72)	12,188	12.9 (19)
Sheridan	37	* *	26	* *	29	* *	24	* *	25	* *	51	* *	92	* *
Sherman	302	69.2 (29)	210	20.5 (32)	169	12.4 (27)	187	19.3 (19)	189	6.9 (20)	340	85.0 (27)	673	16.6 (34)
Smith	77	* *	69	* *	50	* *	63	* *	62	* *	119	73.1 (74)	196	14.8 (27)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) Children ages 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Stafford	129	80.6 (2)	108	21.3 (29)	105	10.5 (35)	81	* *	94	* *	236	86.0 (24)	371	12.4 (17)
Stanton	68	* *	55	* *	55	* *	42	* *	47	* *	149	74.5 (70)	210	14.8 (27)
Stevens	291	74.6 (9)	195	31.8 (9)	184	20.7 (7)	183	30.1 (3)	187	10.2 (6)	327	78.6 (59)	550	16.2 (33)
Sumner	556	57.7 (54)	385	25.7 (18)	298	14.4 (15)	344	24.1 (10)	373	12.1 (3)	484	77.3 (63)	909	46.9 (87)
Thomas	193	72.5 (14)	156	20.5 (32)	126	12.7 (25)	126	16.7 (30)	142	4.9 (31)	256	86.7 (18)	474	14.8 (27)
Trego	64	* *	49	* *	45	* *	42	* *	46	* *	76	* *	134	50.0 (90)
Wabaunsee	79	* *	58	* *	49	* *	50	* *	52	* *	101	91.1 (5)	180	5.0 (3)
Wallace	5	* *	6	* *	6	* *	4	* *	3	* *	19	* *	32	* *
Washington	106	78.3 (4)	66	* *	60	* *	59	* *	60	* *	148	70.9 (76)	258	36.8 (71)
Wichita	84	* *	66	* *	57	* *	59	* *	58	* *	138	87.0 (15)	230	31.3 (64)
Wilson	353	59.5 (49)	251	15.1 (53)	215	4.7 (58)	212	14.2 (38)	231	3.5 (52)	430	79.1 (54)	795	43.5 (82)
Woodson	38	* *	32	* *	31	* *	34	* *	30	* *	43	* *	92	* *
Wyandotte	7,818	68.3 (32)	5,379	24.2 (22)	4,736	13.7 (20)	4,550	9.6 (53)	4,829	4.4 (36)	9,002	65.7 (83)	17,260	24.3 (51)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Unknown Counties	851	62.4 (41)	658	15.8 (51)	338	10.7 (34)	467	9.2 (55)	497	6.6 (22)	642	79.1 (54)	2,623	23.4 (48)
Kansas	78,940	66.0	54,147	22.6	48,063	12.3	46,838	16.0	49,238	5.7	92,641	77.7	178,993	18.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

