

Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Local Agency | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Barton | 1,755 | 61.0 | 2.5 | 34.4 | 0.2 | 0.1 | 1.7 | 0.0 |
| Butler | 1,066 | 84.3 | 2.3 | 9.1 | 0.8 | 0.0 | 3.4 | 0.0 |
| Chautauqua | 213 | 88.7 | 0.5 | 7.0 | 1.4 | 0.0 | 2.3 | 0.0 |
| Cherokee | 2,772 | 74.9 | 7.4 | 8.9 | 2.1 | 0.8 | 5.9 | 0.0 |
| Cloud | 837 | 89.1 | 1.3 | 6.9 | 1.1 | 0.1 | 1.4 | 0.0 |
| Cowley | 1,428 | 69.0 | 3.2 | 22.8 | 0.5 | 1.2 | 3.2 | 0.0 |
| Crawford | 2,190 | 80.4 | 3.6 | 10.4 | 0.5 | 0.5 | 4.6 | 0.0 |
| Doniphan | 175 | 84.6 | 2.3 | 6.9 | 1.1 | 0.0 | 5.1 | 0.0 |
| Douglas | 1,694 | 52.7 | 11.2 | 15.6 | 7.2 | 5.3 | 8.0 | 0.0 |
| Ford | 2,577 | 15.1 | 1.0 | 83.2 | 0.0 | 0.4 | 0.3 | 0.0 |
| Franklin | 689 | 80.7 | 2.8 | 9.3 | 0.9 | 0.1 | 6.2 | 0.0 |
| Geary | 1,186 | 41.6 | 22.6 | 22.8 | 0.3 | 2.3 | 10.5 | 0.0 |
| Graham | 198 | 83.3 | 2.5 | 11.1 | 1.0 | 0.0 | 2.0 | 0.0 |
| Greeley | 41 | * | * | * | * | * | * | * |
| Greenwood | 226 | 88.5 | 0.4 | 8.0 | 1.3 | 0.4 | 1.3 | 0.0 |
| Harvey | 1,114 | 60.4 | 3.6 | 30.5 | 0.5 | 0.5 | 4.4 | 0.0 |
| Jefferson | 272 | 93.0 | 2.6 | 3.3 | 0.7 | 0.0 | 0.4 | 0.0 |
| Johnson | 7,293 | 35.2 | 13.4 | 43.9 | 0.3 | 2.6 | 4.8 | 0.0 |
| Leavenworth | 1,204 | 57.2 | 16.6 | 15.5 | 0.2 | 0.7 | 9.6 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Local Agency | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Lincoln | 584 | 90.8 | 0.9 | 7.2 | 0.0 | 0.2 | 1.0 | 0.0 |
| Linn | 263 | 96.2 | 0.4 | 3.0 | 0.0 | 0.0 | 0.4 | 0.0 |
| Lyon | 1,398 | 50.1 | 3.9 | 43.2 | 0.3 | 0.9 | 1.6 | 0.0 |
| Marion | 802 | 87.0 | 0.2 | 9.6 | 0.2 | 0.2 | 2.6 | 0.0 |
| Marshall | 222 | 89.2 | 0.5 | 5.9 | 1.4 | 0.0 | 3.2 | 0.0 |
| Meade | 510 | 62.0 | 1.8 | 34.9 | 0.2 | 0.2 | 1.0 | 0.0 |
| Miami | 510 | 84.9 | 4.7 | 5.9 | 0.0 | 0.2 | 4.3 | 0.0 |
| NEK | 1,286 | 76.5 | 4.5 | 5.9 | 8.2 | 0.0 | 4.8 | 0.0 |
| Nemaha | 162 | 88.3 | 1.2 | 9.3 | 0.0 | 0.0 | 1.2 | 0.0 |
| Neosho | 617 | 84.8 | 2.6 | 10.5 | 0.5 | 0.2 | 1.5 | 0.0 |
| Osborne | 1,396 | 81.6 | 2.4 | 12.3 | 0.6 | 0.2 | 2.9 | 0.0 |
| Reno | 2,274 | 72.5 | 3.8 | 19.0 | 0.7 | 0.4 | 3.6 | 0.0 |
| Riley | 3,578 | 66.5 | 11.4 | 15.3 | 0.3 | 2.4 | 4.1 | 0.0 |
| Saline | 1,906 | 58.2 | 4.9 | 27.8 | 0.2 | 1.9 | 6.9 | 0.0 |
| Scott | 272 | 59.9 | 1.8 | 37.9 | 0.0 | 0.0 | 0.4 | 0.0 |
| Sedgwick | 17,427 | 34.7 | 16.8 | 37.7 | 1.5 | 3.1 | 6.2 | 0.0 |
| SEK | 258 | 86.8 | 3.5 | 5.8 | 0.0 | 1.2 | 2.7 | 0.0 |
| Seward | 1,943 | 12.0 | 1.9 | 83.4 | 1.5 | 0.7 | 0.6 | 0.0 |
| Shawnee | 5,763 | 45.6 | 14.5 | 31.1 | 1.2 | 0.2 | 7.4 | 0.0 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

| Comparison of Racial and Ethnic Distribution | | | | | | | | |
|---|--|------------------------------|------------------------------|-------------------|--|---------------------------------|-------------------------|------------------------------|
| Local Agency | Number Included in Analysis (3) | White, Not Hispanic % | Black, Not Hispanic % | Hispanic % | American Indian/Alaska Native % | Asian/Pacific Islander % | Multiple Races % | All Other / Unknown % |
| Sheridan | 40 | * | * | * | * | * | * | * |
| Sherman | 612 | 69.0 | 0.3 | 26.3 | 0.3 | 0.7 | 3.4 | 0.0 |
| SKCPH | 1,059 | 81.9 | 0.8 | 14.3 | 0.5 | 0.4 | 2.3 | 0.0 |
| Stevens | 388 | 38.7 | 0.0 | 59.5 | 0.5 | 0.0 | 1.3 | 0.0 |
| Sumner | 665 | 83.2 | 1.4 | 10.8 | 0.8 | 0.0 | 3.9 | 0.0 |
| SW KS WIC | 3,551 | 22.1 | 1.0 | 74.2 | 0.2 | 2.0 | 0.4 | 0.0 |
| Wichita | 83 | * | * | * | * | * | * | * |
| Wilson | 403 | 90.1 | 2.2 | 5.5 | 1.0 | 0.0 | 1.2 | 0.0 |
| Wyandotte | 8,470 | 19.2 | 26.4 | 49.2 | 0.3 | 2.6 | 2.2 | 0.0 |
| Unknown Local Ag. | 12 | * | * | * | * | * | * | * |
| Kansas | 83,384 | 47.9 | 10.9 | 34.2 | 1.0 | 1.7 | 4.3 | 0.0 |
| Nation (Prior Year) | 8,164,612 | 31.7 | 18.8 | 41.0 | 1.0 | 2.6 | 2.1 | 2.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Local Agency | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Barton | 1,755 | 27.2 | 24.8 | 47.9 |
| Butler | 1,066 | 31.0 | 25.4 | 43.6 |
| Chautauqua | 213 | 30.0 | 22.1 | 47.9 |
| Cherokee | 2,772 | 30.0 | 23.7 | 46.3 |
| Cloud | 837 | 30.6 | 21.0 | 48.4 |
| Cowley | 1,428 | 29.6 | 23.6 | 46.8 |
| Crawford | 2,190 | 33.0 | 24.1 | 42.9 |
| Doniphan | 175 | 29.7 | 24.6 | 45.7 |
| Douglas | 1,694 | 34.2 | 24.8 | 41.0 |
| Ford | 2,577 | 27.9 | 25.6 | 46.4 |
| Franklin | 689 | 30.9 | 25.7 | 43.4 |
| Geary | 1,186 | 35.1 | 26.7 | 38.2 |
| Graham | 198 | 29.8 | 21.2 | 49.0 |
| Greeley | 41 | * | * | * |
| Greenwood | 226 | 25.2 | 26.1 | 48.7 |
| Harvey | 1,114 | 29.9 | 23.1 | 47.0 |
| Jefferson | 272 | 24.6 | 26.1 | 49.3 |
| Johnson | 7,293 | 31.2 | 24.2 | 44.5 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Local Agency | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Leavenworth | 1,204 | 33.9 | 25.3 | 40.8 |
| Lincoln | 584 | 28.3 | 24.0 | 47.8 |
| Linn | 263 | 28.5 | 24.3 | 47.1 |
| Lyon | 1,398 | 28.5 | 23.3 | 48.2 |
| Marion | 802 | 27.8 | 23.7 | 48.5 |
| Marshall | 222 | 27.5 | 22.5 | 50.0 |
| Meade | 510 | 23.7 | 25.1 | 51.2 |
| Miami | 510 | 36.1 | 22.5 | 41.4 |
| NEK | 1,286 | 30.6 | 23.9 | 45.6 |
| Nemaha | 162 | 34.6 | 22.8 | 42.6 |
| Neosho | 617 | 30.1 | 22.4 | 47.5 |
| Osborne | 1,396 | 30.4 | 23.4 | 46.1 |
| Reno | 2,274 | 33.3 | 22.3 | 44.3 |
| Riley | 3,578 | 33.1 | 23.3 | 43.6 |
| Saline | 1,906 | 31.1 | 25.2 | 43.8 |
| Scott | 272 | 25.7 | 22.1 | 52.2 |
| Sedgwick | 17,427 | 32.4 | 23.6 | 44.0 |
| SEK | 258 | 26.7 | 24.4 | 48.8 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

| Comparison of Age Distribution | | | | |
|---------------------------------------|--|------------------------|-------------------------|-------------------------|
| Local Agency | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Seward | 1,943 | 32.0 | 23.0 | 45.0 |
| Shawnee | 5,763 | 31.9 | 22.9 | 45.3 |
| Sheridan | 40 | * | * | * |
| Sherman | 612 | 30.1 | 23.2 | 46.7 |
| SKCPH | 1,059 | 28.9 | 24.3 | 46.8 |
| Stevens | 388 | 27.1 | 23.2 | 49.7 |
| Sumner | 665 | 27.7 | 26.5 | 45.9 |
| SW KS WIC | 3,551 | 28.0 | 23.3 | 48.6 |
| Wichita | 83 | * | * | * |
| Wilson | 403 | 33.0 | 22.1 | 44.9 |
| Wyandotte | 8,470 | 29.9 | 23.4 | 46.7 |
| Unknown Local Ag. | 12 | * | * | * |
| Kansas | 83,384 | 31.0 | 23.8 | 45.2 |
| Nation (Prior Year) | 8,164,612 | 35.8 | 23.0 | 41.3 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Barton | 364 | 7.7 (13) | 3.3 (1) | 1,713 | 7.2 (32) | 3.2 (25) | 13.2 (32) | 816 | 15.4 (13) | 14.5 (32) | 1,198 | 8.5 (21) |
| Butler | 259 | 6.9 (6) | 6.9 (17) | 1,028 | 6.4 (26) | 4.1 (29) | 11.6 (22) | 462 | 14.5 (8) | 12.1 (18) | 689 | 26.3 (43) |
| Chautauqua | 49 | * * | * * | 209 | 6.2 (22) | 2.4 (12) | 13.9 (37) | 103 | 19.4 (32) | 12.6 (24) | 137 | 10.9 (30) |
| Cherokee | 656 | 7.9 (14) | 5.3 (8) | 2,717 | 8.1 (36) | 3.0 (23) | 13.8 (35) | 1,278 | 18.0 (26) | 15.3 (38) | 1,854 | 4.4 (2) |
| Cloud | 199 | 10.1 (26) | 4.0 (2) | 816 | 7.1 (31) | 2.9 (22) | 13.8 (35) | 391 | 15.6 (14) | 12.3 (20) | 547 | 16.6 (37) |
| Cowley | 307 | 9.8 (24) | 7.5 (18) | 1,397 | 5.6 (15) | 2.6 (16) | 12.0 (24) | 654 | 20.0 (35) | 10.7 (13) | 955 | 8.6 (23) |
| Crawford | 510 | 10.4 (27) | 4.3 (5) | 2,120 | 6.3 (24) | 1.2 (1) | 12.5 (28) | 920 | 20.2 (36) | 13.9 (29) | 1,426 | 4.7 (4) |
| Doniphan | 38 | * * | * * | 168 | 11.9 (44) | 6.0 (41) | 24.4 (44) | 78 | * * | * * | 107 | 8.4 (19) |
| Douglas | 434 | 6.9 (6) | 5.8 (11) | 1,666 | 6.5 (28) | 1.8 (4) | 12.3 (25) | 694 | 15.9 (17) | 11.0 (15) | 1,138 | 7.5 (17) |
| Ford | 561 | 4.1 (1) | 6.1 (13) | 2,494 | 7.0 (30) | 1.9 (6) | 17.9 (43) | 1,168 | 19.5 (33) | 17.6 (41) | 1,655 | 5.2 (10) |
| Franklin | 168 | 6.0 (3) | 5.4 (9) | 672 | 5.2 (12) | 2.2 (8) | 11.5 (21) | 290 | 15.9 (17) | 12.4 (21) | 443 | 3.2 (1) |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Geary | 364 | 8.5 (16) | 4.1 (3) | 1,147 | 8.6 (38) | 2.4 (12) | 9.3 (9) | 444 | 15.3 (12) | 7.4 (4) | 720 | 16.8 (38) |
| Graham | 42 | * * | * * | 194 | 9.3 (41) | 2.6 (16) | 11.3 (19) | 93 | * * | * * | 119 | 13.4 (34) |
| Greeley | 12 | * * | * * | 40 | * * | * * | * * | 20 | * * | * * | 25 | * * |
| Greenwood | 44 | * * | * * | 224 | 6.3 (24) | 1.8 (4) | 10.7 (14) | 108 | 21.3 (39) | 13.9 (29) | 163 | 4.9 (8) |
| Harvey | 251 | 6.4 (5) | 8.4 (26) | 1,099 | 4.9 (9) | 2.7 (19) | 11.4 (20) | 512 | 16.6 (21) | 15.0 (35) | 744 | 9.8 (27) |
| Jefferson | 58 | * * | * * | 269 | 3.3 (3) | 4.1 (29) | 11.2 (18) | 124 | 21.0 (37) | 12.1 (18) | 172 | 8.7 (24) |
| Johnson | 1,618 | 7.5 (9) | 7.8 (21) | 7,058 | 5.3 (13) | 2.7 (19) | 12.4 (27) | 3,164 | 14.8 (9) | 13.3 (27) | 4,678 | 6.7 (13) |
| Leavenwort | 320 | 12.5 (30) | 7.5 (18) | 1,156 | 8.0 (35) | 2.2 (8) | 10.8 (15) | 476 | 17.0 (24) | 15.1 (36) | 743 | 8.5 (21) |
| Lincoln | 118 | 7.6 (12) | 9.3 (30) | 574 | 6.1 (20) | 4.2 (33) | 12.5 (28) | 269 | 16.4 (19) | 13.0 (25) | 401 | 11.5 (31) |
| Linn | 62 | * * | * * | 257 | 8.6 (38) | 1.6 (2) | 13.2 (32) | 117 | 28.2 (41) | 10.3 (12) | 167 | 6.0 (11) |
| Lyon | 323 | 9.0 (19) | 5.9 (12) | 1,374 | 5.6 (15) | 2.1 (7) | 14.0 (38) | 659 | 15.0 (10) | 14.9 (34) | 936 | 5.0 (9) |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Marion | 164 | 9.8 (24) | 11.0 (31) | 780 | 5.4 (14) | 4.1 (29) | 9.2 (8) | 373 | 18.0 (26) | 11.3 (16) | 547 | 4.8 (7) |
| Marshall | 40 | * * | * * | 214 | 4.2 (5) | 8.9 (43) | 7.5 (2) | 105 | 6.7 (1) | 3.8 (2) | 146 | 13.7 (35) |
| Meade | 85 | * * | * * | 500 | 3.0 (2) | 6.0 (41) | 8.0 (3) | 258 | 12.0 (4) | 4.3 (3) | 359 | 4.7 (4) |
| Miami | 147 | 11.6 (28) | 8.2 (25) | 496 | 8.5 (37) | 2.4 (12) | 11.7 (23) | 206 | 18.0 (26) | 14.6 (33) | 309 | 18.1 (41) |
| NEK | 283 | 8.1 (15) | 6.4 (15) | 1,259 | 6.1 (20) | 4.1 (29) | 12.3 (25) | 567 | 18.5 (30) | 12.5 (22) | 774 | 10.6 (29) |
| Nemaha | 23 | * * | * * | 156 | 7.7 (34) | 5.1 (35) | 17.3 (42) | 63 | * * | * * | 89 | * * |
| Neosho | 74 | * * | * * | 605 | 5.6 (15) | 5.3 (39) | 10.4 (12) | 286 | 22.7 (40) | 10.1 (9) | 403 | 17.9 (40) |
| Osborne | 322 | 7.5 (9) | 8.4 (26) | 1,366 | 5.9 (19) | 2.7 (19) | 10.5 (13) | 627 | 16.4 (19) | 10.8 (14) | 927 | 7.2 (15) |
| Reno | 595 | 8.7 (17) | 4.4 (6) | 2,245 | 6.2 (22) | 3.9 (28) | 8.7 (5) | 1,000 | 16.8 (22) | 11.9 (17) | 1,425 | 7.6 (18) |
| Riley | 894 | 6.2 (4) | 8.4 (26) | 3,367 | 5.1 (11) | 2.5 (15) | 8.7 (5) | 1,493 | 13.2 (5) | 8.8 (6) | 1,653 | 7.0 (14) |
| Saline | 486 | 9.7 (23) | 8.4 (26) | 1,863 | 9.3 (41) | 1.7 (3) | 15.2 (40) | 820 | 19.0 (31) | 15.2 (37) | 1,259 | 4.4 (2) |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|-------------------------|---------------------|----------------------|--------------------------------|----------------------|-----------------------------|----------------------|--------|-------------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | | |
| | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % >95th (Rank) | Number | % 85th- (Rank) | % <95th (Rank) | % >95th (Rank) | Number | % (Rank) |
| Scott | 58 | * * | * * | 264 | 2.7 (1) | 9.5 (44) | 6.8 (1) | 140 | 7.1 (2) | 2.9 (1) | | 170 | 4.7 (4) |
| Sedgwick | 4,343 | 9.2 (21) | 6.5 (16) | 17,031 | 6.9 (29) | 2.2 (8) | 12.5 (28) | 7,607 | 17.3 (25) | 14.3 (31) | | 11,645 | 11.6 (32) |
| SEK | 44 | * * | * * | 257 | 5.8 (18) | 4.3 (34) | 9.3 (9) | 131 | 13.7 (6) | 9.2 (7) | | 172 | 8.7 (24) |
| Seward | 437 | 5.5 (2) | 8.0 (24) | 1,879 | 4.7 (6) | 3.3 (26) | 13.3 (34) | 853 | 16.8 (22) | 16.5 (40) | | 1,183 | 6.3 (12) |
| Shawnee | 1,377 | 9.0 (19) | 4.7 (7) | 5,599 | 7.3 (33) | 3.1 (24) | 15.6 (41) | 2,566 | 19.8 (34) | 15.5 (39) | | 3,594 | 14.5 (36) |
| Sheridan | 11 | * * | * * | 40 | * * | * * | * * | 13 | * * | * * | | 26 | * * |
| Sherman | 147 | 7.5 (9) | 4.1 (3) | 587 | 4.8 (8) | 5.1 (35) | 8.9 (7) | 283 | 15.2 (11) | 10.2 (10) | | 418 | 9.8 (27) |
| SKCPH | 228 | 7.0 (8) | 7.9 (22) | 1,043 | 6.4 (26) | 5.1 (35) | 10.1 (11) | 500 | 13.8 (7) | 10.2 (10) | | 695 | 7.3 (16) |
| Stevens | 48 | * * | * * | 378 | 3.7 (4) | 2.6 (16) | 8.2 (4) | 190 | 15.8 (16) | 9.5 (8) | | 251 | 12.4 (33) |
| Sumner | 146 | 13.0 (31) | 7.5 (18) | 650 | 11.2 (43) | 2.3 (11) | 14.0 (38) | 296 | 18.2 (29) | 12.5 (22) | | 462 | 17.7 (39) |
| SW KS WIC | 750 | 8.9 (18) | 5.5 (10) | 3,435 | 4.7 (6) | 5.7 (40) | 10.9 (17) | 1,666 | 10.4 (3) | 8.6 (5) | | 2,477 | 24.8 (42) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | | |
|---|------------------------|------------------------|------------------------|--------------------------|-------------------------|---------------------|----------------------------|-------------------------------------|----------------------|------------------------------------|----------------------------|------------------|-------------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | | |
| | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | \geq 2 Yrs Over- weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % \geq 95th (Rank) | Number | % 85th- (Rank) | % <95th (Rank) | % \geq 95th (Rank) | Number | % (Rank) |
| Wichita | 16 | * * | * * | 81 | * * | * * | * * | 48 | * * | * * | | 51 | * * |
| Wilson | 101 | 11.9 (29) | 7.9 (22) | 394 | 9.1 (40) | 5.1 (35) | 12.9 (31) | 181 | 21.0 (37) | 13.8 (28) | | 269 | 9.3 (26) |
| Wyandotte | 1,962 | 9.3 (22) | 6.2 (14) | 8,169 | 5.0 (10) | 3.3 (26) | 10.8 (15) | 3,842 | 15.6 (14) | 13.0 (25) | | 5,846 | 8.4 (19) |
| Unknown Local Ag. | 3 | * * | * * | 11 | * * | * * | * * | 2 | * * | * * | | 4 | * * |
| Kansas | 19,541 | 8.5 | 6.4 | 81,061 | 6.3 | 2.9 | 12.2 | 36,956 | 16.6 | 13.2 | | 54,171 | 10.1 |
| Nation (Prior Year) | 1,909,620 | 9.0 | 6.4 | 7,107,000 | 6.0 | 4.5 | 14.1 | 2,943,996 | 16.5 | 14.8 | | 4,916,523 | 14.9 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|--------|--|---------------------------------------|---|--------|--|---------------------------------------|--|-----------------------------|---------------------|--------|---------------------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | Number | % (Rank) |
| Barton | 362 | 70.7 (15) | 174 | 20.1 (11) | 286 | 9.4 (15) | 92 | * * | 172 | 0.6 (22) | 886 | 81.7 (20) | 1,730 | 8.4 (6) |
| Butler | 256 | 71.1 (12) | 99 | * * | 191 | 10.5 (13) | 62 | * * | 98 | * * | 487 | 66.3 (42) | 1,040 | 9.9 (10) |
| Chautauqua | 49 | * * | 17 | * * | 29 | * * | 8 | * * | 17 | * * | 111 | 84.7 (10) | 209 | 40.2 (34) |
| Cherokee | 657 | 57.2 (30) | 266 | 9.8 (22) | 439 | 5.7 (24) | 157 | 8.3 (11) | 261 | 1.1 (20) | 1,372 | 85.6 (8) | 2,741 | 35.9 (32) |
| Cloud | 197 | 65.0 (23) | 76 | * * | 122 | 5.7 (24) | 46 | * * | 75 | * * | 422 | 81.0 (22) | 827 | 22.1 (24) |
| Cowley | 308 | 62.7 (25) | 143 | 16.1 (19) | 240 | 5.8 (23) | 79 | * * | 139 | 1.4 (19) | 704 | 78.3 (28) | 1,404 | 10.7 (12) |
| Crawford | 533 | 55.9 (31) | 239 | 11.3 (21) | 332 | 6.0 (22) | 120 | 5.8 (13) | 236 | 2.5 (14) | 1,013 | 79.7 (24) | 2,149 | 44.6 (38) |
| Doniphan | 38 | * * | 16 | * * | 31 | * * | 9 | * * | 16 | * * | 80 | * * | 170 | 43.5 (37) |
| Douglas | 431 | 77.3 (3) | 191 | 29.3 (2) | 285 | 18.2 (2) | 137 | 20.4 (2) | 186 | 3.8 (8) | 719 | 83.6 (15) | 1,662 | 6.4 (4) |
| Ford | 581 | 72.3 (11) | 259 | 20.8 (10) | 470 | 8.9 (18) | 140 | 7.9 (12) | 259 | 1.9 (17) | 1,260 | 87.5 (3) | 2,512 | 6.0 (2) |
| Franklin | 163 | 65.6 (22) | 61 | * * | 120 | 8.3 (19) | 34 | * * | 58 | * * | 311 | 84.2 (11) | 627 | 13.7 (16) |
| Geary | 358 | 70.9 (13) | 142 | 16.2 (18) | 212 | 3.8 (27) | 107 | 15.9 (7) | 142 | 4.2 (6) | 475 | 77.3 (29) | 1,150 | 35.8 (31) |
| Graham | 44 | * * | 11 | * * | 25 | * * | 9 | * * | 11 | * * | 100 | 84.0 (13) | 197 | 48.7 (40) |

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|---|-------------------|-------------------------|--------|--------------------------------------|-----------------------------|---------------------------------------|--------|--------------------------------------|-----------------------------|----------|----------------------|-----------|-------|-----------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Greeley | 12 | * * | 6 | * * | 6 | * * | 1 | * * | 5 | * * | 21 | * * | 41 | * * |
| Greenwood | 44 | * * | 25 | * * | 42 | * * | 17 | * * | 24 | * * | 116 | 97.4 (1) | 226 | 13.3 (15) |
| Harvey | 251 | 80.1 (1) | 117 | 29.1 (3) | 170 | 12.9 (7) | 56 | * * | 112 | 5.4 (3) | 553 | 87.3 (4) | 1,096 | 3.1 (1) |
| Jefferson | 58 | * * | 25 | * * | 53 | * * | 16 | * * | 24 | * * | 128 | 92.2 (2) | 235 | 42.6 (36) |
| Johnson | 1,741 | 78.2 (2) | 796 | 31.9 (1) | 1,261 | 18.6 (1) | 460 | 17.4 (6) | 782 | 3.5 (10) | 3,398 | 83.3 (16) | 7,128 | 18.2 (21) |
| Leavenworth | 321 | 61.7 (26) | 118 | 18.6 (15) | 205 | 8.3 (19) | 67 | * * | 116 | 3.4 (11) | 509 | 68.4 (40) | 1,163 | 47.8 (39) |
| Lincoln | 131 | 67.2 (20) | 55 | * * | 91 | * * | 37 | * * | 54 | * * | 292 | 79.1 (26) | 578 | 19.2 (23) |
| Linn | 64 | * * | 28 | * * | 44 | * * | 15 | * * | 28 | * * | 131 | 86.3 (6) | 257 | 15.2 (19) |
| Lyon | 315 | 73.7 (10) | 128 | 19.5 (14) | 217 | 7.8 (21) | 72 | * * | 127 | 3.1 (12) | 704 | 76.0 (33) | 1,376 | 9.5 (8) |
| Marion | 160 | 75.0 (9) | 79 | * * | 125 | 12.8 (8) | 41 | * * | 77 | * * | 390 | 86.4 (5) | 790 | 6.2 (3) |
| Marshall | 43 | * * | 20 | * * | 38 | * * | 15 | * * | 20 | * * | 113 | 68.1 (41) | 220 | 54.5 (44) |
| Meade | 93 | * * | 41 | * * | 89 | * * | 17 | * * | 41 | * * | 271 | 77.1 (30) | 506 | 14.8 (17) |
| Miami | 147 | 70.1 (16) | 42 | * * | 74 | * * | 36 | * * | 42 | * * | 220 | 84.1 (12) | 493 | 18.7 (22) |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|----------------------------|--------|---|---------------------------------------|--|--------|---|---------------------------------------|-------------|-----------------------------|-------------|--------|-----------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| NEK | 301 | 58.8 (29) | 131 | 25.2 (5) | 197 | 14.2 (5) | 82 | * * | 129 | 4.7 (5) | 617 | 83.1 (17) | 1,268 | 35.3 (30) |
| Nemaha | 43 | * * | 19 | * * | 29 | * * | 11 | * * | 19 | * * | 71 | * * | 160 | 51.3 (43) |
| Neosho | 138 | 61.6 (27) | 73 | * * | 97 | * * | 37 | * * | 72 | * * | 304 | 86.2 (7) | 612 | 32.7 (29) |
| Osborne | 336 | 76.8 (4) | 137 | 21.2 (9) | 216 | 9.3 (17) | 82 | * * | 135 | 3.7 (9) | 677 | 83.8 (14) | 1,384 | 23.8 (25) |
| Reno | 591 | 66.0 (21) | 242 | 18.2 (16) | 340 | 9.4 (15) | 153 | 19.0 (4) | 238 | 1.7 (18) | 1,049 | 84.8 (9) | 2,241 | 7.6 (5) |
| Riley | 864 | 76.0 (7) | 382 | 24.3 (7) | 531 | 14.1 (6) | 273 | 21.6 (1) | 370 | 6.5 (1) | 1,610 | 72.3 (37) | 3,482 | 12.8 (14) |
| Saline | 494 | 61.1 (28) | 192 | 12.0 (20) | 349 | 4.6 (26) | 104 | 5.8 (13) | 192 | 1.0 (21) | 866 | 73.9 (36) | 1,876 | 9.5 (8) |
| Scott | 60 | * * | 22 | * * | 40 | * * | 15 | * * | 22 | * * | 147 | 82.3 (19) | 268 | 28.0 (27) |
| Sedgwick | 4,287 | 69.0 (17) | 1,760 | 18.0 (17) | 2,750 | 9.5 (14) | 999 | 12.4 (9) | 1,741 | 2.0 (16) | 8,187 | 75.7 (35) | 17,229 | 10.1 (11) |
| SEK | 56 | * * | 24 | * * | 35 | * * | 15 | * * | 24 | * * | 136 | 82.4 (18) | 256 | 42.2 (35) |
| Seward | 489 | 64.2 (24) | 186 | 24.7 (6) | 302 | 12.3 (10) | 114 | 19.3 (3) | 181 | 3.9 (7) | 932 | 69.4 (39) | 1,931 | 15.1 (18) |
| Shawnee | 1,392 | 70.9 (13) | 576 | 19.8 (12) | 859 | 12.7 (9) | 335 | 17.6 (5) | 568 | 6.3 (2) | 2,752 | 75.9 (34) | 5,647 | 8.6 (7) |
| Sheridan | 12 | * * | 5 | * * | 7 | * * | 3 | * * | 5 | * * | 14 | * * | 39 | * * |

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|-----------------------------|--------------------------------------|----------------|--|---------------------------------------|---|----------------|--|---------------------------------------|--|-----------------------------|---------------------|------------------|-------------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Sherman | 142 | 75.4 (8) | 56 | * * | 95 | * * | 44 | * * | 56 | * * | 287 | 79.4 (25) | 592 | 30.9 (28) |
| SKCPH | 243 | 76.5 (5) | 108 | 28.7 (4) | 175 | 17.1 (3) | 59 | * * | 103 | 4.9 (4) | 529 | 80.2 (23) | 1,043 | 37.2 (33) |
| Stevens | 86 | * * | 32 | * * | 60 | * * | 20 | * * | 30 | * * | 203 | 81.3 (21) | 384 | 11.5 (13) |
| Sumner | 147 | 67.3 (19) | 62 | * * | 130 | 10.8 (11) | 39 | * * | 57 | * * | 320 | 76.6 (32) | 654 | 50.8 (42) |
| SW KS WIC | 766 | 76.1 (6) | 379 | 19.8 (12) | 578 | 10.7 (12) | 195 | 14.4 (8) | 376 | 2.4 (15) | 1,826 | 77.0 (31) | 3,504 | 16.3 (20) |
| Wichita | 16 | * * | 7 | * * | 12 | * * | 4 | * * | 7 | * * | 50 | * * | 83 | * * |
| Wilson | 98 | * * | 43 | * * | 60 | * * | 22 | * * | 43 | * * | 195 | 78.5 (27) | 397 | 50.6 (41) |
| Wyandotte | 2,009 | 69.0 (17) | 789 | 24.1 (8) | 1,313 | 16.3 (4) | 437 | 10.3 (10) | 778 | 3.0 (13) | 4,183 | 72.3 (37) | 8,249 | 25.1 (26) |
| Unknown Local Ag. | 5 | * * | 0 | * * | 0 | * * | 0 | * * | 0 | * * | 2 | * * | 10 | * * |
| Kansas | 19,932 | 69.8 | 8,399 | 20.9 | 13,372 | 11.5 | 4,893 | 14.8 | 8,268 | 3.1 | 39,743 | 78.1 | 81,836 | 17.8 |
| Nation (Prior Year) | 1,719,083 | 62.0 | 848,761 | 26.9 | 1,038,203 | 19.1 | 144,421 | 12.9 | 206,416 | 7.2 | 744,697 | 74.8 | 3,277,352 | 10.9 |

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Barton | 1,199 | 8.6 (26) | 5.3 (10) | 5,023 | 6.5 (24) | 3.4 (24) | 12.3 (25) | 2,358 | 14.8 (7) | 14.5 (37) | 3,424 | 8.0 (16) |
| Butler | 789 | 9.3 (33) | 5.7 (15) | 2,934 | 9.1 (43) | 3.9 (31) | 10.6 (12) | 1,297 | 13.0 (5) | 10.3 (10) | 1,927 | 24.4 (44) |
| Chautauqua | 122 | 8.2 (21) | 4.1 (3) | 625 | 6.9 (30) | 2.6 (14) | 15.7 (44) | 312 | 16.7 (18) | 14.4 (36) | 449 | 10.5 (26) |
| Cherokee | 2,003 | 7.7 (15) | 5.5 (13) | 7,774 | 7.1 (32) | 3.1 (22) | 12.6 (27) | 3,469 | 17.4 (24) | 14.2 (33) | 5,203 | 7.2 (10) |
| Cloud | 553 | 8.1 (19) | 2.9 (1) | 2,339 | 7.7 (38) | 3.4 (24) | 14.3 (40) | 1,095 | 16.1 (15) | 13.8 (29) | 1,565 | 15.2 (38) |
| Cowley | 942 | 8.2 (21) | 7.4 (35) | 4,017 | 6.0 (19) | 2.0 (6) | 12.4 (26) | 1,877 | 17.9 (30) | 12.1 (19) | 2,741 | 9.0 (21) |
| Crawford | 1,630 | 9.4 (36) | 4.7 (6) | 6,230 | 7.4 (34) | 1.5 (1) | 14.0 (39) | 2,660 | 19.4 (37) | 14.3 (34) | 4,060 | 6.6 (7) |
| Doniphan | 117 | 6.8 (5) | 5.1 (8) | 435 | 15.2 (47) | 6.0 (42) | 23.9 (47) | 201 | 26.4 (45) | 36.8 (45) | 296 | 6.8 (8) |
| Douglas | 1,311 | 7.5 (13) | 6.7 (24) | 4,715 | 7.4 (34) | 1.6 (3) | 12.7 (29) | 1,903 | 17.4 (24) | 11.7 (18) | 3,137 | 12.4 (31) |
| Ford | 1,699 | 5.5 (3) | 5.8 (18) | 6,906 | 6.6 (26) | 2.1 (8) | 17.6 (46) | 3,317 | 18.4 (33) | 18.0 (43) | 4,540 | 7.3 (12) |
| Franklin | 478 | 7.3 (8) | 5.2 (9) | 1,869 | 6.9 (30) | 2.3 (12) | 11.7 (18) | 813 | 17.3 (23) | 11.3 (16) | 1,197 | 5.2 (3) |

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Geary | 1,017 | 7.5 (13) | 5.9 (19) | 3,147 | 8.3 (40) | 2.6 (14) | 9.3 (8) | 1,241 | 17.1 (21) | 9.8 (7) | 1,965 | 15.0 (37) |
| Graham | 119 | 10.1 (39) | 10.9 (43) | 558 | 8.8 (41) | 3.0 (21) | 12.2 (24) | 261 | 21.1 (42) | 11.5 (17) | 370 | 18.4 (41) |
| Greeley | 28 | * * | * * | 108 | 1.9 (1) | 6.5 (44) | 13.9 (37) | 52 | * * | * * | 69 | * * |
| Greenwood | 130 | 7.7 (15) | 3.8 (2) | 612 | 5.7 (15) | 3.4 (24) | 11.1 (15) | 294 | 19.0 (36) | 12.9 (25) | 433 | 6.2 (6) |
| Harvey | 708 | 7.9 (18) | 6.9 (28) | 3,001 | 6.6 (26) | 2.4 (13) | 12.8 (30) | 1,428 | 19.7 (39) | 14.6 (38) | 2,019 | 9.7 (23) |
| Jefferson | 182 | 7.1 (6) | 9.3 (42) | 754 | 5.2 (10) | 4.1 (35) | 12.9 (31) | 335 | 22.1 (43) | 10.1 (8) | 484 | 14.3 (36) |
| Johnson | 4,927 | 7.8 (17) | 7.4 (35) | 19,735 | 5.7 (15) | 2.6 (14) | 12.1 (23) | 8,644 | 15.8 (13) | 12.8 (24) | 12,906 | 7.2 (10) |
| Leavenwort | 915 | 11.0 (43) | 4.8 (7) | 3,310 | 7.4 (34) | 2.7 (18) | 11.2 (16) | 1,379 | 18.9 (35) | 14.1 (31) | 2,097 | 13.4 (34) |
| Lincoln | 365 | 8.2 (21) | 7.9 (38) | 1,550 | 6.6 (26) | 3.9 (31) | 11.9 (22) | 734 | 17.4 (24) | 12.5 (22) | 1,063 | 12.4 (31) |
| Linn | 180 | 8.3 (25) | 4.4 (5) | 745 | 9.1 (43) | 1.9 (4) | 13.6 (35) | 329 | 23.7 (44) | 13.4 (26) | 495 | 9.7 (23) |
| Lyon | 1,073 | 7.3 (8) | 6.8 (27) | 4,243 | 4.8 (8) | 2.2 (10) | 13.9 (37) | 1,951 | 16.7 (18) | 17.0 (42) | 2,789 | 5.5 (4) |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Marion | 507 | 7.3 (8) | 8.5 (40) | 2,260 | 5.5 (13) | 3.6 (28) | 9.1 (7) | 1,066 | 16.1 (15) | 11.2 (15) | 1,560 | 6.8 (8) |
| Marshall | 142 | 10.6 (42) | 4.2 (4) | 620 | 3.4 (5) | 13.1 (47) | 6.9 (2) | 305 | 8.2 (2) | 2.6 (1) | 413 | 10.7 (28) |
| Meade | 280 | 5.7 (4) | 7.1 (30) | 1,402 | 2.8 (3) | 6.2 (43) | 7.8 (3) | 714 | 11.5 (4) | 5.5 (3) | 984 | 5.0 (2) |
| Miami | 417 | 8.9 (29) | 6.2 (20) | 1,424 | 10.0 (46) | 1.9 (4) | 13.6 (35) | 619 | 17.0 (20) | 14.1 (31) | 892 | 22.0 (43) |
| NEK | 803 | 8.6 (26) | 7.1 (30) | 3,605 | 5.7 (15) | 3.7 (29) | 12.6 (27) | 1,671 | 16.6 (17) | 13.6 (27) | 2,308 | 12.0 (30) |
| Nemaha | 84 | * * | * * | 441 | 5.0 (9) | 4.1 (35) | 17.0 (45) | 201 | 19.4 (37) | 21.9 (44) | 270 | 10.4 (25) |
| Neosho | 316 | 9.8 (38) | 5.7 (15) | 1,702 | 7.1 (32) | 4.2 (37) | 11.8 (20) | 766 | 17.8 (28) | 11.0 (14) | 1,072 | 15.9 (40) |
| Osborne | 969 | 8.6 (26) | 5.7 (15) | 3,846 | 6.1 (20) | 3.2 (23) | 10.4 (11) | 1,781 | 17.2 (22) | 10.9 (12) | 2,580 | 7.4 (14) |
| Reno | 1,739 | 7.4 (12) | 7.2 (32) | 6,609 | 6.4 (23) | 3.7 (29) | 8.3 (4) | 2,861 | 15.9 (14) | 10.9 (12) | 4,187 | 7.9 (15) |
| Riley | 2,585 | 7.1 (6) | 7.9 (38) | 9,606 | 5.7 (15) | 2.6 (14) | 9.4 (9) | 4,165 | 13.9 (6) | 9.1 (4) | 5,102 | 7.3 (12) |
| Saline | 1,365 | 9.7 (37) | 6.4 (23) | 4,972 | 8.9 (42) | 2.1 (8) | 14.6 (42) | 2,163 | 18.2 (32) | 15.1 (39) | 3,308 | 5.8 (5) |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|--|-----------------|------------------|------------------|-------------------|------------------|---------------|-------------------------|--------|----------------------|-----------------------|--------|-----------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under-weight (7) | Obese (7) | ≥ 2 Yrs Over-weight (7) | | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- <95th (Rank) | % ≥95th (Rank) | Number | % (Rank) |
| Scott | 153 | 5.2 (1) | 7.8 (37) | 713 | 3.2 (4) | 9.0 (46) | 8.7 (6) | 372 | 6.5 (1) | 5.1 (2) | 492 | 8.7 (18) |
| Sedgwick | 12,314 | 9.2 (32) | 6.7 (24) | 47,221 | 7.5 (37) | 2.0 (6) | 13.2 (34) | 20,717 | 17.9 (30) | 15.7 (41) | 31,573 | 12.9 (33) |
| SEK | 162 | 9.3 (33) | 5.6 (14) | 738 | 6.1 (20) | 4.2 (37) | 10.8 (13) | 350 | 15.4 (11) | 12.6 (23) | 495 | 10.7 (28) |
| Seward | 1,299 | 5.2 (1) | 6.9 (28) | 5,214 | 4.0 (6) | 4.8 (40) | 11.3 (17) | 2,381 | 15.7 (12) | 13.9 (30) | 3,173 | 10.6 (27) |
| Shawnee | 3,969 | 8.2 (21) | 5.3 (10) | 16,468 | 6.8 (29) | 2.8 (19) | 14.7 (43) | 7,496 | 18.7 (34) | 15.1 (39) | 10,610 | 13.8 (35) |
| Sheridan | 26 | * * | * * | 117 | 2.6 (2) | 7.7 (45) | 2.6 (1) | 52 | * * | * * | 77 | * * |
| Sherman | 407 | 9.1 (31) | 5.4 (12) | 1,765 | 6.3 (22) | 4.0 (34) | 8.4 (5) | 846 | 15.1 (8) | 9.6 (6) | 1,227 | 8.6 (17) |
| SKCPH | 643 | 10.1 (39) | 7.3 (34) | 2,932 | 6.5 (24) | 4.5 (39) | 10.8 (13) | 1,360 | 15.1 (8) | 10.4 (11) | 1,925 | 8.9 (19) |
| Stevens | 148 | 8.1 (19) | 8.8 (41) | 989 | 4.4 (7) | 2.2 (10) | 12.9 (31) | 492 | 20.5 (41) | 12.2 (20) | 662 | 15.6 (39) |
| Sumner | 430 | 9.3 (33) | 7.2 (32) | 1,712 | 9.1 (43) | 2.9 (20) | 13.0 (33) | 765 | 17.8 (28) | 10.1 (8) | 1,169 | 18.6 (42) |
| SW KS WIC | 2,304 | 7.3 (8) | 6.3 (22) | 10,051 | 5.6 (14) | 5.1 (41) | 11.8 (20) | 4,855 | 10.6 (3) | 9.4 (5) | 6,982 | 25.7 (45) |

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

| Comparison of Growth and Anemia Indicators (3,4) | | | | | | | | | | | | |
|---|-----------------|------------------------|------------------------|-------------------------|-------------------------|---------------------|----------------------|--------------------------------|----------------------|-----------------------------|----------------------|-------------|
| Local Agency | Birthweight (5) | | | Height and Weight | | | | | | Anemia Low Hb/Hct (8) | | |
| | Low | High | | Short Stature (6) | Under- weight (7) | Obese (7) | | ≥ 2 Yrs Over- weight (7) | | | | |
| | Number | % <2500 g (Rank) | % >4000 g (Rank) | Number | % <5th (Rank) | % <5th (Rank) | % ≥95th (Rank) | Number | % 85th- (Rank) | % <95th (Rank) | % ≥95th (Rank) | Number |
| Wichita | 46 | * * | * * | 262 | 5.3 (12) | 1.5 (1) | 14.5 (41) | 140 | 20.0 (40) | 14.3 (34) | 181 | 2.2 (1) |
| Wilson | 276 | 10.5 (41) | 6.2 (20) | 1,075 | 8.2 (39) | 3.9 (31) | 11.7 (18) | 485 | 17.7 (27) | 13.6 (27) | 717 | 8.9 (19) |
| Wyandotte | 5,823 | 8.9 (29) | 6.7 (24) | 22,719 | 5.2 (10) | 3.5 (27) | 10.1 (10) | 10,209 | 15.2 (10) | 12.2 (20) | 15,821 | 9.6 (22) |
| Unknown Local Ag. | 3 | * * | * * | 12 | * * | * * | * * | 2 | * * | * * | 5 | * * |
| Kansas | 57,697 | 8.3 | 6.5 | 229,105 | 6.6 | 2.9 | 12.3 | 102,784 | 16.6 | 13.3 | 151,014 | 11.2 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|----------|-----------------------------|-----------|-------|-----------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Barton | 1,358 | 70.5 (14) | 988 | 20.1 (22) | 1,071 | 11.7 (21) | 894 | 15.0 (25) | 972 | 3.4 (26) | 2,568 | 82.2 (21) | 2,875 | 11.5 (9) |
| Butler | 906 | 69.8 (16) | 575 | 19.0 (24) | 603 | 9.8 (27) | 538 | 12.8 (30) | 568 | 2.6 (31) | 1,397 | 66.7 (45) | 1,795 | 11.3 (8) |
| Chautauqua | 136 | 69.1 (18) | 106 | 16.0 (31) | 116 | 10.3 (25) | 90 | * * | 104 | 1.0 (42) | 333 | 87.7 (5) | 343 | 41.4 (36) |
| Cherokee | 2,266 | 56.5 (40) | 1,542 | 11.2 (41) | 1,663 | 6.2 (38) | 1,387 | 12.0 (35) | 1,525 | 2.3 (35) | 3,808 | 84.5 (14) | 4,591 | 33.7 (32) |
| Cloud | 657 | 63.8 (30) | 468 | 16.5 (30) | 498 | 7.6 (33) | 425 | 15.1 (24) | 464 | 1.7 (40) | 1,184 | 80.1 (28) | 1,392 | 23.1 (23) |
| Cowley | 1,074 | 54.3 (44) | 779 | 13.6 (39) | 840 | 6.0 (41) | 709 | 9.4 (39) | 772 | 1.9 (37) | 2,041 | 81.4 (24) | 2,303 | 11.6 (11) |
| Crawford | 1,851 | 57.3 (39) | 1,225 | 12.7 (40) | 1,280 | 6.8 (36) | 1,122 | 12.6 (31) | 1,213 | 2.5 (33) | 2,932 | 79.0 (30) | 3,635 | 41.8 (37) |
| Doniphan | 146 | 55.5 (42) | 90 | * * | 93 | * * | 88 | * * | 90 | * * | 215 | 77.7 (35) | 298 | 54.0 (45) |
| Douglas | 1,549 | 76.4 (2) | 992 | 32.7 (1) | 1,019 | 18.2 (3) | 916 | 23.1 (5) | 965 | 8.0 (3) | 2,046 | 80.3 (26) | 2,903 | 7.6 (4) |
| Ford | 1,904 | 71.8 (11) | 1,305 | 21.3 (20) | 1,465 | 10.9 (24) | 1,195 | 6.7 (41) | 1,294 | 1.6 (41) | 3,605 | 86.3 (7) | 3,962 | 5.7 (2) |
| Franklin | 570 | 57.9 (36) | 387 | 14.0 (37) | 411 | 7.3 (34) | 337 | 13.1 (28) | 378 | 2.6 (31) | 874 | 81.5 (23) | 1,098 | 13.1 (13) |
| Geary | 1,161 | 67.4 (21) | 650 | 15.5 (33) | 675 | 6.1 (39) | 629 | 16.1 (21) | 644 | 3.4 (26) | 1,345 | 78.0 (32) | 2,068 | 40.0 (35) |
| Graham | 152 | 73.0 (8) | 103 | 30.1 (4) | 108 | 15.7 (8) | 103 | 17.5 (18) | 102 | 7.8 (4) | 250 | 85.2 (12) | 303 | 44.9 (38) |

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|----------|-----------------------------|-----------|--------|-----------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| Greeley | 30 | * * | 18 | * * | 19 | * * | 14 | * * | 17 | * * | 58 | * * | 63 | * * |
| Greenwood | 155 | 57.4 (38) | 117 | 15.4 (34) | 136 | 8.8 (31) | 106 | 19.8 (10) | 114 | 5.3 (11) | 329 | 98.2 (1) | 341 | 16.4 (18) |
| Harvey | 843 | 75.6 (4) | 610 | 27.4 (7) | 632 | 13.0 (17) | 550 | 19.6 (11) | 601 | 5.3 (11) | 1,552 | 87.0 (6) | 1,748 | 4.9 (1) |
| Jefferson | 207 | 65.2 (26) | 146 | 17.1 (29) | 160 | 8.8 (31) | 137 | 23.4 (4) | 145 | 9.0 (2) | 351 | 91.7 (2) | 403 | 44.9 (38) |
| Johnson | 6,038 | 77.9 (1) | 4,066 | 30.3 (3) | 4,221 | 17.2 (5) | 3,755 | 15.9 (23) | 4,018 | 4.0 (21) | 9,364 | 84.7 (13) | 11,785 | 19.7 (21) |
| Leavenworth | 1,123 | 63.0 (31) | 669 | 14.6 (35) | 710 | 7.0 (35) | 620 | 12.3 (32) | 665 | 2.3 (35) | 1,471 | 69.1 (42) | 2,123 | 48.6 (43) |
| Lincoln | 431 | 65.9 (23) | 311 | 21.9 (16) | 311 | 14.1 (12) | 287 | 19.5 (12) | 307 | 4.6 (16) | 800 | 78.0 (32) | 901 | 19.3 (20) |
| Linn | 212 | 65.6 (24) | 157 | 21.7 (17) | 165 | 12.7 (18) | 149 | 20.1 (8) | 156 | 4.5 (17) | 355 | 85.4 (10) | 436 | 20.0 (22) |
| Lyon | 1,149 | 71.6 (12) | 767 | 18.0 (27) | 872 | 8.9 (30) | 705 | 13.2 (27) | 761 | 2.9 (30) | 2,101 | 81.8 (22) | 2,401 | 12.8 (12) |
| Marion | 609 | 73.9 (6) | 450 | 23.8 (11) | 481 | 13.9 (13) | 409 | 23.7 (2) | 444 | 5.9 (6) | 1,154 | 89.5 (4) | 1,341 | 6.4 (3) |
| Marshall | 181 | 59.1 (34) | 119 | 16.0 (31) | 121 | 11.6 (22) | 112 | 11.6 (37) | 117 | 5.1 (13) | 342 | 69.3 (41) | 396 | 52.5 (44) |
| Meade | 372 | 73.7 (7) | 286 | 28.0 (5) | 309 | 17.2 (5) | 254 | 22.8 (6) | 285 | 4.9 (14) | 767 | 82.9 (17) | 835 | 15.6 (17) |
| Miami | 467 | 71.3 (13) | 266 | 20.3 (21) | 274 | 9.1 (29) | 257 | 22.2 (7) | 261 | 3.8 (22) | 666 | 86.2 (8) | 923 | 24.3 (26) |

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|-------------------------|--------|--------------------------------------|------------------------------------|---------------------------------------|--------|--------------------------------------|------------------------------------|----------|-----------------------------|-----------|--------|-----------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % (Rank) | Number | % (Rank) | | |
| NEK | 993 | 57.9 (36) | 691 | 27.6 (6) | 752 | 23.9 (1) | 633 | 16.1 (21) | 679 | 4.4 (18) | 1,830 | 82.7 (18) | 2,126 | 34.4 (33) |
| Nemaha | 131 | 64.9 (27) | 94 | * * | 89 | * * | 87 | * * | 94 | * * | 218 | 85.3 (11) | 274 | 46.4 (41) |
| Neosho | 487 | 55.9 (41) | 330 | 14.2 (36) | 345 | 6.4 (37) | 302 | 12.3 (32) | 328 | 4.9 (14) | 815 | 84.3 (15) | 979 | 26.5 (28) |
| Osborne | 1,133 | 72.6 (9) | 743 | 21.4 (19) | 796 | 13.3 (14) | 704 | 18.0 (14) | 731 | 3.6 (23) | 1,945 | 82.7 (18) | 2,306 | 23.5 (25) |
| Reno | 1,948 | 64.6 (28) | 1,259 | 19.5 (23) | 1,345 | 10.3 (25) | 1,155 | 17.5 (18) | 1,239 | 3.6 (23) | 3,054 | 85.8 (9) | 3,944 | 9.0 (6) |
| Riley | 3,242 | 75.8 (3) | 2,044 | 24.2 (10) | 2,021 | 13.2 (15) | 1,919 | 23.6 (3) | 2,002 | 5.8 (8) | 4,458 | 74.4 (40) | 6,603 | 14.8 (14) |
| Saline | 1,568 | 61.7 (32) | 1,000 | 13.9 (38) | 1,080 | 6.1 (39) | 915 | 12.3 (32) | 995 | 1.9 (37) | 2,300 | 80.3 (26) | 2,979 | 8.4 (5) |
| Scott | 189 | 59.3 (33) | 138 | 26.1 (9) | 143 | 15.4 (9) | 125 | 17.6 (16) | 134 | 9.7 (1) | 401 | 82.5 (20) | 422 | 30.8 (30) |
| Sedgwick | 13,912 | 65.5 (25) | 9,346 | 18.3 (26) | 9,805 | 9.4 (28) | 8,558 | 12.9 (29) | 9,246 | 3.2 (28) | 22,528 | 75.5 (38) | 27,343 | 11.5 (9) |
| SEK | 202 | 55.0 (43) | 143 | 18.9 (25) | 149 | 14.8 (10) | 130 | 16.9 (20) | 142 | 4.2 (19) | 374 | 80.5 (25) | 432 | 28.2 (29) |
| Seward | 1,541 | 68.5 (20) | 1,037 | 21.6 (18) | 1,055 | 12.6 (19) | 939 | 8.9 (40) | 1,013 | 1.9 (37) | 2,608 | 68.1 (43) | 3,087 | 15.4 (16) |
| Shawnee | 4,668 | 66.3 (22) | 3,168 | 22.2 (15) | 3,332 | 13.1 (16) | 2,880 | 17.6 (16) | 3,125 | 5.6 (9) | 8,069 | 75.8 (37) | 9,582 | 10.3 (7) |
| Sheridan | 40 | * * | 22 | * * | 25 | * * | 21 | * * | 22 | * * | 54 | * * | 75 | * * |

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

| Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5) | | | | | | | | | | | | | | |
|--|--------------------------|----------------------------|---------------|---|------------------------------------|--|---------------|---|------------------------------------|---|-----------------------------|-------------|----------------|-------------|
| Local Agency | Breastfeeding (6) | | | | Exclusive Breastfeeding (7) | | | | ≤2 Hours TV Viewing/Day (8) | | Smoking in Household | | | |
| | Number | % Ever Breastfed (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % Breastfed At Least 12 Months (Rank) | Number | % Breastfed At Least 3 Months (Rank) | Number | % Breastfed At Least 6 Months (Rank) | Number | % (Rank) | | |
| Sherman | 467 | 69.8 (16) | 330 | 27.0 (8) | 347 | 17.9 (4) | 297 | 19.9 (9) | 328 | 6.1 (5) | 900 | 83.4 (16) | 1,024 | 23.2 (24) |
| SKCPH | 846 | 70.3 (15) | 594 | 22.6 (14) | 657 | 16.1 (7) | 545 | 19.4 (13) | 585 | 5.5 (10) | 1,441 | 78.8 (31) | 1,755 | 35.5 (34) |
| Stevens | 288 | 75.0 (5) | 191 | 30.4 (2) | 218 | 20.2 (2) | 178 | 27.5 (1) | 185 | 5.9 (6) | 530 | 79.6 (29) | 585 | 15.2 (15) |
| Sumner | 508 | 64.4 (29) | 345 | 18.0 (27) | 385 | 11.4 (23) | 328 | 18.0 (14) | 340 | 3.5 (25) | 804 | 77.0 (36) | 1,006 | 45.4 (40) |
| SW KS WIC | 2,609 | 72.2 (10) | 1,872 | 23.5 (12) | 2,023 | 12.2 (20) | 1,710 | 14.6 (26) | 1,855 | 4.2 (19) | 5,356 | 75.5 (38) | 5,739 | 17.8 (19) |
| Wichita | 54 | * * | 39 | * * | 48 | * * | 35 | * * | 38 | * * | 152 | 90.8 (3) | 148 | 31.1 (31) |
| Wilson | 302 | 58.9 (35) | 214 | 11.2 (41) | 220 | 3.6 (42) | 197 | 11.7 (36) | 212 | 2.4 (34) | 531 | 78.0 (32) | 596 | 47.1 (42) |
| Wyandotte | 6,600 | 68.9 (19) | 4,420 | 23.5 (12) | 4,733 | 14.5 (11) | 4,006 | 9.8 (38) | 4,372 | 3.2 (28) | 11,163 | 67.9 (44) | 13,069 | 26.3 (27) |
| Unknown Local Ag. | 10 | * * | 5 | * * | 4 | * * | 5 | * * | 5 | * * | 2 | * * | 10 | * * |
| Kansas | 67,285 | 67.9 | 45,217 | 21.1 | 47,825 | 11.8 | 41,457 | 14.7 | 44,652 | 3.7 | 111,441 | 78.0 | 135,346 | 18.7 |

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

