

Table 4B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Allen	324	85.8	2.5	5.2	1.2	0.6	4.6	0.0
Anderson	219	87.7	2.7	5.0	0.5	0.0	4.1	0.0
Atchison	528	84.5	6.8	2.3	0.2	0.2	6.1	0.0
Barber	172	89.0	1.2	7.0	0.0	2.3	0.6	0.0
Barton	1,006	55.8	2.0	38.9	0.3	0.2	2.9	0.0
Bourbon	478	85.1	5.2	4.0	0.4	0.6	4.6	0.0
Brown	365	72.1	1.4	7.7	16.7	0.0	2.2	0.0
Butler	1,063	83.8	1.8	9.6	0.7	0.1	4.0	0.0
Chase	55	*	*	*	*	*	*	*
Chautauqua	112	92.0	0.0	5.4	0.0	0.0	2.7	0.0
Cherokee	667	87.0	1.3	3.9	1.5	2.1	4.2	0.0
Cheyenne	32	*	*	*	*	*	*	*
Clark	25	*	*	*	*	*	*	*
Clay	243	88.9	0.8	4.1	2.5	0.0	3.7	0.0
Cloud	336	91.4	0.3	5.4	2.1	0.3	0.6	0.0
Coffey	110	87.3	3.6	2.7	0.9	0.9	4.5	0.0
Comanche	30	*	*	*	*	*	*	*
Cowley	1,479	68.3	2.7	23.8	0.7	0.9	3.6	0.0
Crawford	1,301	73.9	3.6	15.0	0.5	1.0	6.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Decatur	48	*	*	*	*	*	*	*
Dickinson	515	86.4	0.8	9.9	0.0	0.0	2.9	0.0
Doniphan	180	85.6	1.1	8.9	1.7	0.0	2.8	0.0
Douglas	1,755	54.7	9.6	14.2	6.2	5.0	10.4	0.0
Edwards	110	50.0	0.0	46.4	0.0	0.0	3.6	0.0
Elk	86	*	*	*	*	*	*	*
Ellis	536	73.9	2.4	20.0	0.6	0.0	3.2	0.0
Ellsworth	160	91.3	0.6	4.4	0.0	0.6	3.1	0.0
Finney	2,751	19.3	1.3	75.5	0.0	3.4	0.4	0.0
Ford	2,564	14.7	1.6	83.0	0.1	0.4	0.2	0.0
Franklin	678	82.3	1.8	9.4	0.4	0.1	5.9	0.0
Geary	1,364	43.6	19.8	23.9	0.4	1.9	10.4	0.0
Gove	53	*	*	*	*	*	*	*
Graham	78	*	*	*	*	*	*	*
Grant	345	13.9	0.3	85.2	0.3	0.0	0.3	0.0
Gray	247	67.2	2.4	28.7	0.4	0.4	0.8	0.0
Greeley	50	*	*	*	*	*	*	*
Greenwood	206	90.3	0.5	8.3	1.0	0.0	0.0	0.0
Hamilton	115	13.0	1.7	85.2	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Harper	209	74.6	0.0	20.1	1.0	0.0	4.3	0.0
Harvey	1,148	59.1	3.9	30.5	0.6	0.9	5.0	0.0
Haskell	112	34.8	0.0	65.2	0.0	0.0	0.0	0.0
Hodgeman	49	*	*	*	*	*	*	*
Jackson	373	64.1	1.3	13.7	10.7	0.0	10.2	0.0
Jefferson	258	93.0	1.6	2.7	0.8	0.0	1.9	0.0
Jewell	51	*	*	*	*	*	*	*
Johnson	7,370	36.4	13.5	42.6	0.4	2.6	4.6	0.0
Kearny	101	37.6	0.0	61.4	0.0	0.0	1.0	0.0
Kingman	224	91.1	2.2	5.4	0.4	0.4	0.4	0.0
Kiowa	51	*	*	*	*	*	*	*
Labette	684	71.5	8.9	7.3	2.2	0.3	9.8	0.0
Lane	54	*	*	*	*	*	*	*
Leavenworth	1,249	55.6	14.3	16.3	0.6	0.6	12.6	0.0
Lincoln	99	*	*	*	*	*	*	*
Linn	288	93.4	0.7	4.9	0.0	0.0	1.0	0.0
Logan	65	*	*	*	*	*	*	*
Lyon	1,205	45.6	4.0	46.5	0.3	1.1	2.5	0.0
Marion	545	77.8	3.9	13.2	0.9	0.4	3.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marshall	225	87.6	0.0	10.7	0.0	0.9	0.9	0.0
McPherson	252	87.7	0.4	6.0	1.2	0.0	4.8	0.0
Meade	183	54.6	0.0	44.3	0.0	0.0	1.1	0.0
Miami	498	85.1	3.2	6.0	0.2	0.0	5.4	0.0
Mitchell	174	91.4	0.6	7.5	0.0	0.0	0.6	0.0
Montgomery	1,306	69.3	9.3	11.5	2.6	0.6	6.7	0.0
Morris	98	*	*	*	*	*	*	*
Nemaha	168	88.7	1.2	7.7	0.0	0.0	2.4	0.0
Neosho	612	83.3	1.6	11.6	0.7	0.2	2.6	0.0
Ness	59	*	*	*	*	*	*	*
Norton	150	80.0	3.3	14.0	0.0	0.7	2.0	0.0
Osage	372	90.9	2.2	3.5	0.0	0.0	3.5	0.0
Osborne	69	*	*	*	*	*	*	*
Ottawa	117	92.3	0.9	3.4	0.0	0.0	3.4	0.0
Pawnee	237	76.8	3.0	16.9	0.0	0.0	3.4	0.0
Phillips	160	85.0	0.6	10.0	0.0	0.6	3.8	0.0
Pottawatom	190	80.5	0.5	17.9	0.0	0.0	1.1	0.0
Pratt	300	78.3	0.7	18.3	0.3	0.0	2.3	0.0
Rawlins	58	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Reno	1,639	68.5	2.7	22.2	0.3	0.5	5.9	0.0
Republic	137	89.8	0.0	5.8	0.7	0.0	3.6	0.0
Rice	293	63.5	2.0	31.7	0.0	1.0	1.7	0.0
Riley	3,671	63.7	11.5	15.5	0.8	2.8	5.6	0.0
Rooks	184	93.5	1.6	2.2	0.0	0.5	2.2	0.0
Rush	52	*	*	*	*	*	*	*
Russell	150	86.7	6.0	4.7	1.3	0.0	1.3	0.0
Saline	1,911	58.3	4.2	29.5	0.3	1.4	6.3	0.0
Scott	201	46.8	2.5	50.2	0.0	0.0	0.5	0.0
Sedgwick	17,017	34.7	16.3	37.8	1.2	2.7	7.2	0.0
Seward	1,921	11.0	1.5	85.2	1.1	0.6	0.7	0.0
Shawnee	5,488	41.5	15.1	33.0	1.2	0.4	8.9	0.0
Sheridan	40	*	*	*	*	*	*	*
Sherman	230	59.6	0.0	36.5	0.4	0.9	2.6	0.0
Smith	90	*	*	*	*	*	*	*
Stafford	170	55.9	0.6	40.6	0.0	0.0	2.9	0.0
Stanton	96	*	*	*	*	*	*	*
Stevens	344	37.5	0.6	60.8	0.0	0.0	1.2	0.0
Sumner	657	78.8	2.1	12.8	1.1	0.0	5.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Thomas	208	77.9	0.0	17.3	0.0	1.9	2.9	0.0
Trego	57	*	*	*	*	*	*	*
Wabaunsee	89	*	*	*	*	*	*	*
Washington	100	66.0	4.0	26.0	1.0	1.0	2.0	0.0
Wichita	77	*	*	*	*	*	*	*
Wilson	366	88.3	1.4	6.3	1.1	0.3	2.7	0.0
Woodson	59	*	*	*	*	*	*	*
Wyandotte	8,265	18.0	25.9	49.6	0.3	3.6	2.6	0.0
Unknown Counties	72	*	*	*	*	*	*	*
Kansas	83,333	47.6	10.5	34.2	0.9	1.8	5.0	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Allen	324	29.0	25.6	45.4
Anderson	219	31.1	23.7	45.2
Atchison	528	29.0	26.1	44.9
Barber	172	32.6	25.0	42.4
Barton	1,006	27.0	23.5	49.5
Bourbon	478	31.6	22.4	46.0
Brown	365	25.2	25.2	49.6
Butler	1,063	34.0	23.1	42.9
Chase	55	*	*	*
Chautauqua	112	27.7	29.5	42.9
Cherokee	667	31.6	22.2	46.2
Cheyenne	32	*	*	*
Clark	25	*	*	*
Clay	243	27.2	18.1	54.7
Cloud	336	32.4	26.5	41.1
Coffey	110	29.1	22.7	48.2
Comanche	30	*	*	*
Cowley	1,479	29.6	21.5	48.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Crawford	1,301	33.2	22.1	44.7
Decatur	48	*	*	*
Dickinson	515	35.0	21.4	43.7
Doniphan	180	33.3	21.7	45.0
Douglas	1,755	32.5	24.4	43.0
Edwards	110	22.7	24.5	52.7
Elk	86	*	*	*
Ellis	536	31.3	27.1	41.6
Ellsworth	160	30.0	17.5	52.5
Finney	2,751	29.3	23.0	47.7
Ford	2,564	26.6	25.2	48.2
Franklin	678	29.6	24.8	45.6
Geary	1,364	33.8	24.2	42.0
Gove	53	*	*	*
Graham	78	*	*	*
Grant	345	24.1	27.5	48.4
Gray	247	24.3	16.2	59.5
Greeley	50	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Greenwood	206	25.2	18.9	55.8
Hamilton	115	29.6	16.5	53.9
Harper	209	31.1	23.9	45.0
Harvey	1,148	30.1	22.6	47.3
Haskell	112	23.2	23.2	53.6
Hodgeman	49	*	*	*
Jackson	373	27.1	22.8	50.1
Jefferson	258	29.1	24.4	46.5
Jewell	51	*	*	*
Johnson	7,370	30.2	24.7	45.2
Kearny	101	27.7	13.9	58.4
Kingman	224	23.7	23.7	52.7
Kiowa	51	*	*	*
Labette	684	25.7	25.7	48.5
Lane	54	*	*	*
Leavenworth	1,249	34.7	23.1	42.3
Lincoln	99	*	*	*
Linn	288	26.7	25.7	47.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Logan	65	*	*	*
Lyon	1,205	26.8	22.4	50.8
Marion	545	29.0	23.3	47.7
Marshall	225	27.6	20.4	52.0
McPherson	252	27.4	19.8	52.8
Meade	183	23.5	23.0	53.6
Miami	498	38.0	22.9	39.2
Mitchell	174	28.2	22.4	49.4
Montgomery	1,306	28.4	23.6	48.0
Morris	98	*	*	*
Nemaha	168	33.3	21.4	45.2
Neosho	612	30.4	22.2	47.4
Ness	59	*	*	*
Norton	150	28.0	26.7	45.3
Osage	372	28.8	26.6	44.6
Osborne	69	*	*	*
Ottawa	117	34.2	22.2	43.6
Pawnee	237	29.1	19.8	51.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Phillips	160	30.6	23.8	45.6
Pottawatom	190	24.2	17.9	57.9
Pratt	300	31.3	19.3	49.3
Rawlins	58	*	*	*
Reno	1,639	32.1	23.2	44.7
Republic	137	29.9	16.1	54.0
Rice	293	32.4	20.1	47.4
Riley	3,671	33.5	22.3	44.2
Rooks	184	29.9	22.8	47.3
Rush	52	*	*	*
Russell	150	32.7	20.7	46.7
Saline	1,911	30.5	25.4	44.2
Scott	201	17.9	24.9	57.2
Sedgwick	17,017	31.8	22.9	45.3
Seward	1,921	27.6	24.1	48.3
Shawnee	5,488	29.8	25.1	45.2
Sheridan	40	*	*	*
Sherman	230	28.7	21.3	50.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by County
Children Aged < 5 Years (2)

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Smith	90	*	*	*
Stafford	170	25.9	21.8	52.4
Stanton	96	*	*	*
Stevens	344	23.3	20.3	56.4
Sumner	657	29.2	23.6	47.2
Thomas	208	29.3	26.9	43.8
Trego	57	*	*	*
Wabaunsee	89	*	*	*
Washington	100	21.0	22.0	57.0
Wichita	77	*	*	*
Wilson	366	29.0	25.1	45.9
Woodson	59	*	*	*
Wyandotte	8,265	29.9	22.3	47.8
Unknown Counties	72	*	*	*
Kansas	83,333	30.3	23.3	46.4
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Allen	71	* *	* *	319	6.0 (34)	0.9 (3)	13.5 (53)	143	21.7 (50)	15.4 (45)	209	1.0 (2)
Anderson	44	* *	* *	217	8.3 (62)	2.3 (16)	8.8 (16)	104	17.3 (36)	7.7 (7)	139	10.1 (42)
Atchison	112	11.6 (29)	2.7 (2)	512	5.7 (25)	6.4 (66)	13.5 (53)	229	18.3 (44)	15.7 (46)	340	12.6 (51)
Barber	49	* *	* *	169	8.3 (62)	4.1 (48)	10.7 (34)	73	* *	* *	106	11.3 (47)
Barton	211	7.6 (15)	4.3 (5)	976	6.4 (41)	3.2 (38)	8.6 (14)	498	13.3 (9)	9.2 (12)	661	6.5 (27)
Bourbon	106	14.2 (30)	1.9 (1)	467	10.3 (70)	1.5 (6)	11.6 (43)	214	20.6 (49)	15.0 (41)	297	4.0 (10)
Brown	61	* *	* *	355	4.8 (13)	5.4 (61)	9.9 (26)	181	16.0 (28)	13.3 (34)	227	4.8 (19)
Butler	265	7.5 (14)	5.3 (8)	1,031	12.0 (73)	4.3 (49)	14.5 (63)	449	15.1 (21)	9.8 (15)	708	25.7 (65)
Chase	9	* *	* *	54	* *	* *	* *	26	* *	* *	42	* *
Chautauqua	15	* *	* *	109	6.4 (41)	2.8 (25)	13.8 (57)	49	* *	* *	80	* *
Cherokee	165	7.9 (17)	4.8 (6)	645	5.7 (25)	2.8 (25)	10.2 (28)	290	15.5 (23)	13.8 (37)	427	3.5 (4)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cheyenne	7	* *	* *	31	* *	* *	* *	16	* *	* *	18	* *
Clark	4	* *	* *	25	* *	* *	* *	14	* *	* *	19	* *
Clay	47	* *	* *	231	15.2 (75)	5.2 (58)	18.6 (72)	125	15.2 (22)	16.0 (47)	175	16.0 (59)
Cloud	88	* *	* *	331	5.7 (25)	4.5 (52)	13.0 (51)	136	16.2 (30)	13.2 (33)	212	11.3 (47)
Coffey	26	* *	* *	107	8.4 (65)	0.0 (1)	11.2 (41)	50	* *	* *	71	* *
Comanche	6	* *	* *	30	* *	* *	* *	13	* *	* *	21	* *
Cowley	319	6.9 (9)	8.5 (28)	1,441	6.0 (34)	2.2 (14)	12.5 (48)	716	14.7 (19)	13.0 (31)	920	10.8 (45)
Crawford	282	5.7 (2)	3.2 (3)	1,266	5.8 (31)	1.9 (9)	13.0 (51)	564	19.0 (46)	16.1 (48)	843	4.0 (10)
Decatur	11	* *	* *	48	* *	* *	* *	27	* *	* *	35	* *
Dickinson	131	6.1 (5)	7.6 (25)	503	5.0 (16)	2.8 (25)	6.8 (2)	225	14.2 (16)	8.4 (10)	325	3.7 (6)
Doniphan	51	* *	* *	171	13.5 (74)	6.4 (66)	22.2 (75)	73	* *	* *	114	9.6 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Douglas	440	8.2 (21)	8.4 (27)	1,710	6.9 (47)	2.1 (11)	10.5 (31)	739	16.6 (33)	10.6 (16)	1,161	6.5 (27)
Edwards	21	* *	* *	107	9.3 (69)	2.8 (25)	7.5 (7)	56	* *	* *	71	* *
Elk	23	* *	* *	85	* *	* *	* *	38	* *	* *	50	* *
Ellis	130	7.7 (16)	6.2 (18)	530	7.5 (54)	2.8 (25)	10.2 (28)	228	15.8 (25)	11.8 (22)	353	4.0 (10)
Ellsworth	34	* *	* *	159	7.5 (54)	4.4 (51)	13.8 (57)	88	* *	* *	114	4.4 (16)
Finney	612	7.4 (13)	5.6 (11)	2,658	5.4 (20)	8.5 (70)	10.7 (34)	1,266	6.3 (3)	5.9 (4)	1,896	21.8 (63)
Ford	574	5.7 (2)	5.9 (15)	2,452	7.0 (50)	2.1 (11)	19.0 (73)	1,186	19.6 (47)	19.6 (53)	1,612	4.7 (18)
Franklin	154	7.1 (10)	5.8 (13)	658	3.8 (8)	3.2 (38)	10.5 (31)	308	18.5 (45)	12.0 (24)	435	3.7 (6)
Geary	380	6.6 (7)	7.4 (24)	1,315	7.8 (58)	3.4 (41)	9.7 (24)	559	13.6 (10)	11.6 (19)	848	14.7 (56)
Gove	8	* *	* *	52	* *	* *	* *	27	* *	* *	40	* *
Graham	16	* *	* *	75	* *	* *	* *	38	* *	* *	46	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grant	63	* *	* *	330	6.4 (41)	2.7 (23)	13.6 (56)	157	14.0 (15)	13.4 (36)	250	32.8 (66)
Gray	26	* *	* *	241	1.2 (1)	11.2 (74)	2.9 (1)	146	8.2 (4)	1.4 (1)	165	4.8 (19)
Greeley	10	* *	* *	50	* *	* *	* *	20	* *	* *	35	* *
Greenwood	39	* *	* *	200	7.5 (54)	2.0 (10)	14.5 (63)	110	27.3 (55)	17.3 (50)	136	5.9 (24)
Hamilton	25	* *	* *	110	5.5 (23)	5.5 (62)	7.3 (5)	58	* *	* *	78	* *
Harper	49	* *	* *	206	5.3 (19)	3.4 (41)	14.6 (65)	96	* *	* *	134	10.4 (43)
Harvey	249	8.8 (24)	4.8 (6)	1,127	9.1 (68)	2.4 (18)	13.8 (57)	533	21.8 (51)	19.5 (52)	767	12.9 (52)
Haskell	17	* *	* *	108	4.6 (12)	4.6 (53)	15.7 (69)	60	* *	* *	76	* *
Hodgeman	10	* *	* *	49	* *	* *	* *	21	* *	* *	34	* *
Jackson	82	* *	* *	369	6.0 (34)	3.0 (32)	12.7 (49)	191	14.7 (19)	14.7 (40)	236	14.4 (55)
Jefferson	58	* *	* *	256	7.0 (50)	4.3 (49)	11.7 (44)	122	20.5 (48)	13.1 (32)	154	9.1 (39)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jewell	6	* *	* *	51	* *	* *	* *	26	* *	* *	40	* *
Johnson	1,665	8.5 (22)	6.6 (21)	7,083	5.6 (24)	2.8 (25)	11.1 (39)	3,255	13.9 (14)	12.2 (27)	4,667	6.0 (25)
Kearny	20	* *	* *	101	4.0 (9)	3.0 (32)	15.8 (70)	54	* *	* *	71	* *
Kingman	24	* *	* *	219	3.2 (4)	10.5 (73)	7.3 (5)	115	6.1 (2)	3.5 (2)	152	7.2 (31)
Kiowa	7	* *	* *	48	* *	* *	* *	23	* *	* *	37	* *
Labette	147	9.5 (26)	8.2 (26)	674	5.8 (31)	3.0 (32)	10.8 (36)	326	16.3 (31)	11.7 (21)	456	3.7 (6)
Lane	11	* *	* *	50	* *	* *	* *	29	* *	* *	35	* *
Leavenwort	336	6.8 (8)	9.2 (29)	1,178	8.3 (62)	3.7 (44)	9.5 (22)	503	16.5 (32)	10.7 (17)	743	7.4 (32)
Lincoln	21	* *	* *	96	* *	* *	* *	49	* *	* *	62	* *
Linn	62	* *	* *	279	7.9 (61)	3.9 (47)	10.4 (30)	132	18.2 (42)	15.2 (43)	190	14.7 (56)
Logan	12	* *	* *	61	* *	* *	* *	29	* *	* *	45	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lyon	260	8.1 (19)	7.3 (23)	1,167	5.9 (33)	2.6 (21)	13.8 (57)	590	17.3 (36)	15.3 (44)	802	6.5 (27)
Marion	116	6.0 (4)	6.0 (17)	535	5.0 (16)	3.7 (44)	8.4 (11)	255	17.3 (36)	8.2 (9)	363	9.9 (41)
Marshall	55	* *	* *	221	5.4 (20)	1.8 (7)	12.7 (49)	117	13.7 (11)	17.9 (51)	151	6.6 (30)
McPherson	47	* *	* *	247	4.9 (15)	9.3 (72)	8.9 (18)	127	3.1 (1)	5.5 (3)	160	11.3 (47)
Meade	31	* *	* *	180	7.8 (58)	5.0 (57)	7.8 (9)	101	9.9 (7)	5.9 (4)	111	2.7 (3)
Miami	136	2.9 (1)	11.8 (31)	489	7.8 (58)	2.5 (19)	13.5 (53)	192	16.1 (29)	14.6 (38)	302	18.2 (60)
Mitchell	27	* *	* *	174	5.7 (25)	2.3 (16)	7.5 (7)	87	* *	* *	125	8.8 (37)
Montgomery	295	8.1 (19)	3.7 (4)	1,277	6.3 (39)	2.2 (14)	9.6 (23)	623	15.9 (27)	11.4 (18)	882	5.6 (23)
Morris	29	* *	* *	93	* *	* *	* *	45	* *	* *	52	* *
Nemaha	18	* *	* *	166	6.6 (44)	9.0 (71)	12.0 (45)	72	* *	* *	89	* *
Neosho	137	8.0 (18)	5.8 (13)	605	4.3 (10)	4.6 (53)	11.1 (39)	282	13.8 (13)	12.4 (28)	369	11.9 (50)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ness	15	* *	* *	59	* *	* *	* *	33	* *	* *	36	* *
Norton	32	* *	* *	145	11.7 (72)	6.2 (64)	6.9 (3)	68	* *	* *	103	3.9 (9)
Osage	72	* *	* *	363	6.3 (39)	1.1 (4)	14.6 (65)	157	22.3 (53)	19.7 (54)	236	0.4 (1)
Osborne	19	* *	* *	64	* *	* *	* *	31	* *	* *	41	* *
Ottawa	26	* *	* *	114	7.0 (50)	7.9 (69)	16.7 (71)	47	* *	* *	78	* *
Pawnee	49	* *	* *	229	5.7 (25)	5.2 (58)	7.9 (10)	114	10.5 (8)	9.6 (14)	153	4.6 (17)
Phillips	37	* *	* *	159	7.5 (54)	2.5 (19)	9.4 (21)	72	* *	* *	111	18.9 (61)
Pottawatom	32	* *	* *	189	2.6 (2)	2.1 (11)	8.5 (13)	107	9.3 (6)	6.5 (6)	140	15.7 (58)
Pratt	71	* *	* *	300	6.7 (45)	3.0 (32)	11.0 (38)	153	17.6 (39)	12.4 (28)	194	4.1 (13)
Rawlins	7	* *	* *	56	* *	* *	* *	27	* *	* *	43	* *
Reno	415	10.4 (27)	6.5 (20)	1,618	5.4 (20)	3.0 (32)	8.4 (11)	730	15.8 (25)	11.8 (22)	1,043	7.8 (34)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Republic	22	* *	* *	133	6.0 (34)	5.3 (60)	10.5 (31)	70	* *	* *		92	* *
Rice	69	* *	* *	286	7.3 (53)	0.7 (2)	21.7 (74)	139	22.3 (53)	23.7 (55)		185	7.6 (33)
Riley	912	6.3 (6)	9.2 (29)	3,584	5.7 (25)	3.5 (43)	8.6 (14)	1,607	13.7 (11)	8.5 (11)		2,287	19.0 (62)
Rooks	42	* *	* *	183	2.7 (3)	4.9 (56)	10.9 (37)	83	* *	* *		120	5.0 (22)
Rush	12	* *	* *	50	* *	* *	* *	25	* *	* *		34	* *
Russell	37	* *	* *	144	3.5 (6)	11.8 (75)	6.9 (3)	68	* *	* *		102	4.9 (21)
Saline	481	7.3 (12)	5.4 (9)	1,873	8.5 (66)	1.2 (5)	14.2 (62)	835	18.2 (42)	12.7 (30)		1,259	4.1 (13)
Scott	25	* *	* *	196	3.6 (7)	7.7 (68)	11.2 (41)	115	8.7 (5)	7.8 (8)		142	3.5 (4)
Sedgwick	4,095	10.5 (28)	7.2 (22)	16,593	6.9 (47)	2.6 (21)	12.4 (47)	7,557	17.2 (35)	14.6 (38)		11,365	10.9 (46)
Seward	350	7.1 (10)	6.3 (19)	1,842	4.5 (11)	3.1 (37)	13.8 (57)	890	14.5 (17)	16.7 (49)		1,187	6.4 (26)
Shawnee	1,241	8.6 (23)	5.9 (15)	5,315	6.8 (46)	3.2 (38)	14.8 (67)	2,436	17.8 (40)	15.1 (42)		3,512	14.2 (54)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheridan	7	* *	* *	40	* *	* *	* *	19	* *	* *	28	* *
Sherman	51	* *	* *	229	4.8 (13)	5.7 (63)	9.2 (20)	117	22.2 (52)	12.0 (24)	152	10.5 (44)
Smith	13	* *	* *	90	* *	* *	* *	48	* *	* *	70	* *
Stafford	30	* *	* *	164	6.1 (38)	3.7 (44)	12.2 (46)	82	* *	* *	124	8.9 (38)
Stanton	14	* *	* *	95	* *	* *	* *	56	* *	* *	71	* *
Stevens	36	* *	* *	340	3.2 (4)	1.8 (7)	8.8 (16)	191	15.7 (24)	9.4 (13)	231	13.0 (53)
Sumner	149	14.8 (31)	5.4 (9)	647	10.8 (71)	2.9 (31)	15.6 (68)	309	16.8 (34)	13.3 (34)	412	22.6 (64)
Thomas	47	* *	* *	205	8.8 (67)	6.3 (65)	9.8 (25)	95	* *	* *	142	8.5 (36)
Trego	12	* *	* *	55	* *	* *	* *	24	* *	* *	35	* *
Wabaunsee	16	* *	* *	87	* *	* *	* *	46	* *	* *	67	* *
Washington	17	* *	* *	94	* *	* *	* *	53	* *	* *	67	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wichita	13	* *	* *	73	* *	* *	* *	38	* *	* *	60	* *
Wilson	76	* *	* *	361	6.9 (47)	4.7 (55)	9.1 (19)	172	18.0 (41)	11.6 (19)	243	4.1 (13)
Woodson	14	* *	* *	57	* *	* *	* *	28	* *	* *	28	* *
Wyandotte	1,727	9.1 (25)	5.6 (11)	7,972	5.0 (16)	2.7 (23)	10.0 (27)	3,876	14.6 (18)	12.0 (24)	5,575	8.2 (35)
Unknown Counties	19	* *	* *	68	* *	* *	* *	26	* *	* *	45	* *
Kansas	18,864	8.5	6.5	80,951	6.4	3.2	11.8	37,838	15.7	13.0	54,397	10.2
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Allen	70	* *	30	* *	54	* *	22	* *	30	* *	156	84.6 (13)	322	51.9 (71)
Anderson	50	* *	14	* *	30	* *	8	* *	14	* *	109	75.2 (46)	219	23.7 (46)
Atchison	119	44.5 (31)	48	* *	94	* *	28	* *	46	* *	247	81.4 (26)	517	27.5 (51)
Barber	48	* *	21	* *	31	* *	11	* *	20	* *	76	* *	171	54.4 (72)
Barton	192	75.0 (8)	90	* *	147	8.8 (11)	50	* *	88	* *	528	79.9 (31)	980	5.7 (8)
Bourbon	102	58.8 (24)	39	* *	66	* *	29	* *	38	* *	231	77.9 (40)	475	45.7 (64)
Brown	68	* *	36	* *	51	* *	20	* *	34	* *	196	92.9 (2)	365	46.6 (69)
Butler	251	65.3 (20)	111	16.2 (11)	174	9.2 (10)	61	* *	107	3.7 (10)	489	69.3 (56)	1,047	9.7 (22)
Chase	8	* *	4	* *	12	* *	2	* *	4	* *	28	* *	55	* *
Chautauqua	18	* *	18	* *	19	* *	11	* *	18	* *	55	* *	112	46.4 (68)
Cherokee	157	49.7 (30)	58	* *	97	* *	33	* *	56	* *	318	88.7 (9)	655	42.1 (62)
Cheyenne	6	* *	2	* *	4	* *	1	* *	2	* *	16	* *	31	* *
Clark	3	* *	4	* *	4	* *	4	* *	4	* *	16	* *	24	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clay	43	* *	21	* *	37	* *	13	* *	21	* *	132	81.1 (27)	238	5.5 (7)
Cloud	79	* *	39	* *	63	* *	21	* *	38	* *	145	85.5 (12)	335	2.4 (1)
Coffey	24	* *	10	* *	13	* *	6	* *	10	* *	53	* *	108	13.9 (34)
Comanche	5	* *	3	* *	6	* *	1	* *	3	* *	15	* *	30	* *
Cowley	323	52.9 (28)	134	9.0 (17)	208	5.8 (20)	82	* *	132	2.3 (15)	765	79.7 (33)	1,463	12.6 (28)
Crawford	257	54.5 (26)	169	7.7 (18)	201	7.0 (18)	96	* *	166	2.4 (14)	609	81.8 (24)	1,281	46.3 (67)
Decatur	10	* *	1	* *	7	* *	0	* *	0	* *	28	* *	48	* *
Dickinson	116	70.7 (12)	47	* *	73	* *	31	* *	46	* *	231	89.2 (7)	503	6.0 (11)
Doniphan	46	* *	12	* *	22	* *	10	* *	12	* *	82	* *	174	36.8 (57)
Douglas	396	77.5 (3)	160	32.5 (1)	263	16.0 (1)	111	33.3 (1)	155	10.3 (1)	790	79.9 (31)	1,726	8.5 (21)
Edwards	19	* *	11	* *	19	* *	8	* *	11	* *	58	* *	108	29.6 (52)
Elk	21	* *	6	* *	12	* *	4	* *	6	* *	40	* *	83	* *
Ellis	131	79.4 (1)	54	* *	91	* *	32	* *	53	* *	241	78.4 (38)	524	2.9 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ellsworth	35	* *	18	* *	17	* *	12	* *	18	* *	92	* *	160	16.9 (41)
Finney	518	72.2 (10)	259	18.5 (7)	415	10.8 (7)	152	14.5 (6)	252	4.0 (8)	1,397	78.0 (39)	2,737	11.5 (27)
Ford	437	68.6 (13)	243	12.8 (14)	430	7.7 (13)	130	4.6 (9)	240	1.7 (17)	1,305	90.4 (3)	2,509	7.9 (18)
Franklin	142	59.2 (23)	72	* *	104	7.7 (13)	45	* *	70	* *	330	88.8 (8)	562	16.7 (40)
Geary	342	66.4 (15)	151	17.2 (9)	226	7.1 (16)	106	16.0 (5)	150	6.0 (4)	588	71.1 (54)	1,323	35.2 (56)
Gove	7	* *	3	* *	11	* *	1	* *	2	* *	30	* *	52	* *
Graham	14	* *	6	* *	6	* *	6	* *	5	* *	43	* *	75	* *
Grant	61	* *	44	* *	68	* *	19	* *	42	* *	180	80.6 (28)	344	10.8 (24)
Gray	40	* *	20	* *	28	* *	10	* *	20	* *	153	71.9 (51)	245	6.1 (14)
Greeley	10	* *	4	* *	8	* *	4	* *	4	* *	24	* *	49	* *
Greenwood	35	* *	17	* *	26	* *	10	* *	17	* *	119	93.3 (1)	205	15.1 (38)
Hamilton	21	* *	6	* *	16	* *	4	* *	6	* *	63	* *	114	7.9 (18)
Harper	47	* *	22	* *	34	* *	13	* *	22	* *	100	75.0 (47)	202	25.2 (49)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Harvey	212	78.8 (2)	111	22.5 (3)	168	11.3 (4)	64	* *	107	2.8 (12)	575	90.1 (5)	1,138	6.0 (11)
Haskell	16	* *	11	* *	14	* *	4	* *	11	* *	65	* *	111	16.2 (39)
Hodgeman	10	* *	6	* *	8	* *	4	* *	6	* *	24	* *	49	* *
Jackson	79	* *	23	* *	48	* *	22	* *	23	* *	199	83.4 (20)	369	19.8 (44)
Jefferson	49	* *	23	* *	30	* *	18	* *	23	* *	125	89.6 (6)	227	43.2 (63)
Jewell	8	* *	3	* *	6	* *	1	* *	3	* *	27	* *	51	* *
Johnson	1,514	77.5 (3)	709	22.0 (4)	1,171	11.1 (5)	449	17.6 (3)	697	4.0 (8)	3,525	83.0 (21)	7,191	17.7 (42)
Kearny	18	* *	7	* *	7	* *	3	* *	7	* *	62	* *	100	24.0 (47)
Kingman	43	* *	19	* *	34	* *	9	* *	17	* *	128	83.6 (18)	221	24.0 (47)
Kiowa	8	* *	5	* *	11	* *	3	* *	4	* *	23	* *	51	* *
Labette	142	53.5 (27)	73	* *	123	4.9 (21)	24	* *	70	* *	353	90.4 (3)	678	33.8 (55)
Lane	8	* *	4	* *	6	* *	1	* *	4	* *	33	* *	54	* *
Leavenworth	320	64.4 (21)	123	14.6 (12)	198	7.6 (15)	94	* *	122	5.7 (6)	533	72.6 (50)	1,198	45.7 (64)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Lincoln	17	* *	15	* *	9	* *	10	* *	15	* *	54	* *	99	* *
Linn	64	* *	27	* *	48	* *	16	* *	25	* *	149	84.6 (13)	284	13.0 (30)
Logan	12	* *	5	* *	13	* *	3	* *	5	* *	31	* *	63	* *
Lyon	228	71.5 (11)	91	* *	181	12.2 (3)	52	* *	87	* *	629	76.5 (42)	1,174	5.7 (8)
Marion	105	75.2 (7)	56	* *	91	* *	33	* *	55	* *	269	81.8 (24)	540	3.9 (3)
Marshall	47	* *	13	* *	31	* *	11	* *	13	* *	116	84.5 (15)	219	5.0 (5)
McPherson	52	* *	26	* *	30	* *	15	* *	26	* *	136	74.3 (48)	252	55.6 (74)
Meade	28	* *	12	* *	26	* *	11	* *	12	* *	105	80.0 (30)	182	14.8 (37)
Miami	134	75.4 (6)	55	* *	84	* *	41	* *	55	* *	199	84.4 (17)	485	18.1 (43)
Mitchell	29	* *	21	* *	29	* *	11	* *	21	* *	89	* *	171	11.1 (25)
Montgomery	266	58.3 (25)	126	10.3 (16)	206	4.9 (21)	78	* *	125	7.2 (2)	667	82.8 (22)	1,283	37.5 (59)
Morris	34	* *	4	* *	11	* *	3	* *	4	* *	46	* *	95	* *
Nemaha	38	* *	22	* *	23	* *	12	* *	22	* *	78	* *	168	45.8 (66)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Neosho	136	52.9 (28)	47	* *	78	* *	27	* *	47	* *	302	79.5 (34)
Ness	17	* *	3	* *	2	* *	3	* *	3	* *	34	* *
Norton	33	* *	15	* *	29	* *	5	* *	13	* *	72	* *
Osage	85	* *	45	* *	72	* *	28	* *	45	* *	172	80.2 (29)
Osborne	17	* *	2	* *	8	* *	2	* *	2	* *	36	* *
Ottawa	25	* *	13	* *	19	* *	6	* *	12	* *	54	* *
Pawnee	45	* *	21	* *	36	* *	17	* *	19	* *	122	76.2 (43)
Phillips	36	* *	17	* *	25	* *	9	* *	16	* *	78	* *
Pottawatom	29	* *	12	* *	24	* *	5	* *	11	* *	111	79.3 (36)
Pratt	68	* *	25	* *	36	* *	12	* *	24	* *	158	87.3 (11)
Rawlins	6	* *	14	* *	10	* *	7	* *	12	* *	33	* *
Reno	362	66.0 (17)	157	10.8 (15)	254	7.9 (12)	76	* *	152	0.7 (18)	771	87.5 (10)
Republic	23	* *	18	* *	22	* *	10	* *	17	* *	76	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Rice	63	* *	25	* *	38	* *	15	* *	21	* *	146	83.6 (18)	285	11.2 (26)
Riley	795	75.6 (5)	400	23.0 (2)	536	10.8 (7)	296	20.6 (2)	386	4.9 (7)	1,683	71.5 (52)	3,574	13.3 (31)
Rooks	39	* *	20	* *	33	* *	9	* *	18	* *	89	* *	182	33.5 (54)
Rush	12	* *	1	* *	4	* *	4	* *	1	* *	29	* *	52	* *
Russell	36	* *	14	* *	16	* *	7	* *	13	* *	75	* *	150	56.7 (75)
Saline	434	61.1 (22)	191	16.8 (10)	320	6.3 (19)	91	* *	183	3.3 (11)	893	79.2 (37)	1,887	7.6 (17)
Scott	25	* *	19	* *	41	* *	10	* *	18	* *	119	70.6 (55)	199	32.2 (53)
Sedgwick	3,610	65.6 (19)	1,663	13.7 (13)	2,561	7.1 (16)	979	11.5 (8)	1,639	2.6 (13)	8,168	75.9 (44)	16,895	8.0 (20)
Seward	312	74.4 (9)	193	20.7 (6)	307	10.7 (9)	97	* *	188	2.1 (16)	991	71.2 (53)	1,911	13.3 (31)
Shawnee	1,098	65.8 (18)	539	18.0 (8)	917	11.1 (5)	284	17.3 (4)	526	5.9 (5)	2,640	76.8 (41)	5,391	6.4 (15)
Sheridan	6	* *	3	* *	7	* *	3	* *	3	* *	21	* *	40	* *
Sherman	43	* *	14	* *	36	* *	8	* *	13	* *	126	82.5 (23)	229	10.0 (23)
Smith	15	* *	12	* *	16	* *	5	* *	11	* *	49	* *	89	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Stafford	26	* *	26	* *	28	* *	8	* *	24	* *	94	* *	168	6.0 (11)
Stanton	13	* *	5	* *	11	* *	2	* *	5	* *	59	* *	96	* *
Stevens	50	* *	30	* *	49	* *	15	* *	28	* *	200	84.5 (15)	342	12.9 (29)
Sumner	149	67.8 (14)	71	* *	104	3.8 (23)	44	* *	71	* *	327	79.5 (34)	651	51.8 (70)
Thomas	40	* *	24	* *	40	* *	11	* *	23	* *	98	* *	207	14.0 (36)
Trego	11	* *	4	* *	9	* *	3	* *	4	* *	25	* *	57	* *
Wabaunsee	16	* *	12	* *	10	* *	7	* *	12	* *	47	* *	88	* *
Washington	19	* *	6	* *	16	* *	4	* *	6	* *	59	* *	99	* *
Wichita	15	* *	4	* *	13	* *	3	* *	4	* *	41	* *	77	* *
Wilson	68	* *	42	* *	55	* *	25	* *	41	* *	183	75.4 (45)	358	54.5 (73)
Woodson	20	* *	2	* *	6	* *	4	* *	2	* *	27	* *	58	* *
Wyandotte	1,606	66.4 (15)	742	22.0 (4)	1,166	13.5 (2)	419	12.9 (7)	732	6.7 (3)	4,126	72.7 (49)	8,053	13.4 (33)
Unknown Counties	21	* *	10	* *	14	* *	8	* *	10	* *	27	* *	68	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household				
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)				
Kansas	17,176	67.7	8,058	17.3	12,761	9.4	4,767	14.9	7,876	4.0	40,679	78.6	81,883	15.5
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Allen	256	9.0 (44)	3.1 (4)	998	7.4 (76)	0.8 (3)	15.0 (86)	417	21.8 (78)	14.6 (58)	647	4.0 (9)
Anderson	131	9.2 (48)	8.4 (53)	650	7.1 (67)	3.1 (53)	9.8 (26)	311	15.4 (30)	9.3 (14)	438	11.9 (66)
Atchison	355	8.2 (32)	4.8 (16)	1,502	5.9 (37)	5.5 (85)	12.5 (60)	655	17.4 (51)	13.9 (53)	986	13.1 (71)
Barber	115	13.0 (62)	3.5 (6)	418	9.1 (93)	2.9 (45)	11.7 (49)	168	19.0 (67)	13.1 (48)	258	10.9 (58)
Barton	670	6.9 (15)	4.3 (12)	2,901	6.7 (61)	3.1 (53)	9.2 (21)	1,368	14.3 (20)	9.6 (16)	1,965	9.5 (47)
Bourbon	333	9.6 (55)	4.2 (11)	1,426	8.4 (88)	1.1 (4)	14.0 (80)	628	20.1 (74)	16.1 (71)	946	6.9 (29)
Brown	226	8.4 (35)	7.5 (46)	1,138	4.0 (13)	4.0 (68)	11.4 (45)	542	16.4 (35)	12.4 (38)	736	8.4 (39)
Butler	812	8.5 (38)	6.0 (27)	3,054	9.7 (94)	4.0 (68)	12.3 (56)	1,346	14.4 (22)	10.6 (24)	2,031	24.3 (91)
Chase	37	* *	* *	167	3.6 (10)	3.6 (63)	10.2 (33)	81	* *	* *	113	13.3 (72)
Chautauqua	72	* *	* *	366	6.3 (49)	2.5 (30)	16.1 (91)	175	20.0 (73)	14.9 (61)	256	7.0 (31)
Cherokee	541	7.8 (27)	5.9 (25)	2,109	6.4 (52)	3.5 (61)	12.8 (68)	935	16.5 (37)	15.7 (68)	1,411	4.8 (12)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cheyenne	10	* *	* *	46	* *	* *	* *	26	* *	* *	31	* *
Clark	18	* *	* *	74	* *	* *	* *	33	* *	* *	53	* *
Clay	165	9.1 (47)	6.7 (38)	717	11.6 (99)	3.6 (63)	19.4 (97)	352	16.5 (37)	17.3 (75)	505	16.6 (82)
Cloud	242	9.5 (54)	2.9 (2)	948	6.5 (56)	3.3 (59)	12.1 (53)	421	15.7 (32)	13.1 (48)	626	13.6 (73)
Coffey	76	* *	* *	308	6.5 (56)	0.6 (1)	14.9 (85)	147	15.6 (31)	20.4 (80)	198	6.1 (25)
Comanche	21	* *	* *	83	* *	* *	* *	33	* *	* *	59	* *
Cowley	977	7.9 (30)	7.9 (50)	4,219	5.9 (37)	2.1 (19)	12.5 (60)	2,012	17.2 (45)	12.5 (40)	2,807	9.1 (46)
Crawford	950	8.6 (39)	4.5 (13)	3,884	6.3 (49)	1.8 (11)	12.8 (68)	1,704	18.0 (57)	14.0 (54)	2,556	5.7 (20)
Decatur	26	* *	* *	125	6.4 (52)	3.2 (57)	7.2 (6)	62	* *	* *	92	* *
Dickinson	334	7.2 (19)	9.9 (59)	1,412	4.9 (23)	4.4 (73)	8.3 (15)	651	13.8 (15)	9.7 (17)	947	3.5 (8)
Doniphan	127	12.6 (61)	9.4 (57)	470	13.4(100)	6.2 (87)	23.2 (99)	208	24.0 (83)	37.5 (84)	306	7.8 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Douglas	1,312	7.1 (17)	7.0 (42)	4,963	7.2 (71)	1.8 (11)	12.3 (56)	2,058	17.0 (42)	11.5 (32)	3,357	8.8 (44)
Edwards	65	* *	* *	307	7.8 (81)	2.6 (34)	10.1 (32)	158	15.2 (27)	10.1 (20)	201	2.0 (3)
Elk	57	* *	* *	243	8.2 (85)	2.9 (45)	14.0 (80)	120	19.2 (69)	10.0 (19)	164	12.8 (70)
Ellis	396	7.6 (23)	6.1 (28)	1,548	6.7 (61)	2.1 (19)	9.8 (26)	669	18.8 (64)	11.1 (29)	986	4.0 (9)
Ellsworth	95	* *	* *	443	9.0 (92)	3.2 (57)	12.6 (63)	227	16.7 (40)	11.9 (35)	316	5.7 (20)
Finney	1,877	7.5 (21)	6.2 (31)	8,004	5.1 (25)	7.1 (90)	10.8 (38)	3,806	8.2 (6)	6.7 (8)	5,632	23.4 (90)
Ford	1,726	5.2 (4)	6.1 (28)	7,240	7.2 (71)	2.0 (15)	18.8 (96)	3,461	19.1 (68)	18.4 (78)	4,802	5.5 (19)
Franklin	481	6.7 (14)	5.8 (23)	1,959	5.6 (35)	2.6 (34)	11.4 (45)	871	17.3 (48)	11.8 (33)	1,282	4.2 (11)
Geary	1,076	7.1 (17)	5.5 (21)	3,502	8.3 (87)	3.0 (48)	9.8 (26)	1,414	15.2 (27)	10.1 (20)	2,224	15.5 (80)
Gove	32	* *	* *	158	6.3 (49)	1.9 (13)	15.2 (90)	76	* *	* *	112	12.5 (69)
Graham	38	* *	* *	203	11.3 (98)	3.0 (48)	17.2 (94)	99	* *	* *	130	22.3 (89)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Grant	196	9.7 (58)	4.1 (10)	949	5.9 (37)	2.6 (34)	15.0 (86)	457	14.7 (23)	17.9 (76)	704	31.5 (95)
Gray	105	5.7 (5)	9.5 (58)	717	1.5 (1)	11.4 (98)	3.8 (2)	392	9.2 (8)	2.0 (2)	507	5.3 (16)
Greeley	32	* *	* *	122	2.5 (4)	7.4 (93)	13.1 (71)	53	* *	* *	74	* *
Greenwood	124	6.5 (12)	5.6 (22)	627	7.0 (64)	2.1 (19)	12.3 (56)	325	21.8 (78)	15.1 (62)	446	5.8 (23)
Hamilton	64	* *	* *	297	7.1 (67)	5.1 (79)	11.1 (42)	144	12.5 (12)	11.8 (33)	220	29.5 (93)
Harper	132	7.6 (23)	9.1 (56)	611	5.9 (37)	3.6 (63)	13.3 (73)	296	14.2 (18)	13.5 (50)	406	8.6 (40)
Harvey	724	8.3 (33)	6.2 (31)	3,238	7.1 (67)	2.4 (26)	12.8 (68)	1,534	19.5 (70)	16.3 (72)	2,225	10.7 (56)
Haskell	54	* *	* *	345	4.1 (15)	2.6 (34)	13.6 (77)	198	12.6 (13)	11.1 (29)	241	27.0 (92)
Hodgeman	35	* *	* *	161	2.5 (4)	1.2 (6)	11.2 (43)	76	* *	* *	116	0.9 (1)
Jackson	218	9.2 (48)	10.6 (61)	1,056	6.0 (44)	2.4 (26)	13.8 (79)	528	19.7 (71)	15.3 (65)	639	10.6 (53)
Jefferson	180	7.8 (27)	7.8 (49)	781	5.4 (31)	4.7 (75)	11.9 (51)	364	21.2 (76)	10.7 (26)	485	12.0 (67)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jewell	35	* *	* *	160	7.5 (78)	1.3 (7)	19.4 (97)	73	* *	* *	108	21.3 (88)
Johnson	4,977	8.0 (31)	7.1 (44)	20,925	5.5 (33)	2.7 (40)	11.9 (51)	9,402	14.9 (25)	12.7 (42)	13,852	6.5 (26)
Kearny	59	* *	* *	333	6.0 (44)	4.2 (71)	12.6 (63)	184	13.0 (14)	13.0 (46)	247	29.6 (94)
Kingman	104	7.7 (26)	7.7 (47)	660	4.5 (19)	9.5 (96)	7.1 (5)	333	6.9 (3)	3.6 (4)	457	9.0 (45)
Kiowa	31	* *	* *	156	5.1 (25)	5.8 (86)	10.9 (39)	77	* *	* *	112	7.1 (32)
Labette	493	6.9 (15)	7.7 (47)	2,024	6.4 (52)	2.7 (40)	11.7 (49)	928	17.1 (43)	12.4 (38)	1,373	5.9 (24)
Lane	34	* *	* *	166	2.4 (3)	7.2 (92)	7.8 (11)	92	* *	* *	120	11.7 (63)
Leavenwort	964	9.6 (55)	7.1 (44)	3,454	8.1 (83)	2.9 (45)	10.0 (30)	1,449	17.6 (53)	12.9 (45)	2,197	10.5 (49)
Lincoln	57	* *	* *	275	6.5 (56)	6.5 (89)	10.5 (37)	133	14.3 (20)	7.5 (9)	196	15.8 (81)
Linn	177	9.0 (44)	4.5 (13)	785	8.7 (90)	2.2 (22)	12.1 (53)	355	23.1 (82)	12.7 (42)	531	10.5 (49)
Logan	35	* *	* *	176	4.5 (19)	4.5 (74)	10.2 (33)	91	* *	* *	127	7.1 (32)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lyon	867	7.6 (23)	6.7 (38)	3,667	5.5 (33)	2.5 (30)	13.4 (74)	1,758	16.6 (39)	15.4 (66)	2,486	5.3 (16)
Marion	400	6.0 (10)	5.8 (23)	1,641	6.0 (44)	3.0 (48)	7.9 (12)	768	14.7 (23)	7.8 (11)	1,090	10.7 (56)
Marshall	139	5.0 (2)	6.5 (37)	640	6.4 (52)	1.1 (4)	11.3 (44)	317	16.7 (40)	15.8 (69)	455	8.6 (40)
McPherson	142	9.2 (48)	3.5 (6)	672	4.0 (13)	11.8 (99)	8.3 (15)	334	6.0 (2)	3.9 (5)	449	11.1 (59)
Meade	96	* *	* *	521	5.8 (36)	3.6 (63)	9.0 (19)	278	10.8 (10)	5.4 (7)	351	4.8 (12)
Miami	423	7.8 (27)	8.5 (55)	1,459	8.6 (89)	2.0 (15)	12.7 (66)	600	17.2 (45)	14.3 (55)	910	18.6 (84)
Mitchell	101	5.9 (6)	5.9 (25)	479	4.2 (16)	2.5 (30)	9.2 (21)	223	13.9 (17)	10.8 (27)	325	10.5 (49)
Montgomery	896	9.0 (44)	3.8 (8)	3,808	7.8 (81)	2.6 (34)	12.1 (53)	1,798	17.1 (43)	13.5 (50)	2,607	6.9 (29)
Morris	74	* *	* *	307	4.6 (21)	2.3 (25)	7.5 (8)	144	21.5 (77)	9.7 (17)	207	10.6 (53)
Nemaha	76	* *	* *	471	5.9 (37)	6.2 (87)	15.1 (89)	207	18.4 (60)	20.3 (79)	273	11.4 (61)
Neosho	334	7.2 (19)	5.4 (19)	1,771	6.2 (48)	4.3 (72)	11.6 (48)	812	17.9 (56)	11.1 (29)	1,126	14.7 (79)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Ness	26	* *	* *	147	8.2 (85)	2.0 (15)	7.5 (8)	78	* *	* *	101	13.9 (76)
Norton	83	* *	* *	407	10.3 (96)	5.2 (82)	8.4 (18)	202	12.4 (11)	9.4 (15)	299	3.3 (6)
Osage	239	7.5 (21)	3.8 (8)	1,028	7.0 (64)	2.4 (26)	13.6 (77)	463	22.0 (80)	14.3 (55)	666	1.5 (2)
Osborne	49	* *	* *	235	7.2 (71)	1.7 (9)	17.0 (93)	116	20.7 (75)	18.1 (77)	170	19.4 (87)
Ottawa	70	* *	* *	322	6.8 (63)	7.1 (90)	16.1 (91)	142	17.6 (53)	21.8 (82)	222	18.9 (86)
Pawnee	142	9.2 (48)	7.0 (42)	648	6.6 (60)	5.1 (79)	9.7 (24)	308	9.1 (7)	12.7 (42)	456	4.8 (12)
Phillips	99	* *	* *	455	5.9 (37)	2.4 (26)	12.5 (60)	210	18.6 (62)	16.7 (74)	325	16.9 (83)
Pottawatom	101	5.0 (2)	7.9 (50)	559	5.2 (27)	2.5 (30)	7.5 (8)	291	10.3 (9)	7.6 (10)	415	11.8 (64)
Pratt	201	4.5 (1)	10.9 (62)	858	6.5 (56)	4.0 (68)	11.5 (47)	410	17.3 (48)	14.6 (58)	558	5.7 (20)
Rawlins	26	* *	* *	162	3.7 (11)	3.1 (53)	9.9 (29)	82	* *	* *	123	10.6 (53)
Reno	1,346	8.6 (39)	6.1 (28)	4,998	6.0 (44)	3.8 (67)	8.3 (15)	2,173	16.4 (35)	12.2 (37)	3,166	6.5 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Republic	86	* *	* *	426	7.3 (75)	2.8 (43)	13.1 (71)	204	22.5 (81)	15.2 (64)	280	11.4 (61)
Rice	191	8.9 (42)	9.9 (59)	839	7.6 (80)	0.7 (2)	25.0(100)	413	19.9 (72)	26.4 (83)	560	8.2 (37)
Riley	2,557	6.5 (12)	8.1 (52)	9,776	5.4 (31)	3.0 (48)	9.0 (19)	4,285	13.8 (15)	8.8 (13)	5,457	11.8 (64)
Rooks	123	8.9 (42)	4.9 (17)	522	3.8 (12)	3.4 (60)	8.0 (13)	246	14.2 (18)	8.1 (12)	353	8.2 (37)
Rush	33	* *	* *	154	10.4 (97)	2.6 (34)	11.0 (41)	78	* *	* *	110	2.7 (4)
Russell	120	8.3 (33)	2.5 (1)	457	5.3 (29)	10.9 (97)	7.2 (6)	207	7.2 (5)	2.9 (3)	330	3.3 (6)
Saline	1,440	8.8 (41)	6.3 (34)	5,409	8.9 (91)	1.4 (8)	14.8 (84)	2,368	18.7 (63)	14.4 (57)	3,629	5.1 (15)
Scott	101	5.9 (6)	3.0 (3)	586	2.9 (7)	9.0 (95)	9.7 (24)	319	6.9 (3)	5.3 (6)	406	5.4 (18)
Sedgwick	12,559	9.7 (58)	6.9 (40)	49,448	7.2 (71)	2.2 (22)	12.7 (66)	22,078	17.5 (52)	14.8 (60)	33,610	12.1 (68)
Seward	1,224	6.0 (10)	6.4 (36)	5,458	4.3 (18)	3.5 (61)	12.6 (63)	2,515	15.8 (34)	15.8 (69)	3,444	7.7 (34)
Shawnee	3,734	8.4 (35)	5.4 (19)	15,557	7.0 (64)	3.0 (48)	15.0 (86)	7,116	18.8 (64)	15.1 (62)	10,162	14.3 (77)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sheridan	25	* *	* *	120	2.5 (4)	7.5 (94)	3.3 (1)	54	* *	* *	81	* *
Sherman	178	8.4 (35)	3.4 (5)	785	5.9 (37)	5.1 (79)	8.2 (14)	395	15.7 (32)	10.4 (23)	535	10.5 (49)
Smith	46	* *	* *	268	7.1 (67)	2.2 (22)	13.4 (74)	138	18.1 (58)	13.8 (52)	197	8.1 (36)
Stafford	101	5.9 (6)	5.0 (18)	494	5.3 (29)	5.3 (83)	12.3 (56)	258	15.1 (26)	16.3 (72)	359	8.6 (40)
Stanton	47	* *	* *	288	4.2 (16)	2.8 (43)	10.4 (35)	147	17.7 (55)	10.2 (22)	211	34.1 (96)
Stevens	119	5.9 (6)	8.4 (53)	1,025	3.3 (9)	2.0 (15)	10.0 (30)	538	17.3 (48)	10.6 (24)	704	13.6 (73)
Sumner	450	11.1 (60)	6.9 (40)	1,854	9.9 (95)	2.7 (40)	14.3 (82)	839	17.2 (45)	11.9 (35)	1,239	18.6 (84)
Thomas	156	9.6 (55)	4.5 (13)	612	7.5 (78)	5.4 (84)	9.5 (23)	276	18.8 (64)	10.9 (28)	408	10.3 (48)
Trego	40	* *	* *	204	7.4 (76)	4.9 (77)	6.9 (4)	96	* *	* *	135	11.1 (59)
Wabaunsee	56	* *	* *	268	3.0 (8)	1.9 (13)	17.5 (95)	126	24.6 (84)	20.6 (81)	198	14.6 (78)
Wallace	1	* *	* *	3	* *	* *	* *	2	* *	* *	2	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	65	* *	* *	309	4.9 (23)	12.3(100)	6.1 (3)	164	3.7 (1)	1.8 (1)		235	13.6 (73)
Wichita	42	* *	* *	234	4.7 (22)	1.7 (9)	14.5 (83)	130	18.5 (61)	15.4 (66)		172	2.9 (5)
Wilson	256	9.4 (53)	6.3 (34)	1,096	8.1 (83)	4.7 (75)	10.9 (39)	509	18.3 (59)	13.0 (46)		744	6.6 (28)
Woodson	23	* *	* *	119	1.7 (2)	5.0 (78)	13.4 (74)	63	* *	* *		70	* *
Wyandotte	5,619	9.2 (48)	6.2 (31)	23,739	5.2 (27)	3.1 (53)	10.4 (35)	11,122	15.3 (29)	12.6 (41)		16,745	8.7 (43)
Unknown Counties	22	* *	* *	80	* *	* *	* *	28	* *	* *		50	* *
Kansas	57,823	8.3	6.5	238,988	6.5	3.0	12.2	109,146	16.3	13.1		159,762	10.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Allen	289	55.7 (63)	188	10.1 (54)	205	6.3 (49)	170	11.2 (36)	187	1.6 (52)	452	81.6 (38)	567	49.2 (79)
Anderson	166	55.4 (65)	115	19.1 (25)	119	14.3 (13)	108	10.2 (40)	115	4.3 (20)	327	79.2 (53)	368	28.3 (54)
Atchison	423	50.8 (68)	291	21.6 (16)	325	19.4 (2)	270	14.4 (21)	287	5.6 (9)	708	79.9 (48)	876	29.3 (55)
Barber	139	75.5 (13)	90	* *	96	* *	87	* *	89	* *	181	71.3 (80)	249	54.6 (85)
Barton	742	72.6 (24)	561	17.6 (30)	605	10.2 (27)	506	11.5 (34)	551	2.9 (36)	1,471	81.2 (40)	1,612	5.6 (7)
Bourbon	379	59.4 (55)	271	9.2 (57)	300	5.0 (55)	249	11.2 (36)	267	0.7 (55)	675	76.0 (69)	825	42.7 (70)
Brown	288	52.8 (66)	220	18.6 (27)	235	20.9 (1)	194	11.3 (35)	213	1.9 (48)	585	89.9 (4)	645	47.6 (76)
Butler	932	67.5 (39)	609	17.1 (33)	640	9.5 (30)	561	11.8 (32)	598	1.7 (50)	1,443	67.4 (86)	1,843	10.3 (20)
Chase	44	* *	37	* *	38	* *	34	* *	37	* *	86	* *	95	* *
Chautauqua	87	* *	72	* *	69	* *	68	* *	71	* *	190	88.9 (5)	203	49.8 (81)
Cherokee	585	55.6 (64)	407	9.3 (56)	422	5.0 (55)	367	9.8 (41)	402	2.5 (42)	1,019	87.4 (13)	1,268	36.9 (63)
Cheyenne	13	* *	8	* *	7	* *	8	* *	8	* *	26	* *	27	* *
Clark	21	* *	17	* *	20	* *	17	* *	17	* *	36	* *	40	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clay	177	58.2 (59)	121	13.2 (44)	133	12.0 (20)	110	9.1 (44)	121	3.3 (30)	385	82.6 (34)	406	16.7 (37)
Cloud	264	69.7 (31)	188	16.0 (36)	190	4.2 (58)	163	14.1 (24)	186	2.7 (38)	446	83.9 (25)	550	4.0 (2)
Coffey	83	* *	52	* *	58	* *	47	* *	51	* *	154	77.3 (63)	185	22.2 (46)
Comanche	27	* *	22	* *	24	* *	21	* *	22	* *	37	* *	53	* *
Cowley	1,117	56.2 (62)	772	11.8 (50)	834	5.6 (53)	715	9.1 (44)	765	2.0 (47)	2,163	80.1 (46)	2,388	12.2 (23)
Crawford	1,056	56.3 (61)	786	10.9 (51)	779	6.3 (49)	711	7.5 (51)	777	2.4 (43)	1,856	79.5 (51)	2,230	43.5 (72)
Decatur	27	* *	23	* *	26	* *	19	* *	21	* *	65	* *	68	* *
Dickinson	372	72.8 (23)	278	20.5 (20)	282	11.7 (22)	251	17.9 (10)	271	4.4 (17)	676	87.7 (12)	826	6.3 (10)
Doniphan	148	60.8 (52)	88	* *	98	* *	84	* *	88	* *	223	79.8 (49)	309	44.7 (74)
Douglas	1,468	77.6 (7)	1,016	32.2 (1)	1,048	19.3 (3)	910	23.4 (3)	986	8.1 (2)	2,179	80.4 (44)	2,957	7.4 (14)
Edwards	77	* *	57	* *	59	* *	56	* *	57	* *	170	77.6 (61)	172	25.6 (50)
Elk	57	* *	38	* *	37	* *	33	* *	36	* *	126	85.7 (18)	133	32.3 (58)
Ellis	473	77.6 (7)	298	18.8 (26)	318	9.1 (36)	283	17.7 (12)	297	3.0 (33)	720	81.5 (39)	908	5.1 (5)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ellsworth	109	63.3 (44)	82	* *	89	* *	81	* *	82	* *	247	75.7 (70)	260	15.4 (34)
Finney	1,997	74.2 (15)	1,440	21.7 (15)	1,575	12.2 (19)	1,316	10.8 (38)	1,421	3.4 (29)	4,158	76.8 (65)	4,536	15.3 (33)
Ford	1,813	73.1 (20)	1,375	19.7 (23)	1,534	9.3 (33)	1,244	4.7 (53)	1,363	1.5 (53)	3,753	87.0 (15)	4,040	6.1 (9)
Franklin	554	59.7 (54)	383	13.1 (45)	415	7.5 (44)	356	10.7 (39)	374	3.2 (31)	935	84.4 (23)	1,042	13.7 (26)
Geary	1,234	68.9 (34)	777	14.9 (41)	796	6.4 (48)	776	14.9 (18)	770	4.5 (16)	1,501	74.5 (76)	2,294	37.0 (64)
Gove	34	* *	27	* *	33	* *	25	* *	26	* *	79	* *	82	* *
Graham	48	* *	41	* *	37	* *	30	* *	40	* *	101	76.2 (66)	116	44.8 (75)
Grant	234	69.2 (33)	194	13.9 (43)	214	8.4 (37)	172	5.2 (52)	192	2.6 (40)	508	80.1 (46)	533	14.4 (29)
Gray	151	80.1 (2)	125	30.4 (2)	129	16.3 (8)	108	28.7 (2)	125	6.4 (5)	406	77.1 (64)	397	7.8 (16)
Greeley	37	* *	26	* *	28	* *	25	* *	26	* *	60	* *	70	* *
Greenwood	132	58.3 (58)	115	12.2 (49)	123	8.1 (42)	103	13.6 (25)	113	3.5 (26)	356	96.3 (1)	333	20.1 (41)
Hamilton	74	* *	57	* *	59	* *	47	* *	56	* *	171	75.4 (71)	183	17.5 (38)
Harper	156	72.4 (25)	104	26.0 (7)	113	13.3 (16)	94	* *	104	8.7 (1)	311	70.7 (82)	339	27.7 (52)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Harvey	801	77.8 (6)	612	23.9 (8)	628	12.4 (18)	551	18.1 (9)	606	5.3 (12)	1,658	88.7 (7)	1,836	5.9 (8)
Haskell	65	* *	50	* *	57	* *	44	* *	48	* *	207	80.2 (45)	180	15.6 (35)
Hodgeman	40	* *	29	* *	34	* *	26	* *	29	* *	83	* *	87	* *
Jackson	258	71.7 (29)	183	20.8 (18)	205	9.3 (33)	163	17.8 (11)	181	4.4 (17)	562	83.6 (26)	615	19.2 (39)
Jefferson	190	62.6 (46)	130	13.1 (45)	149	9.4 (31)	126	17.5 (13)	129	7.0 (3)	368	92.4 (2)	399	42.4 (69)
Jewell	39	* *	34	* *	35	* *	30	* *	34	* *	78	* *	85	* *
Johnson	5,891	78.0 (5)	4,061	28.9 (4)	4,309	15.2 (11)	3,730	14.8 (20)	4,000	4.1 (22)	10,128	83.2 (29)	12,359	19.7 (40)
Kearny	67	* *	45	* *	48	* *	42	* *	45	* *	197	76.1 (67)	183	21.9 (44)
Kingman	160	78.8 (4)	119	21.0 (17)	126	14.3 (13)	103	17.5 (13)	114	2.6 (40)	359	82.7 (33)	370	31.6 (56)
Kiowa	43	* *	38	* *	37	* *	30	* *	35	* *	79	* *	98	* *
Labette	545	51.9 (67)	381	10.0 (55)	430	5.6 (53)	346	8.7 (49)	377	1.9 (48)	995	86.6 (16)	1,133	32.9 (60)
Lane	33	* *	25	* *	28	* *	22	* *	24	* *	102	88.2 (10)	93	* *
Leavenworth	1,167	63.1 (45)	696	15.4 (39)	719	7.6 (43)	664	13.6 (25)	692	4.3 (20)	1,539	69.5 (83)	2,232	47.6 (76)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Lincoln	64	* *	55	* *	55	* *	50	* *	55	* *	145	47.6 (87)	157	42.7 (70)
Linn	209	71.8 (27)	151	20.5 (20)	176	10.8 (26)	134	14.9 (18)	148	5.4 (10)	393	85.0 (21)	458	15.7 (36)
Logan	41	* *	34	* *	36	* *	31	* *	34	* *	98	* *	93	* *
Lyon	899	72.9 (22)	668	19.2 (24)	744	9.4 (31)	590	12.9 (28)	659	3.9 (24)	1,890	78.2 (58)	2,042	7.3 (13)
Marion	458	71.8 (27)	324	22.5 (12)	329	10.9 (25)	305	18.7 (7)	315	3.5 (26)	806	78.0 (59)	989	4.4 (4)
Marshall	153	79.7 (3)	109	29.4 (3)	125	14.4 (12)	104	33.7 (1)	107	6.5 (4)	334	88.6 (8)	360	4.2 (3)
McPherson	182	62.6 (46)	125	16.8 (35)	129	9.3 (33)	111	14.4 (21)	122	4.9 (14)	361	69.5 (83)	404	54.2 (84)
Meade	121	73.6 (17)	101	17.8 (29)	102	9.8 (28)	87	* *	101	4.0 (23)	293	79.2 (53)	281	21.0 (42)
Miami	486	73.5 (18)	290	18.6 (27)	288	8.3 (39)	287	18.5 (8)	286	2.8 (37)	633	84.5 (22)	910	21.5 (43)
Mitchell	133	72.2 (26)	90	* *	94	* *	88	* *	88	* *	231	88.3 (9)	276	13.8 (27)
Montgomery	989	59.8 (53)	702	10.4 (53)	799	6.0 (51)	640	8.9 (47)	695	3.0 (33)	1,941	82.5 (35)	2,176	36.0 (61)
Morris	83	* *	50	* *	67	* *	47	* *	50	* *	154	83.1 (31)	187	13.4 (25)
Nemaha	137	62.0 (48)	94	* *	89	* *	87	* *	94	* *	221	81.0 (42)	275	43.6 (73)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Neosho	471	57.1 (60)	313	13.1 (45)	336	6.5 (47)	295	12.2 (30)	311	4.8 (15)	869	81.8 (37)	993	26.3 (51)
Ness	35	* *	23	* *	23	* *	19	* *	23	* *	82	* *	87	* *
Norton	111	76.6 (10)	84	* *	94	* *	70	* *	82	* *	217	88.9 (5)	233	7.7 (15)
Osage	303	59.4 (55)	203	14.8 (42)	215	8.4 (37)	197	11.7 (33)	202	5.9 (6)	491	83.5 (28)	593	23.1 (47)
Osborne	56	* *	44	* *	52	* *	35	* *	42	* *	126	87.3 (14)	143	36.4 (62)
Ottawa	81	* *	61	* *	66	* *	52	* *	58	* *	159	83.0 (32)	185	5.4 (6)
Pawnee	167	73.7 (16)	115	17.4 (32)	140	7.1 (46)	116	20.7 (4)	113	2.7 (38)	333	75.4 (71)	361	10.8 (21)
Phillips	114	85.1 (1)	87	* *	93	* *	73	* *	85	* *	222	77.5 (62)	270	38.9 (67)
Pottawatom	118	68.6 (36)	88	* *	108	18.5 (4)	78	* *	84	* *	312	84.0 (24)	304	7.2 (12)
Pratt	225	67.1 (41)	146	17.1 (33)	169	11.8 (21)	135	15.6 (16)	141	5.7 (8)	432	86.1 (17)	488	37.7 (65)
Rawlins	34	* *	36	* *	35	* *	29	* *	34	* *	95	* *	84	* *
Reno	1,432	64.1 (43)	955	17.6 (30)	1,009	9.8 (28)	854	13.0 (27)	939	3.6 (25)	2,295	87.8 (11)	2,937	10.8 (21)
Republic	104	76.0 (11)	89	* *	84	* *	80	* *	88	* *	223	73.5 (77)	234	48.3 (78)

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Rice	216	69.4 (32)	139	15.8 (38)	150	7.3 (45)	125	12.0 (31)	134	3.0 (33)	432	85.4 (20)	483	14.9 (31)
Riley	3,103	76.7 (9)	2,023	22.6 (11)	2,024	11.0 (24)	1,919	20.1 (6)	1,983	5.4 (10)	4,512	71.5 (79)	6,625	14.6 (30)
Rooks	132	68.2 (37)	101	23.8 (9)	110	17.3 (7)	90	* *	97	* *	268	83.6 (26)	308	39.0 (68)
Rush	39	* *	24	* *	25	* *	23	* *	24	* *	88	* *	89	* *
Russell	139	61.9 (51)	92	* *	96	* *	79	* *	88	* *	234	79.5 (51)	284	59.2 (86)
Saline	1,576	62.0 (48)	1,049	13.1 (45)	1,147	6.0 (51)	964	9.3 (42)	1,039	1.7 (50)	2,511	78.4 (55)	3,111	8.0 (17)
Scott	129	58.9 (57)	105	26.7 (6)	122	18.0 (6)	93	* *	99	* *	337	75.1 (74)	321	32.4 (59)
Sedgwick	13,515	67.2 (40)	9,553	15.9 (37)	10,024	8.3 (39)	8,783	9.3 (42)	9,450	2.4 (43)	23,823	75.1 (74)	28,358	9.9 (19)
Seward	1,422	71.4 (30)	1,086	22.3 (14)	1,131	11.6 (23)	987	8.8 (48)	1,066	2.4 (43)	2,746	68.5 (85)	3,113	15.0 (32)
Shawnee	4,119	67.7 (38)	3,012	20.7 (19)	3,271	12.7 (17)	2,691	14.2 (23)	2,963	5.1 (13)	7,643	75.3 (73)	8,844	8.2 (18)
Sheridan	35	* *	25	* *	26	* *	19	* *	25	* *	57	* *	75	* *
Sherman	187	73.3 (19)	133	23.3 (10)	148	18.2 (5)	126	12.7 (29)	130	3.1 (32)	409	79.7 (50)	457	23.9 (48)
Smith	61	* *	48	* *	57	* *	42	* *	47	* *	145	71.7 (78)	153	28.1 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Stafford	108	73.1 (20)	88	* *	92	* *	74	* *	86	* *	286	83.2 (29)	272	7.0 (11)
Stanton	62	* *	53	* *	54	* *	48	* *	53	* *	161	78.3 (56)	149	14.1 (28)
Stevens	236	75.8 (12)	188	27.1 (5)	199	16.1 (9)	157	20.4 (5)	182	2.2 (46)	572	82.5 (35)	581	12.2 (23)
Sumner	535	66.9 (42)	373	15.0 (40)	401	8.2 (41)	353	17.3 (15)	367	3.5 (26)	900	77.9 (60)	1,074	49.2 (79)
Thomas	176	74.4 (14)	121	19.8 (22)	131	15.3 (10)	111	15.3 (17)	118	5.9 (6)	281	81.1 (41)	364	24.5 (49)
Trego	42	* *	33	* *	38	* *	31	* *	32	* *	103	80.6 (43)	111	51.4 (83)
Wabaunsee	64	* *	54	* *	58	* *	46	* *	54	* *	131	85.5 (19)	150	3.3 (1)
Wallace	1	* *	0	* *	0	* *	1	* *	0	* *	2	* *	3	* *
Washington	79	* *	51	* *	65	* *	47	* *	51	* *	180	76.1 (67)	188	38.8 (66)
Wichita	51	* *	40	* *	44	* *	35	* *	39	* *	139	92.1 (3)	138	31.9 (57)
Wilson	266	62.0 (48)	205	10.7 (52)	218	5.0 (55)	189	8.5 (50)	203	1.5 (53)	548	78.3 (56)	576	50.0 (82)
Woodson	36	* *	21	* *	22	* *	20	* *	21	* *	64	* *	68	* *
Wyandotte	6,256	68.8 (35)	4,454	22.5 (12)	4,733	14.1 (15)	4,026	9.0 (46)	4,407	4.4 (17)	11,993	70.9 (81)	13,408	22.1 (45)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)
Unknown Counties	45	* *	32	* *	32	* *	30	* *	32	* *
Kansas	65,162	68.9	45,914	19.5	48,792	10.8	41,999	12.4	45,272	3.7
									117,290	77.9
									138,579	17.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

