



Kansas Department of Health and Environment
 Division of Environment
 Bureau of Water, Public Water Supply Section
 (785) 296-5514

December 30, 2022

Our Mission: To protect and improve the health and environment of all Kansans.

KS2008510 - JACKSON CO RWD 3

Monitoring Schedule for 2023

| | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | TOTAL |
|------------------------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| COLIFORM (TCR) | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 60 |
| * HAA5 & TTHM | 2 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 8 |
| CDS SOC_PESTICIDES | NOT DUE THIS YEAR | | | | | | | | | | | | |
| FLUORIDE | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| FULL RADIOCHEMISTRY ANALYSIS | NOT DUE THIS YEAR | | | | | | | | | | | | |
| INORGANICS | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 |
| LEAD & COPPER | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 | 0 | 0 | 0 | 20 |
| NITRATE | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| VOLATILE ORGANICS | NOT DUE THIS YEAR | | | | | | | | | | | | |

***Note: The HAA5 & TTHM Schedule is a dual set, therefore there are two sample bottles per scheduled event.**

Please Note: The above schedule is subject to change if circumstances at your water system change. The KDHE will make every effort to notify your system of changes; however, your system is responsible for compliance with monitoring requirements regardless of KDHE notification.