

Table 4F
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Barton	1,770	64.5	2.3	31.6	0.1	0.1	1.5	0.0
Butler	1,023	88.0	2.7	6.4	0.4	0.0	2.5	0.0
Chautauqua	212	87.7	0.5	8.5	1.9	0.0	1.4	0.0
Cherokee	2,692	76.9	8.4	8.2	1.9	0.7	3.8	0.0
Cowley	1,420	71.5	4.2	20.4	0.8	0.8	2.2	0.0
Crawford	2,206	82.1	4.7	8.6	0.5	0.7	3.4	0.0
Doniphan	146	84.9	6.2	5.5	1.4	0.0	2.1	0.0
Douglas	1,630	52.2	12.1	14.8	8.6	5.1	7.2	0.0
Ford	2,922	24.4	1.0	74.1	0.0	0.3	0.3	0.0
Franklin	649	85.4	2.6	7.1	0.5	0.0	4.5	0.0
Geary	1,087	43.5	23.9	22.2	0.4	2.6	7.5	0.0
Graham	193	80.8	3.6	12.4	1.0	0.0	2.1	0.0
Greeley	34	*	*	*	*	*	*	*
Greenwood	208	91.3	1.4	3.8	0.5	0.0	2.9	0.0
Harvey	1,059	59.8	3.1	32.5	1.0	0.3	3.3	0.0
Jefferson	261	93.1	3.1	2.3	0.4	0.0	1.1	0.0
Johnson	7,099	36.1	14.1	43.6	0.4	2.5	3.3	0.0
Leavenworth	1,176	55.2	21.0	14.1	0.4	0.9	8.4	0.0
Linn	260	94.2	1.2	3.5	0.0	0.0	1.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lyon	1,469	51.7	4.4	42.3	0.2	0.4	1.0	0.0
Marion	783	87.1	0.9	9.1	0.4	0.4	2.2	0.0
Marshall	232	86.6	1.7	4.7	1.7	0.0	5.2	0.0
Miami	492	82.9	5.1	8.5	0.2	0.4	2.8	0.0
NEK	1,253	76.5	5.5	4.9	8.7	0.1	4.3	0.0
Nemaha	155	88.4	1.9	7.1	0.6	0.0	1.9	0.0
Neosho	573	83.9	2.8	11.7	0.5	0.3	0.7	0.0
Osborne	1,291	82.4	3.0	11.2	0.8	0.2	2.3	0.0
Reno	2,267	75.5	4.5	16.1	0.7	0.4	2.8	0.0
Riley	3,285	67.7	11.4	13.7	0.7	2.7	3.9	0.0
Saline	3,070	72.6	3.7	18.3	0.3	1.2	3.9	0.0
Scott	256	65.6	1.6	32.0	0.0	0.4	0.4	0.0
Sedgwick	16,210	35.9	17.7	37.2	1.6	2.9	4.8	0.0
SEK	222	88.3	1.8	6.3	0.0	1.4	2.3	0.0
Seward	1,807	11.8	1.9	82.7	2.3	0.8	0.4	0.0
Shawnee	5,668	45.5	16.4	30.9	1.3	0.3	5.5	0.0
Sheridan	41	*	*	*	*	*	*	*
Sherman	674	71.8	1.0	23.4	0.6	0.4	2.7	0.0
SKCPH	997	82.0	1.0	15.3	0.7	0.4	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2008 Pediatric Nutrition Surveillance (1)

Kansas
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Stevens	322	37.3	0.0	61.5	0.0	0.3	0.9	0.0
Sumner	576	85.9	2.1	9.4	0.5	0.2	1.9	0.0
SW KS WIC	3,507	24.4	1.2	72.0	0.2	1.7	0.5	0.0
Wichita	83	*	*	*	*	*	*	*
Wilson	374	90.4	2.7	5.3	0.0	0.3	1.3	0.0
Wyandotte	7,900	19.7	28.6	47.8	0.2	2.2	1.5	0.0
Unknown Local Ag.	2	*	*	*	*	*	*	*
Kansas	79,556	49.1	11.6	33.2	1.1	1.6	3.3	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Barton	1,770	29.7	24.3	46.0
Butler	1,023	34.9	21.6	43.5
Chautauqua	212	31.1	17.9	50.9
Cherokee	2,692	31.7	24.5	43.8
Cowley	1,420	30.5	23.0	46.5
Crawford	2,206	34.9	23.3	41.8
Doniphan	146	34.2	24.0	41.8
Douglas	1,630	36.1	24.0	39.9
Ford	2,922	28.6	23.5	47.8
Franklin	649	32.2	23.0	44.8
Geary	1,087	36.7	24.5	38.8
Graham	193	28.5	25.4	46.1
Greeley	34	*	*	*
Greenwood	208	23.6	21.2	55.3
Harvey	1,059	29.6	23.7	46.7
Jefferson	261	28.4	27.6	44.1
Johnson	7,099	32.9	24.1	43.0
Leavenworth	1,176	35.7	23.5	40.8

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Linn	260	26.9	31.9	41.2
Lyon	1,469	31.5	22.5	45.9
Marion	783	30.9	22.7	46.4
Marshall	232	32.8	19.8	47.4
Miami	492	34.8	23.8	41.5
NEK	1,253	27.8	25.8	46.4
Nemaha	155	30.3	26.5	43.2
Neosho	573	34.6	20.6	44.9
Osborne	1,291	29.7	24.3	46.0
Reno	2,267	33.8	23.4	42.8
Riley	3,285	33.1	24.9	42.0
Saline	3,070	32.3	24.3	43.4
Scott	256	22.7	24.2	53.1
Sedgwick	16,210	32.5	23.8	43.6
SEK	222	28.4	26.6	45.0
Seward	1,807	33.1	22.6	44.3
Shawnee	5,668	32.0	22.8	45.2
Sheridan	41	*	*	*

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Sherman	674	27.9	22.8	49.3
SKCPH	997	28.8	24.9	46.3
Stevens	322	23.6	26.1	50.3
Sumner	576	32.5	24.7	42.9
SW KS WIC	3,507	29.3	22.9	47.8
Wichita	83	*	*	*
Wilson	374	27.0	26.2	46.8
Wyandotte	7,900	31.3	23.8	44.9
Unknown Local Ag.	2	*	*	*
Kansas	79,556	31.9	23.8	44.4
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Barton	413	8.5 (20)	7.7 (25)	1,706	6.7 (19)	3.3 (26)	12.4 (19)	796	13.6 (4)	14.8 (32)	1,160	10.2 (20)
Butler	288	10.8 (29)	5.9 (12)	995	10.6 (39)	3.6 (29)	11.0 (13)	435	13.6 (4)	9.9 (8)	634	20.5 (37)
Chautauqua	42	* *	* *	206	8.3 (32)	2.4 (10)	18.0 (40)	105	21.0 (34)	15.2 (34)	153	8.5 (14)
Cherokee	667	8.1 (18)	5.7 (10)	2,628	7.0 (22)	3.1 (21)	12.6 (21)	1,144	16.9 (19)	14.0 (26)	1,772	9.4 (17)
Cowley	351	7.1 (11)	7.7 (25)	1,381	6.2 (14)	1.6 (6)	13.1 (27)	642	17.3 (22)	13.7 (23)	932	7.9 (11)
Crawford	570	8.6 (21)	5.6 (8)	2,136	7.6 (27)	1.5 (5)	15.0 (37)	908	17.2 (21)	14.0 (26)	1,374	8.8 (15)
Doniphan	38	* *	* *	131	15.3 (41)	6.1 (39)	22.9 (41)	57	* *	* *	85	* *
Douglas	438	6.2 (9)	6.8 (19)	1,587	8.3 (32)	1.4 (4)	14.2 (34)	625	18.7 (29)	13.3 (20)	1,058	12.6 (26)
Ford	689	5.5 (2)	6.4 (14)	2,772	6.8 (21)	2.8 (16)	17.3 (39)	1,346	16.9 (19)	15.8 (36)	1,874	6.2 (4)
Franklin	159	6.9 (10)	6.3 (13)	629	7.8 (29)	2.2 (9)	12.4 (19)	273	17.6 (25)	11.0 (13)	404	5.9 (3)
Geary	332	6.0 (7)	4.8 (3)	1,040	8.5 (34)	3.2 (23)	10.3 (8)	411	17.3 (22)	10.9 (12)	656	14.9 (30)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Graham	32	* *	* *	189	10.6 (39)	3.2 (23)	12.7 (23)	89	* *	* *	137	23.4 (38)
Greeley	10	* *	* *	32	* *	* *	* *	13	* *	* *	14	* *
Greenwood	41	* *	* *	203	7.4 (26)	2.5 (11)	11.8 (14)	107	16.8 (17)	14.0 (26)	147	6.8 (5)
Harvey	224	9.8 (26)	5.4 (6)	1,012	7.2 (24)	2.1 (8)	13.0 (26)	489	20.0 (33)	14.1 (29)	714	9.2 (16)
Jefferson	64	* *	* *	256	5.9 (13)	5.9 (38)	12.9 (24)	118	22.0 (36)	6.8 (3)	159	18.2 (35)
Johnson	1,694	8.0 (16)	6.9 (21)	6,784	5.6 (9)	2.6 (13)	12.3 (18)	2,983	16.2 (11)	12.7 (17)	4,507	6.9 (8)
Leavenwort	308	9.7 (25)	4.2 (2)	1,120	7.9 (30)	2.9 (17)	9.8 (6)	470	19.4 (32)	13.0 (19)	711	15.9 (34)
Linn	53	* *	* *	249	9.6 (37)	0.8 (1)	12.9 (24)	106	23.6 (37)	12.3 (16)	174	10.3 (21)
Lyon	362	5.8 (4)	6.6 (17)	1,440	4.8 (7)	2.6 (13)	12.6 (21)	661	16.5 (15)	17.2 (37)	946	5.4 (1)
Marion	168	5.4 (1)	7.1 (23)	762	5.4 (8)	3.1 (21)	9.4 (4)	352	14.8 (8)	11.4 (14)	534	7.7 (9)
Marshall	55	* *	* *	211	2.8 (2)	17.5 (41)	8.5 (3)	102	8.8 (2)	2.0 (1)	143	8.4 (13)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Miami	140	8.6 (21)	5.7 (10)	474	9.7 (38)	1.1 (2)	13.1 (27)	202	17.3 (22)	13.9 (24)	299	19.4 (36)
NEK	261	8.0 (16)	8.0 (28)	1,201	4.2 (6)	3.2 (23)	13.1 (27)	557	18.5 (28)	14.4 (30)	784	11.4 (24)
Nemaha	35	* *	* *	149	3.4 (4)	4.0 (31)	16.1 (38)	72	* *	* *	95	* *
Neosho	123	7.3 (14)	6.5 (15)	561	8.7 (36)	3.0 (20)	13.5 (33)	244	16.8 (17)	10.7 (11)	354	14.1 (29)
Osborne	292	10.6 (27)	3.1 (1)	1,247	6.3 (15)	4.1 (33)	10.1 (7)	577	18.7 (29)	10.6 (10)	858	7.7 (9)
Reno	620	6.1 (8)	7.3 (24)	2,241	6.5 (16)	3.8 (30)	7.5 (1)	956	15.0 (9)	10.4 (9)	1,425	6.8 (5)
Riley	820	7.1 (11)	6.5 (15)	3,195	5.6 (9)	2.9 (17)	9.5 (5)	1,369	14.1 (6)	9.1 (5)	1,792	6.8 (5)
Saline	784	8.2 (19)	5.1 (5)	2,979	8.5 (34)	2.5 (11)	14.4 (35)	1,311	17.8 (26)	14.9 (33)	2,011	10.5 (22)
Scott	41	* *	* *	242	2.5 (1)	8.7 (40)	10.3 (8)	127	6.3 (1)	6.3 (2)	179	10.1 (19)
Sedgwick	4,121	9.4 (24)	6.9 (21)	15,824	7.7 (28)	1.7 (7)	13.1 (27)	6,914	18.0 (27)	15.5 (35)	10,600	13.8 (28)
SEK	50	* *	* *	211	6.6 (18)	3.3 (26)	11.8 (14)	96	* *	* *	148	15.5 (32)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Seward	437	5.5 (2)	4.8 (3)	1,737	3.8 (5)	4.0 (31)	10.5 (10)	772	16.2 (11)	13.9 (24)	1,074	10.7 (23)
Shawnee	1,323	7.2 (13)	5.4 (6)	5,489	6.7 (19)	2.6 (13)	14.6 (36)	2,500	19.2 (31)	14.4 (30)	3,617	13.0 (27)
Sheridan	7	* *	* *	40	* *	* *	* *	22	* *	* *	27	* *
Sherman	142	7.7 (15)	5.6 (8)	656	7.0 (22)	4.6 (36)	7.5 (1)	326	14.4 (7)	8.3 (4)	440	12.0 (25)
SKCPH	214	10.7 (28)	9.8 (29)	971	6.5 (16)	4.5 (35)	11.9 (16)	446	16.6 (16)	11.9 (15)	641	8.0 (12)
Stevens	35	* *	* *	307	2.9 (3)	1.3 (3)	13.4 (32)	157	21.0 (34)	13.4 (21)	222	15.8 (33)
Sumner	155	5.8 (4)	7.7 (25)	557	7.2 (24)	2.9 (17)	13.3 (31)	234	16.2 (11)	9.4 (7)	365	15.3 (31)
SW KS WIC	796	5.9 (6)	6.8 (19)	3,379	5.6 (9)	5.6 (37)	12.1 (17)	1,619	10.4 (3)	9.3 (6)	2,336	26.6 (39)
Wichita	13	* *	* *	80	* *	* *	* *	44	* *	* *	61	* *
Wilson	81	* *	* *	368	7.9 (30)	4.3 (34)	10.6 (11)	171	16.4 (14)	13.5 (22)	253	5.5 (2)
Wyandotte	1,930	9.1 (23)	6.7 (18)	7,598	5.6 (9)	3.3 (26)	10.6 (11)	3,404	15.8 (10)	12.8 (18)	5,324	9.6 (18)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Unknown Local Ag.	0	* *	* *	1	* *	* *	* *	0	* *	* *	1	* *
Kansas	19,418	8.1	6.4	76,976	6.7	2.8	12.4	34,352	16.7	13.3	51,194	11.4
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588	15.0

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Barton	403	73.9 (8)	176	19.9 (14)	286	11.5 (15)	98	* *	172	3.5 (6)	853	81.0 (16)	1,723	11.0 (6)
Butler	289	68.5 (16)	97	* *	153	9.8 (18)	60	* *	96	* *	467	66.4 (36)	1,002	12.0 (9)
Chautauqua	42	* *	19	* *	22	* *	9	* *	18	* *	110	90.9 (3)	206	39.8 (31)
Cherokee	667	58.3 (24)	267	11.6 (22)	458	7.2 (24)	149	14.1 (7)	264	2.7 (10)	1,245	82.6 (12)	2,659	34.3 (29)
Cowley	346	52.3 (29)	130	13.8 (20)	211	6.6 (25)	74	* *	129	0.8 (20)	694	82.4 (13)	1,388	12.2 (10)
Crawford	575	57.7 (25)	230	12.2 (21)	345	6.4 (26)	131	13.7 (8)	228	0.9 (17)	974	76.0 (29)	2,159	42.5 (33)
Doniphan	39	* *	13	* *	21	* *	8	* *	13	* *	61	* *	143	55.2 (41)
Douglas	428	74.8 (6)	202	35.1 (1)	290	22.4 (2)	102	25.5 (1)	197	7.6 (1)	670	77.5 (25)	1,578	6.4 (3)
Ford	682	73.9 (8)	275	24.7 (6)	470	13.8 (8)	123	11.4 (9)	271	2.2 (13)	1,437	83.0 (11)	2,830	5.4 (2)
Franklin	160	53.1 (28)	54	* *	102	13.7 (9)	33	* *	53	* *	294	79.6 (21)	633	11.1 (8)
Geary	312	66.7 (18)	114	15.8 (18)	185	8.1 (22)	80	* *	113	3.5 (6)	438	76.0 (29)	1,036	40.9 (32)
Graham	35	* *	30	* *	35	* *	18	* *	30	* *	85	* *	170	45.3 (36)
Greeley	10	* *	2	* *	5	* *	1	* *	2	* *	15	* *	34	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Greenwood	40	* *	22	* *	32	* *	15	* *	22	* *	121	98.3 (1)	205	21.5 (22)
Harvey	231	76.6 (4)	117	22.2 (10)	164	15.9 (5)	69	* *	115	0.9 (17)	530	88.5 (5)	1,043	5.1 (1)
Jefferson	64	* *	25	* *	43	* *	18	* *	25	* *	115	95.7 (2)	242	45.0 (35)
Johnson	1,753	77.3 (1)	724	28.5 (2)	1,110	16.8 (4)	422	15.4 (6)	718	2.8 (9)	3,205	83.4 (10)	6,888	19.5 (20)
Leavenworth	317	62.1 (22)	106	15.1 (19)	176	7.4 (23)	67	* *	106	0.9 (17)	497	67.4 (34)	1,118	52.0 (39)
Linn	55	* *	26	* *	51	* *	11	* *	26	* *	113	84.1 (8)	252	18.7 (18)
Lyon	352	70.5 (15)	140	17.9 (15)	230	8.3 (21)	73	* *	138	2.2 (13)	716	81.3 (15)	1,447	12.9 (11)
Marion	161	73.3 (10)	81	* *	117	17.1 (3)	55	* *	80	* *	381	88.7 (4)	764	6.8 (4)
Marshall	60	* *	21	* *	32	* *	10	* *	21	* *	112	65.2 (37)	228	53.1 (40)
Miami	136	77.2 (2)	48	* *	75	* *	31	* *	47	* *	214	85.0 (6)	477	22.9 (23)
NEK	276	55.8 (26)	127	25.2 (4)	208	28.8 (1)	62	* *	124	2.4 (11)	596	83.9 (9)	1,227	30.5 (27)
Nemaha	40	* *	18	* *	26	* *	9	* *	17	* *	72	* *	155	43.2 (34)
Neosho	151	53.6 (27)	53	* *	80	* *	32	* *	51	* *	263	79.5 (22)	567	18.9 (19)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Osborne	306	74.2 (7)	145	26.9 (3)	225	15.1 (6)	80	* *	144	3.5 (6)	632	80.5 (18)	1,282	24.2 (24)
Reno	601	61.7 (23)	217	20.7 (13)	353	12.5 (14)	128	19.5 (3)	213	4.2 (5)	1,012	84.9 (7)	2,221	13.9 (14)
Riley	753	77.0 (3)	329	24.0 (8)	534	10.1 (16)	193	20.7 (2)	319	5.3 (3)	1,420	72.9 (33)	3,137	14.5 (15)
Saline	783	63.3 (20)	309	16.5 (16)	491	9.8 (18)	176	16.5 (5)	305	1.6 (16)	1,404	79.7 (20)	3,004	13.4 (13)
Scott	43	* *	21	* *	46	* *	13	* *	20	* *	140	80.0 (19)	246	32.1 (28)
Sedgwick	4,029	65.3 (19)	1,657	16.1 (17)	2,604	9.0 (20)	978	9.8 (11)	1,636	2.0 (15)	7,468	73.5 (32)	15,872	10.9 (5)
SEK	49	* *	24	* *	36	* *	12	* *	23	* *	103	78.6 (23)	216	20.8 (21)
Seward	439	71.1 (13)	173	24.3 (7)	265	13.6 (10)	91	* *	166	0.6 (21)	823	64.3 (38)	1,740	15.5 (16)
Shawnee	1,333	66.8 (17)	565	21.9 (11)	872	14.2 (7)	289	18.7 (4)	560	5.2 (4)	2,654	74.7 (31)	5,508	11.0 (6)
Sheridan	7	* *	6	* *	9	* *	2	* *	6	* *	22	* *	39	* *
Sherman	135	71.9 (12)	59	* *	96	* *	40	* *	57	* *	340	78.5 (24)	656	27.6 (26)
SKCPH	232	72.8 (11)	100	25.0 (5)	169	13.0 (12)	62	* *	99	* *	482	76.3 (27)	982	38.0 (30)
Stevens	58	* *	39	* *	57	* *	19	* *	39	* *	169	81.7 (14)	316	13.0 (12)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sumner	155	63.2 (21)	58	* *	101	9.9 (17)	38	* *	57	* *	253	77.5 (25)	556	49.3 (38)
SW KS WIC	804	75.4 (5)	290	23.1 (9)	550	12.7 (13)	141	10.6 (10)	289	6.6 (2)	1,750	76.1 (28)	3,418	17.5 (17)
Wichita	13	* *	8	* *	12	* *	6	* *	8	* *	48	* *	82	* *
Wilson	78	* *	35	* *	62	* *	17	* *	34	* *	186	80.6 (17)	369	48.5 (37)
Wyandotte	1,900	70.9 (14)	726	21.6 (12)	1,268	13.6 (10)	345	6.1 (12)	718	2.4 (11)	3,684	67.3 (35)	7,664	26.3 (25)
Unknown Local Ag.	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	1	* *
Kansas	19,342	68.0	7,878	20.6	12,678	12.2	4,390	14.0	7,769	2.9	36,868	76.8	77,483	18.6
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2	182,064	5.2	687,613	75.0	3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Barton	988	9.5 (29)	6.0 (14)	4,450	6.0 (18)	3.5 (28)	11.8 (17)	2,103	14.9 (9)	14.3 (32)	3,067	7.1 (8)
Butler	639	9.7 (33)	5.8 (13)	2,602	9.9 (43)	3.6 (32)	9.8 (8)	1,116	13.8 (4)	9.3 (5)	1,696	21.2 (42)
Chautauqua	87	* *	* *	556	6.8 (28)	2.7 (13)	16.5 (42)	272	15.4 (15)	16.2 (37)	408	8.3 (18)
Cherokee	1,636	8.3 (17)	5.0 (7)	6,836	6.3 (23)	2.9 (20)	11.9 (18)	2,906	16.6 (17)	13.4 (27)	4,489	7.9 (16)
Cowley	763	8.3 (17)	7.6 (32)	3,496	6.1 (20)	1.6 (2)	12.6 (26)	1,601	16.6 (17)	12.4 (18)	2,385	8.7 (20)
Crawford	1,345	8.9 (23)	4.8 (5)	5,507	7.6 (35)	1.8 (4)	14.9 (38)	2,320	18.7 (33)	14.9 (35)	3,559	6.5 (6)
Doniphan	87	* *	* *	338	15.4 (45)	5.9 (41)	24.0 (45)	156	25.6 (43)	39.7 (43)	240	5.8 (3)
Douglas	1,048	7.8 (14)	7.3 (28)	4,159	7.5 (33)	1.5 (1)	12.6 (26)	1,656	18.0 (30)	12.9 (23)	2,715	15.0 (34)
Ford	1,588	5.7 (3)	6.0 (14)	7,162	5.4 (10)	2.7 (13)	15.9 (40)	3,476	17.3 (22)	16.7 (39)	4,829	7.7 (13)
Franklin	367	9.3 (27)	4.9 (6)	1,553	8.1 (39)	2.3 (9)	11.4 (14)	679	17.4 (24)	10.5 (10)	1,031	6.0 (4)
Geary	749	6.9 (9)	6.9 (25)	2,578	7.6 (35)	2.8 (16)	9.0 (4)	1,020	18.9 (34)	10.5 (10)	1,619	15.4 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Graham	83	* *	* *	463	8.4 (41)	3.9 (35)	12.1 (21)	210	21.0 (40)	9.0 (4)	317	20.2 (40)
Greeley	16	* *	* *	100	2.0 (2)	7.0 (43)	11.0 (13)	50	* *	* *	66	* *
Greenwood	102	10.8 (37)	3.9 (2)	509	5.1 (9)	4.9 (39)	11.6 (15)	240	17.9 (27)	12.5 (20)	359	6.1 (5)
Harvey	528	8.9 (23)	6.1 (17)	2,554	6.7 (26)	2.5 (11)	13.5 (32)	1,228	19.6 (37)	13.8 (29)	1,739	9.9 (25)
Jefferson	145	6.2 (4)	11.0 (38)	627	6.2 (21)	3.5 (28)	15.5 (39)	286	22.7 (41)	11.9 (16)	420	15.7 (36)
Johnson	4,022	7.5 (13)	7.3 (28)	16,783	5.7 (14)	2.4 (10)	12.0 (19)	7,066	16.8 (20)	12.6 (21)	10,869	7.1 (8)
Leavenwort	744	9.5 (29)	3.5 (1)	2,867	7.4 (31)	3.2 (23)	12.4 (25)	1,175	19.7 (38)	13.9 (30)	1,808	14.7 (33)
Linn	136	8.1 (15)	5.1 (8)	625	9.1 (42)	1.8 (4)	12.6 (26)	273	20.9 (39)	12.8 (22)	445	9.7 (23)
Lyon	935	7.0 (10)	7.4 (31)	3,993	4.3 (6)	2.5 (11)	14.3 (37)	1,784	17.9 (27)	18.6 (40)	2,631	5.1 (2)
Marion	412	6.6 (6)	6.6 (19)	1,980	5.4 (10)	3.3 (25)	9.2 (5)	927	15.2 (12)	10.4 (8)	1,372	7.3 (11)
Marshall	261	9.6 (32)	10.0 (36)	1,630	2.6 (3)	6.6 (42)	9.5 (6)	736	10.5 (2)	8.8 (3)	1,119	9.8 (24)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Miami	311	6.8 (8)	5.1 (8)	1,263	10.4 (44)	1.7 (3)	14.0 (34)	561	17.3 (22)	13.0 (24)	868	21.1 (41)
NEK	586	8.5 (20)	6.8 (22)	3,118	5.5 (12)	3.8 (34)	12.0 (19)	1,442	15.9 (16)	13.0 (24)	2,071	13.3 (32)
Nemaha	67	* *	* *	370	4.6 (7)	2.7 (13)	16.5 (42)	181	19.3 (35)	22.1 (42)	242	7.4 (12)
Neosho	291	10.7 (36)	6.9 (25)	1,449	7.7 (37)	4.3 (37)	12.3 (22)	630	13.8 (4)	10.8 (14)	905	15.8 (37)
Osborne	732	8.3 (17)	4.5 (4)	3,186	5.9 (17)	3.6 (32)	10.9 (12)	1,471	18.0 (30)	11.2 (15)	2,180	6.8 (7)
Reno	1,384	6.6 (6)	8.2 (35)	5,829	6.5 (24)	3.3 (25)	8.4 (2)	2,478	15.2 (12)	10.6 (12)	3,754	8.2 (17)
Riley	2,013	7.3 (12)	8.0 (33)	8,342	5.8 (15)	2.8 (16)	10.3 (10)	3,551	14.6 (7)	9.6 (6)	4,878	7.2 (10)
Saline	1,718	9.1 (25)	5.2 (11)	7,413	8.1 (39)	2.8 (16)	13.5 (32)	3,335	17.5 (26)	13.6 (28)	5,030	8.5 (19)
Scott	103	2.9 (1)	6.8 (22)	589	3.4 (4)	9.0 (45)	9.7 (7)	311	5.5 (1)	7.1 (1)	427	11.7 (26)
Sedgwick	9,702	9.2 (26)	6.8 (22)	40,460	7.8 (38)	1.8 (4)	14.2 (35)	17,582	18.6 (32)	16.5 (38)	27,016	13.2 (31)
SEK	117	8.5 (20)	5.1 (8)	520	6.0 (18)	3.5 (28)	12.3 (22)	244	15.2 (12)	15.2 (36)	358	11.7 (26)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Seward	862	5.1 (2)	6.3 (18)	3,335	3.6 (5)	5.6 (40)	10.2 (9)	1,528	15.1 (10)	12.4 (18)	1,990	13.1 (30)
Shawnee	3,139	8.2 (16)	5.4 (12)	14,592	6.2 (21)	2.8 (16)	14.2 (35)	6,627	17.9 (27)	14.7 (34)	9,659	12.6 (29)
Sheridan	21	* *	* *	105	1.9 (1)	7.6 (44)	5.7 (1)	51	* *	* *	70	* *
Sherman	348	9.5 (29)	6.0 (14)	1,691	6.7 (26)	3.3 (25)	8.7 (3)	786	14.2 (6)	10.4 (8)	1,156	7.8 (15)
SKCPH	505	11.9 (38)	8.1 (34)	2,529	6.6 (25)	4.5 (38)	11.6 (15)	1,179	14.7 (8)	10.6 (12)	1,704	9.3 (21)
Stevens	100	10.0 (34)	10.0 (36)	611	4.9 (8)	2.0 (8)	15.9 (40)	302	23.5 (42)	13.9 (30)	411	17.5 (38)
Sumner	314	7.0 (10)	7.3 (28)	1,444	7.4 (31)	3.0 (21)	12.3 (22)	637	17.4 (24)	8.5 (2)	950	19.7 (39)
SW KS WIC	1,921	6.5 (5)	6.7 (21)	9,256	5.8 (15)	4.0 (36)	13.1 (31)	4,439	11.4 (3)	10.3 (7)	6,413	22.9 (43)
Wichita	30	* *	* *	259	7.3 (30)	1.9 (7)	17.4 (44)	128	19.5 (36)	20.3 (41)	188	3.7 (1)
Wilson	233	9.4 (28)	3.9 (2)	994	7.1 (29)	3.5 (28)	12.7 (29)	432	17.1 (21)	13.2 (26)	652	7.7 (13)
Wyandotte	4,802	8.5 (20)	7.0 (27)	19,583	5.5 (12)	3.2 (23)	10.5 (11)	8,382	15.1 (10)	12.1 (17)	13,283	9.6 (22)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Unknown Local Ag.	486	10.3 (35)	6.6 (19)	2,203	7.5 (33)	3.0 (21)	13.0 (30)	675	16.7 (19)	14.5 (33)	1,201	11.7 (26)
Kansas	46,466	8.2	6.5	200,509	6.6	2.8	12.6	88,232	16.7	13.5	132,589	11.1

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Barton	1,670	68.7 (15)	1,152	21.3 (22)	1,082	12.6 (21)	1,008	17.1 (21)	1,061	5.3 (23)	2,217	81.1 (24)	3,945	15.1 (11)
Butler	1,037	68.9 (13)	712	19.0 (29)	621	9.2 (30)	630	12.5 (32)	656	4.3 (31)	1,188	66.4 (42)	2,390	13.1 (8)
Chautauqua	182	67.6 (18)	149	20.8 (23)	133	10.5 (24)	124	21.0 (11)	137	5.8 (19)	280	88.9 (3)	473	42.5 (38)
Cherokee	2,746	53.9 (36)	1,975	13.4 (40)	1,704	6.5 (38)	1,772	12.6 (31)	1,819	4.1 (32)	3,163	83.3 (17)	6,145	32.5 (32)
Cowley	1,314	50.8 (39)	921	14.8 (38)	827	7.0 (36)	797	11.9 (34)	857	3.0 (39)	1,625	82.0 (19)	2,991	12.7 (7)
Crawford	2,269	56.0 (32)	1,547	15.0 (37)	1,289	6.8 (37)	1,367	14.6 (26)	1,435	4.5 (28)	2,513	79.1 (26)	4,922	39.7 (34)
Doniphan	157	47.1 (42)	82	* *	80	* *	85	* *	77	* *	165	78.8 (29)	333	57.7 (43)
Douglas	1,725	73.8 (6)	1,230	30.3 (6)	1,039	18.1 (4)	1,043	26.2 (6)	1,112	11.7 (5)	1,761	78.4 (31)	3,734	8.7 (4)
Ford	2,621	71.7 (9)	1,831	25.8 (11)	1,759	14.0 (11)	1,517	11.1 (37)	1,647	4.7 (27)	3,688	85.8 (10)	6,441	6.9 (2)
Franklin	657	51.9 (38)	411	16.5 (34)	408	7.6 (34)	362	12.2 (33)	382	3.7 (37)	709	77.3 (33)	1,427	15.3 (12)
Geary	1,148	63.0 (24)	703	16.1 (35)	638	7.8 (33)	655	14.4 (27)	650	3.8 (35)	1,084	79.2 (25)	2,359	41.4 (36)
Graham	173	72.8 (7)	127	33.1 (2)	119	21.0 (2)	116	27.6 (3)	122	14.8 (1)	167	85.6 (11)	289	44.3 (40)
Greeley	33	* *	22	* *	18	* *	19	* *	20	* *	55	* *	97	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate. Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Greenwood	165	55.8 (33)	129	18.6 (30)	116	10.3 (25)	110	17.3 (19)	120	9.2 (9)	249	98.8 (1)	411	21.2 (22)
Harvey	972	74.5 (4)	728	26.8 (9)	642	14.3 (10)	591	20.1 (13)	632	7.4 (14)	1,219	86.9 (6)	2,244	4.9 (1)
Jefferson	254	53.5 (37)	156	19.9 (25)	162	9.9 (29)	142	26.8 (4)	143	11.2 (6)	298	88.6 (4)	554	40.8 (35)
Johnson	6,872	77.5 (1)	4,748	30.6 (4)	4,068	17.6 (5)	4,116	17.1 (21)	4,306	6.1 (18)	7,269	84.8 (14)	14,796	19.6 (20)
Leavenwort	1,271	58.5 (30)	714	16.8 (33)	623	7.4 (35)	732	13.0 (30)	661	3.8 (35)	1,235	68.8 (39)	2,689	50.8 (42)
Linn	230	59.1 (28)	174	25.9 (10)	159	13.8 (16)	155	27.7 (2)	161	9.9 (8)	282	84.4 (15)	539	25.0 (28)
Lyon	1,510	70.5 (11)	1,053	19.8 (26)	927	10.0 (27)	891	11.3 (36)	958	4.8 (26)	1,887	85.2 (13)	3,525	17.5 (18)
Marion	737	74.2 (5)	532	23.1 (18)	478	12.8 (20)	448	23.7 (9)	478	5.4 (21)	993	91.9 (2)	1,768	7.6 (3)
Marshall	610	66.4 (19)	432	30.6 (4)	364	14.0 (11)	262	14.9 (23)	287	11.8 (4)	771	67.8 (40)	2,143	19.8 (21)
Miami	505	63.4 (22)	316	18.0 (32)	277	8.3 (32)	274	17.9 (18)	290	4.1 (32)	598	86.3 (9)	1,207	27.7 (29)
NEK	1,141	55.8 (33)	825	34.5 (1)	760	28.6 (1)	696	18.7 (16)	756	10.7 (7)	1,516	81.4 (20)	2,798	35.1 (33)
Nemaha	138	64.5 (20)	102	24.5 (15)	92	* *	79	* *	93	* *	189	86.8 (7)	342	42.4 (37)
Neosho	596	50.8 (39)	409	12.7 (41)	349	4.0 (40)	358	11.7 (35)	371	5.7 (20)	572	82.7 (18)	1,214	23.9 (26)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Osborne	1,208	68.9 (13)	846	22.6 (19)	742	14.0 (11)	729	19.8 (14)	778	6.2 (17)	1,552	81.3 (23)	2,849	22.6 (24)
Reno	2,365	64.4 (21)	1,586	19.5 (27)	1,399	10.2 (26)	1,387	18.7 (16)	1,440	4.1 (32)	2,617	85.5 (12)	5,251	10.1 (5)
Riley	3,523	74.6 (3)	2,412	27.0 (8)	2,047	13.9 (15)	2,081	26.5 (5)	2,140	8.4 (11)	3,695	74.1 (37)	7,923	16.9 (16)
Saline	2,971	61.8 (27)	1,934	19.2 (28)	1,794	8.8 (31)	1,737	17.3 (19)	1,760	4.5 (28)	3,440	81.4 (20)	6,723	13.1 (8)
Scott	215	55.8 (33)	171	25.1 (13)	164	14.0 (11)	140	24.3 (7)	156	13.5 (2)	317	83.6 (16)	529	22.5 (23)
Sedgwick	15,958	63.1 (23)	10,759	20.1 (24)	9,728	10.0 (27)	9,408	14.9 (23)	9,917	4.9 (25)	18,842	75.9 (35)	35,607	11.6 (6)
SEK	202	50.0 (41)	124	18.5 (31)	130	15.4 (7)	116	14.7 (25)	119	5.0 (24)	253	81.4 (20)	456	17.3 (17)
Seward	1,355	71.0 (10)	885	25.1 (13)	829	13.4 (19)	799	9.3 (39)	847	2.8 (40)	1,676	67.4 (41)	2,487	16.1 (14)
Shawnee	5,532	62.9 (25)	3,826	22.6 (19)	3,438	13.7 (17)	3,331	19.5 (15)	3,526	7.1 (15)	6,775	75.2 (36)	13,112	13.5 (10)
Sheridan	37	* *	26	* *	29	* *	24	* *	25	* *	51	* *	92	* *
Sherman	612	70.1 (12)	467	22.5 (21)	404	14.9 (8)	395	20.8 (12)	420	7.6 (13)	838	86.5 (8)	1,505	16.6 (15)
SKCPH	1,025	68.1 (17)	662	27.5 (7)	610	16.7 (6)	578	23.4 (10)	604	8.8 (10)	1,035	77.6 (32)	2,105	31.7 (31)
Stevens	250	74.8 (2)	176	32.4 (3)	176	19.9 (3)	170	29.4 (1)	173	8.1 (12)	327	78.6 (30)	439	15.3 (12)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

Local Agency	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Sumner	556	57.7 (31)	385	25.7 (12)	298	14.4 (9)	344	24.1 (8)	373	12.1 (3)	484	77.3 (33)	909	46.9 (41)
SW KS WIC	3,254	72.2 (8)	2,322	24.2 (16)	2,164	12.1 (22)	1,928	13.6 (29)	2,084	5.4 (21)	4,791	73.3 (38)	8,230	19.3 (19)
Wichita	84	* *	66	* *	57	* *	59	* *	58	* *	138	87.0 (5)	230	31.3 (30)
Wilson	391	58.8 (29)	283	14.5 (39)	246	4.9 (39)	246	13.8 (28)	261	3.1 (38)	473	79.1 (26)	887	43.9 (39)
Wyandotte	7,818	68.3 (16)	5,379	24.2 (16)	4,736	13.7 (17)	4,550	9.6 (38)	4,829	4.4 (30)	9,002	65.7 (43)	17,260	24.3 (27)
Unknown Local Ag.	851	62.4 (26)	658	15.8 (36)	338	10.7 (23)	467	9.2 (40)	497	6.6 (16)	642	79.1 (26)	2,623	23.4 (25)
Kansas	78,940	66.0	54,147	22.6	48,063	12.3	46,838	16.0	49,238	5.7	92,641	77.7	178,993	18.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

